

Package ‘JavaGD’

April 15, 2019

Version 0.6-1.1

Title Java Graphics Device

Author Simon Urbanek <Simon.Urbane@R-project.org>

Maintainer Simon Urbanek <Simon.Urbane@R-project.org>

Depends R (>= 2.4.0)

Suggests rJava (>= 0.5-0)

Description Graphics device routing all graphics commands to a Java program. The actual functionality of the JavaGD depends on the Java-side implementation. Simple AWT and Swing implementations are included.

License GPL-2 | GPL-3

URL <http://www.rforge.net/JavaGD/>

SystemRequirements GNU make

Repository CRAN

Date/Publication 2019-04-15 16:53:43 UTC

NeedsCompilation yes

R topics documented:

JavaGD 1

Index 3

JavaGD	<i>Create a new Java graphics device</i>
--------	--

Description

JavaGD initializes a new Java graphics device and creates a new window.

Usage

```
JavaGD(name="JavaGD", width=400, height=300, ps=12)
```

Arguments

name	Name of the device
width	Initial width of the window (usually in pixels, but the actual interpretation depends on the Java implementation)
height	Initial height of the window
ps	Initial point size

Value

Currently the return value is implementation dependent, mostly just the return code as returned by the low-level C function

Examples

```
## Not run:  
JavaGD()  
  
## End(Not run)
```

Index

*Topic **device**

JavaGD, [1](#)

JavaGD, [1](#)

javaGD (JavaGD), [1](#)