

# Package ‘SpaDES.core’

November 25, 2019

**Type** Package

**Title** Core Utilities for Developing and Running Spatially Explicit Discrete Event Models

**Description** Provide the core framework for a discrete event system (DES) to implement a complete data-to-decisions, reproducible workflow. The core DES components facilitate modularity, and easily enable the user to include additional functionality by running user-built modules. Includes conditional scheduling, restart after interruption, packaging of reusable modules, tools for developing arbitrary automated workflows, automated interweaving of modules of different temporal resolution, and tools for visualizing and understanding the DES project.

**URL** <https://spades-core.predictiveecology.org/>,  
<https://github.com/PredictiveEcology/SpaDES.core>

**Date** 2019-11-21

**Version** 0.2.7

**Depends** R (>= 3.5), quickPlot (>= 0.1.4), reproducible (>= 0.2.11)

**Imports** backports, codetools, crayon, data.table (>= 1.10.4), DiagrammeR (>= 0.8.2), dplyr (>= 0.5.0), fastdigest, fpCompare (>= 0.2.1), future, httr (>= 1.2.1), igraph (>= 1.0.1), lubridate (>= 1.3.3), methods, RCurl, R.utils (>= 2.5.0), raster (>= 2.5-8), stats, stringi (>= 1.1.3), tcltk, tools, utils, whisker

**Suggests** archivist, covr, devtools, future.callr, knitr, magrittr, microbenchmark, png, RandomFields (>= 3.3.4), RColorBrewer (>= 1.1-2), rgdal, rstudioapi, sf, SpaDES.tools (>= 0.2.0), rmarkdown, testthat (>= 1.0.2)

**Encoding** UTF-8

**Language** en-CA

**License** GPL-3

**VignetteBuilder** knitr, rmarkdown

**BugReports** <https://github.com/PredictiveEcology/SpaDES.core/issues>

**ByteCompile** yes

**Collate** 'module-dependencies-class.R' 'misc-methods.R' 'environment.R'  
 'helpers.R' 'simList-class.R' 'cache.R' 'check.R' 'priority.R'  
 'checkpoint.R' 'code-checking.R' 'copy.R' 'downloadData.R'  
 'simulation-parseModule.R' 'simulation-simInit.R' 'load.R'  
 'memory.R' 'modActiveBinding.R' 'module-define.R'  
 'module-dependencies-methods.R' 'module-repository.R'  
 'module-template.R' 'moduleCoverage.R' 'moduleMetadata.R'  
 'objectSynonyms.R' 'times.R' 'simList-accessors.R'  
 'plotting-diagrams.R' 'plotting.R' 'progress.R'  
 'project-template.R' 'restart.R' 'save.R' 'simulation-spades.R'  
 'spades-classes.R' 'spades-core-deprecated.R'  
 'spades-core-package.R' 'suppliedElsewhere.R' 'zzz.R'

**RoxygenNote** 7.0.0

**NeedsCompilation** no

**Author** Alex M Chubaty [aut, cre] (<<https://orcid.org/0000-0001-7146-8135>>),  
 Eliot J B McIntire [aut] (<<https://orcid.org/0000-0002-6914-8316>>),  
 Yong Luo [ctb],  
 Steve Cumming [ctb],  
 Ceres Barros [ctb] (<<https://orcid.org/0000-0003-4036-977X>>),  
 Her Majesty the Queen in Right of Canada, as represented by the  
 Minister of Natural Resources Canada [cph]

**Maintainer** Alex M Chubaty <[alex.chubaty@gmail.com](mailto:alex.chubaty@gmail.com)>

**Repository** CRAN

**Date/Publication** 2019-11-25 17:00:06 UTC

## R topics documented:

SpaDES.core-package . . . . .	4
.addChangedAttr,simList-method . . . . .	13
.addTagsToOutput,simList-method . . . . .	14
.cacheMessage,simList-method . . . . .	14
.checkCacheRepo,list-method . . . . .	15
.fileExtensions . . . . .	15
.findSimList . . . . .	17
.objSizeInclEnviros,simList-method . . . . .	17
.parseElems,simList-method . . . . .	18
.preDigestByClass,simList-method . . . . .	18
.prepareOutput,simList-method . . . . .	19
.quickCheck . . . . .	20
.robustDigest,simList-method . . . . .	20
.tagsByClass,simList-method . . . . .	21
all.equal.simList . . . . .	22
append_attr . . . . .	23
checkModule . . . . .	24
checkModuleLocal . . . . .	24

checkObject . . . . .	25
checkParams . . . . .	26
checksums . . . . .	27
classFilter . . . . .	28
clearCache,simList-method . . . . .	30
Copy,simList-method . . . . .	31
copyModule . . . . .	32
createsOutput . . . . .	33
defineModule . . . . .	34
defineParameter . . . . .	35
depsEdgeList . . . . .	37
depsGraph . . . . .	38
doEvent.checkpoint . . . . .	39
downloadData . . . . .	40
downloadModule . . . . .	43
dyears . . . . .	45
envir . . . . .	46
eventDiagram . . . . .	47
events . . . . .	48
expectsInput . . . . .	50
experiment . . . . .	51
extractURL . . . . .	52
fileName . . . . .	52
getModuleVersion . . . . .	53
globals . . . . .	54
initialize,simList-method . . . . .	55
inputObjects . . . . .	55
inputs . . . . .	56
inSeconds . . . . .	62
loadPackages . . . . .	63
makeMemoisable.simList . . . . .	65
maxTimeunit . . . . .	65
memoryUseThisSession . . . . .	66
minTimeunit . . . . .	67
moduleCoverage . . . . .	67
moduleDefaults . . . . .	69
moduleDiagram . . . . .	69
moduleGraph . . . . .	70
moduleMetadata . . . . .	71
modules . . . . .	72
moduleVersion . . . . .	73
newModule . . . . .	75
newModuleCode . . . . .	77
newModuleDocumentation . . . . .	77
newModuleTests . . . . .	78
newProgressBar . . . . .	79
newProject . . . . .	80
newProjectCode . . . . .	80

objectDiagram . . . . .	81
objectSynonyms . . . . .	82
objs . . . . .	83
objSize.simList . . . . .	84
openModules . . . . .	85
packages . . . . .	86
paddedFloatToChar . . . . .	87
params . . . . .	88
paths . . . . .	89
Plot,simList-method . . . . .	92
priority . . . . .	94
progressInterval . . . . .	95
rasterToMemory . . . . .	96
remoteFileSize . . . . .	97
restartR . . . . .	98
restartSpades . . . . .	99
rndstr . . . . .	101
saveFiles . . . . .	102
saveSimList . . . . .	104
scheduleConditionalEvent . . . . .	105
scheduleEvent . . . . .	106
show,simList-method . . . . .	108
simInit . . . . .	108
simInitAndSpades . . . . .	114
simList-class . . . . .	116
spades . . . . .	118
spadesClasses . . . . .	122
suppliedElsewhere . . . . .	122
times . . . . .	124
updateList . . . . .	127
zipModule . . . . .	128
zipSimList . . . . .	129

**Index****130**


---

SpaDES.core-package      *Categorized overview of the SpaDES.core package*

---

**Description**

This package allows implementation a variety of simulation-type models, with a focus on spatially explicit models. The core simulation components are built upon a discrete event simulation framework that facilitates modularity, and easily enables the user to include additional functionality by

running user-built simulation modules. Included are numerous tools to visualize various spatial data formats, as well as non-spatial data. Much work has been done to speed up the core of the DES, with current benchmarking as low as 56 microseconds overhead for each event (including scheduling, sorting event queue, spawning event etc.) or 38 microseconds if there is no sorting (i.e., no sorting occurs under simple conditions). Under most event conditions, therefore, the DES itself will contribute very minimally compared to the content of the events, which may often be milliseconds to many seconds each event.

Bug reports: <https://github.com/PredictiveEcology/SpaDES.core/issues>

Module repository: <https://github.com/PredictiveEcology/SpaDES-modules>

Wiki: <https://github.com/PredictiveEcology/SpaDES/wiki>

---

## 1 Spatial discrete event simulation (SpaDES)

A collection of top-level functions for doing spatial discrete event simulation.

**1.1 Simulations:** There are two workhorse functions that initialize and run a simulation, and third function for doing multiple spades runs:

<code>simInit</code>	Initialize a new simulation
<code>spades</code>	Run a discrete event simulation
<code>experiment</code>	In SpaDES.experiment package. Run multiple <code>spades</code> calls
<code>experiment2</code>	In SpaDES.experiment package. Run multiple <code>spades</code> calls

**1.2 Events:** Within a module, important simulation functions include:

<code>scheduleEvent</code>	Schedule a simulation event
<code>scheduleConditionalEvent</code>	Schedule a conditional simulation event
<code>removeEvent</code>	Remove an event from the simulation queue (not yet implemented)

## 2 The simList object class

The principle exported object class is the `simList`. All SpaDES simulations operate on this object class.

`simList` The 'simList' class

---

## 3 simList methods

Collections of commonly used functions to retrieve or set slots (and their elements) of a `simList` object are summarized further below.

### 3.1 Simulation parameters:

- `globals` List of global simulation parameters.
- `params` Nested list of all simulation parameter.
- `P` Namespaced version of `params` (i.e., do not have to specify module name).

### 3.2 loading from disk, saving to disk:

- `inputs` List of loaded objects used in simulation. (advanced)
- `outputs` List of objects to save during simulation. (advanced)

### 3.3 objects in the simList:

- `ls, objects` Names of objects referenced by the simulation environment.
- `ls.str` List the structure of the simList objects.
- `objs` List of objects referenced by the simulation environment.

### 3.4 Simulation paths: Accessor functions for the paths slot and its elements.

- `cachePath` Global simulation cache path.
- `modulePath` Global simulation module path.
- `inputPath` Global simulation input path.
- `outputPath` Global simulation output path.
- `rasterPath` Global simulation temporary raster path.
- `paths` Global simulation paths (cache, modules, inputs, outputs, rasters).

### 3.5 Simulation times: Accessor functions for the simtimes slot and its elements.

- `time` Current simulation time, in units of longest module.
- `start` Simulation start time, in units of longest module.
- `end` Simulation end time, in units of longest module.
- `times` List of all simulation times (current, start, end), in units of longest module..

### 3.6 Simulation event queues: Accessor functions for the events and completed slots. By default, the event lists are shown when the simList object is printed, thus most users will not require direct use of these methods.

- `events` Scheduled simulation events (the event queue). (advanced)
- `current` Currently executing event. (advanced)
- `completed` Completed simulation events. (advanced)
- `elapsedTime` The amount of clock time that modules & events use

### 3.7 Modules, dependencies, packages: Accessor functions for the depends, modules, and .loadOrder slots. These are included for advanced users.

- `depends` List of simulation module dependencies. (advanced)

`modules` List of simulation modules to be loaded. (advanced)  
`packages` Vector of required R libraries of all modules. (advanced)

**3.8 simList environment:** The `simList` has a slot called `.xData` which is an environment. All objects in the `simList` are actually in this environment, i.e., the `simList` is not a list. In R, environments use pass-by-reference semantics, which means that copying a `simList` object using normal R assignment operation (e.g., `sim2 <- sim1`), will not copy the objects contained within the `.xData` slot. The two objects (`sim1` and `sim2`) will share identical objects within that slot. Sometimes, this not desired, and a true copy is required.

`envir` Access the environment of the `simList` directly (advanced)  
`copy` Deep copy of a `simList`. (advanced)

### 3.9 Checkpointing:

Accessor method	Module	Description
<code>checkpointFile</code>	<code>.checkpoint</code>	Name of the checkpoint file. (advanced)
<code>checkpointInterval</code>	<code>.checkpoint</code>	The simulation checkpoint interval. (advanced)

### 3.10 Progress Bar:

<code>progressType</code>	<code>.progress</code>	Type of graphical progress bar used. (advanced)
<code>progressInterval</code>	<code>.progress</code>	Interval for the progress bar. (advanced)

---

## 4 Module operations

**4.1 Creating, distributing, and downloading modules:** Modules are the basic unit of SpaDES. These are generally created and stored locally, or are downloaded from remote repositories, including our [SpaDES-modules](#) repository on GitHub.

<code>checksums</code>	Verify (and optionally write) checksums for a module's data files.
<code>downloadModule</code>	Open all modules nested within a base directory.
<code>getModuleVersion</code>	Get the latest module version # from module repository.
<code>newModule</code>	Create new module from template.
<code>newModuleDocumentation</code>	Create empty documentation for a new module.
<code>openModules</code>	Open all modules nested within a base directory.
<code>moduleMetadata</code>	Shows the module metadata.
<code>zipModule</code>	Zip a module and its associated files.

**4.2 Module metadata:** Each module requires several items to be defined. These comprise the metadata for that module (including default parameter specifications, inputs and outputs), and are currently written at the top of the module's `.R` file.

<code>defineModule</code>	Define the module metadata
<code>defineParameter</code>	Specify a parameter's name, value and set a default
<code>expectsInput</code>	Specify an input object's name, class, description, sourceURL and other specifications
<code>createsOutput</code>	Specify an output object's name, class, description and other specifications

There are also accessors for many of the metadata entries:

<code>timeunit</code>	Accesses metadata of same name
<code>citation</code>	Accesses metadata of same name
<code>documentation</code>	Accesses metadata of same name
<code>reqdPkgs</code>	Accesses metadata of same name
<code>inputObjects</code>	Accesses metadata of same name
<code>outputObjects</code>	Accesses metadata of same name

**4.3 Module dependencies:** Once a set of modules have been chosen, the dependency information is automatically calculated once `simInit` is run. There are several functions to assist with dependency information:

<code>depsEdgeList</code>	Build edge list for module dependency graph
<code>depsGraph</code>	Build a module dependency graph using <code>igraph</code>

## 5 Module functions

*A collection of functions that help with making modules can be found in the suggested `SpaDES.tools` package, and are summarized below.*

**5.1 Spatial spreading/distances methods:** Spatial contagion is a key phenomenon for spatially explicit simulation models. Contagion can be modelled using discrete approaches or continuous approaches. Several `SpaDES.tools` functions assist with these:

<code>adj</code>	An optimized (i.e., faster) version of <code>adjacent</code>
<code>cir</code>	Identify pixels in a circle around a <code>SpatialPoints*</code> object
<code>directionFromEachPoint</code>	Fast calculation of direction and distance surfaces
<code>distanceFromEachPoint</code>	Fast calculation of distance surfaces
<code>rings</code>	Identify rings around focal cells (e.g., buffers and donuts)
<code>spokes</code>	Identify outward radiating spokes from initial points
<code>spread</code>	Contagious cellular automata
<code>wrap</code>	Create a torus from a grid

**5.2 Spatial agent methods:** Agents have several methods and functions specific to them:

<code>crw</code>	Simple correlated random walk function
<code>heading</code>	Determines the heading between <code>SpatialPoints*</code>



<code>makeLines</code>	Makes SpatialLines object for, e.g., drawing arrows
<code>move</code>	A meta function that can currently only take "crw"
<code>specificNumPerPatch</code>	Initiate a specific number of agents per patch

**5.3 GIS operations:** In addition to the vast amount of GIS operations available in R (mostly from contributed packages such as `sp`, `raster`, `maps`, `maptools` and many others), we provide the following GIS-related functions:

`equalExtent` Assess whether a list of extents are all equal

**5.4 'Map-reduce'-type operations:** These functions convert between reduced and mapped representations of the same data. This allows compact representation of, e.g., rasters that have many individual pixels that share identical information.

`rasterizeReduced` Convert reduced representation to full raster.

**5.5 Colors in Raster\* objects:** We likely will not want the default colours for every map. Here are several helper functions to add to, set and get colors of Raster\* objects:

<code>setColors</code>	Set colours for plotting Raster* objects
<code>getColors</code>	Get colours in a Raster* objects
<code>divergentColors</code>	Create a color palette with diverging colors around a middle

**5.6 Random Map Generation:** It is often useful to build dummy maps with which to build simulation models before all data are available. These dummy maps can later be replaced with actual data maps.

<code>gaussMap</code>	Creates a random map using Gaussian random fields
<code>randomPolygons</code>	Creates a random polygon with specified number of classes

**5.7 Checking for the existence of objects:** SpaDES modules will often require the existence of objects in the `simList`. These are helpers for assessing this:

<code>checkObject</code>	Check for a existence of an object within a <code>simList</code>
<code>checkPath</code>	Checks the specified filepath for formatting consistencies

**5.8 SELES-type approach to simulation:** These functions are essentially skeletons and are not fully implemented. They are intended to make translations from **SELES**. You must know how to use SELES for these to be useful:

<code>agentLocation</code>	Agent location
<code>initiateAgents</code>	Initiate agents into a SpatialPointsDataFrame
<code>numAgents</code>	Number of agents
<code>probInit</code>	Probability of initiating an agent or event

[transitions](#)      Transition probability

**5.9 Miscellaneous:** Functions that may be useful within a SpaDES context:

<a href="#">inRange</a>	Test whether a number lies within range [a,b]
<a href="#">layerNames</a>	Get layer names for numerous object classes
<a href="#">loadPackages</a>	Simple wrapper for loading packages
<a href="#">numLayers</a>	Return number of layers
<a href="#">paddedFloatToChar</a>	Wrapper for padding (e.g., zeros) floating numbers to character
<a href="#">updateList</a>	Update values in a named list

## 6 Caching simulations and simulation components

*Simulation caching uses the reproducible package.*

Caching can be done in a variety of ways, most of which are up to the module developer. However, the one most common usage would be to cache a simulation run. This might be useful if a simulation is very long, has been run once, and the goal is just to retrieve final results. This would be an alternative to manually saving the outputs.

See example in [spades](#), achieved by using `cache = TRUE` argument.

<a href="#">Cache</a>	Caches a function, but often accessed as arg in <a href="#">spades</a>
<a href="#">cache</a>	deprecated. Please use <a href="#">Cache</a>
<a href="#">showCache</a>	Shows information about the objects in the cache
<a href="#">clearCache</a>	Removes objects from the cache
<a href="#">keepCache</a>	Keeps only the objects described
<a href="#">clearStubArtifacts</a>	Removes any erroneous items in a cache repository

A module developer can build caching into their module by creating cached versions of their functions.

## 7 Plotting

*Much of the underlying plotting functionality is provided by the quickPlot package.*

There are several user-accessible plotting functions that are optimized for modularity and speed of plotting:

Commonly used:

[Plot](#)      The workhorse plotting function

Simulation diagrams:

<code>eventDiagram</code>	Gantt chart representing the events in a completed simulation.
<code>moduleDiagram</code>	Network diagram of simplified module (object) dependencies.
<code>objectDiagram</code>	Sequence diagram of detailed object dependencies.

Other useful plotting functions:

<code>clearPlot</code>	Helpful for resolving many errors
<code>clickValues</code>	Extract values from a raster object at the mouse click location(s)
<code>clickExtent</code>	Zoom into a raster or polygon map that was plotted with <code>Plot</code>
<code>clickCoordinates</code>	Get the coordinates, in map units, under mouse click
<code>dev</code>	Specify which device to plot on, making a non-RStudio one as default
<code>newPlot</code>	Open a new default plotting device
<code>rePlot</code>	Replots all elements of device for refreshing or moving plot

---

## 8 File operations

In addition to R's file operations, we have added several here to aid in bulk loading and saving of files for simulation purposes:

<code>loadFiles</code>	Load simulation objects according to a filelist
<code>rasterToMemory</code>	Read a raster from file to RAM
<code>saveFiles</code>	Save simulation objects according to outputs and params

---

## 9 Sample modules included in package

Several dummy modules are included for testing of functionality. These can be found with `file.path(find.package("SpaDES"), "modules")`.

<code>randomLandscapes</code>	Imports, updates, and plots several raster map layers
<code>caribouMovement</code>	A simple agent-based (a.k.a., individual-based) model
<code>fireSpread</code>	A simple model of a spatial spread process

---

## 10 Package options

SpaDES packages use the following `options` to configure behaviour:

- `spades.browserOnError`: If TRUE, the default, then any error rerun the same event with `debugonce` called on it to allow editing to be done. When that browser is continued (e.g., with 'c'), then it will save it reparse it into the `simList` and rerun the edited version. This may

allow a spades call to be recovered on error, though in many cases that may not be the correct behaviour. For example, if the `simList` gets updated inside that event in an iterative manner, then each run through the event will cause that iteration to occur. When this option is `TRUE`, then the event will be run at least 3 times: the first time makes the error, the second time has debugonce and the third time is after the error is addressed. `TRUE` is likely somewhat slower.

- `reproducible.cachePath`: The default local directory in which to cache simulation outputs. Default is a temporary directory (typically `/tmp/RtmpXXX/SpaDES/cache`).
- `spades.inputPath`: The default local directory in which to look for simulation inputs. Default is a temporary directory (typically `/tmp/RtmpXXX/SpaDES/inputs`).
- `spades.debug`: The default debugging value debug argument in `spades()`. Default is `TRUE`.
- `spades.lowMemory`: If true, some functions will use more memory efficient (but slower) algorithms. Default `FALSE`.
- `spades.moduleCodeChecks`: Should the various code checks be run during `simInit`. These are passed to `codetools::checkUsage`. Default is given by the function, plus these `:list(suppressParamUnused = FALSE, suppressUndefined = TRUE, suppressPartialMatchArgs = FALSE, suppressNoLocalFun = TRUE, skipWith = TRUE)`.
- `spades.modulePath`: The default local directory where modules and data will be downloaded and stored. Default is a temporary directory (typically `/tmp/RtmpXXX/SpaDES/modules`).
- `spades.moduleRepo`: The default GitHub repository to use when downloading modules via `downloadModule`. Default `"PredictiveEcology/SpaDES-modules"`.
- `spades.nCompleted`: The maximum number of completed events to retain in the completed event queue. Default `1000L`.
- `spades.outputPath`: The default local directory in which to save simulation outputs. Default is a temporary directory (typically `/tmp/RtmpXXX/SpaDES/outputs`).
- `spades.recoveryMode`: If this a numeric `> 0` or `TRUE`, then the discrete event simulator will take a snapshot of the objects in the `simList` that might change (based on metadata `outputObjects` for that module), prior to initiating every event. This will allow the user to be able to recover in case of an error or manual interruption (e.g., `Esc`). If this is numeric, a copy of that number of "most recent events" will be maintained so that the user can recover and restart `> 1` event in the past, i.e., redo some of the "completed" events. Default is `TRUE`, i.e., it will keep the state of the `simList` at the start of the current event. This can be recovered with `restartSpades` and the differences can be seen in a hidden object in the stashed `simList`. There is a message which describes how to find that.
- `spades.switchPkgNamespaces`: Should the search path be modified to ensure a module's required packages are listed first? Default `FALSE` to keep computational overhead down. If `TRUE`, there should be no name conflicts among package objects, but it is much slower, especially if the events are themselves fast.
- `spades.tolerance`: The default tolerance value used for floating point number comparisons. Default `.Machine$double.eps^0.5`.
- `spades.useragent`: The default user agent to use for downloading modules from GitHub.com. Default `"http://github.com/PredictiveEcology/SpaDES"`.

### Author(s)

**Maintainer:** Alex M Chubaty <[alex.chubaty@gmail.com](mailto:alex.chubaty@gmail.com)> ([ORCID](#))

Authors:

- Eliot J B McIntire <eliot.mcintire@canada.ca> ([ORCID](#))

Other contributors:

- Yong Luo <yluo1@lakeheadu.ca> [contributor]
- Steve Cumming <Steve.Cumming@sbf.ulaval.ca> [contributor]
- Ceres Barros <cbarros@mail.ubc.ca> ([ORCID](#)) [contributor]
- Her Majesty the Queen in Right of Canada, as represented by the Minister of Natural Resources Canada [copyright holder]

### See Also

Useful links:

- <https://spades-core.predictiveecology.org/>
- <https://github.com/PredictiveEcology/SpaDES.core>
- Report bugs at <https://github.com/PredictiveEcology/SpaDES.core/issues>

---

.addChangedAttr,simList-method

*.addChangedAttr for simList objects*

---

### Description

This will evaluate which elements in the `simList` object changed following this `Cached` function call. It will add a named character string as an attribute `attr(x, ".Cache")$changed`, indicating which ones changed. When this function is subsequently called again, only these changed objects will be returned. All other `simList` objects will remain unchanged.

### Usage

```
## S4 method for signature 'simList'  
.addChangedAttr(object, preDigest, origArguments, ...)
```

### Arguments

<code>object</code>	Any R object returned from a function
<code>preDigest</code>	The full, element by element hash of the input arguments to that same function, e.g., from <code>.robustDigest</code>
<code>origArguments</code>	These are the actual arguments (i.e., the values, not the names) that were the source for <code>preDigest</code>
<code>...</code>	Anything passed to methods.

### See Also

[.addChangedAttr.](#)  
[.addChangedAttr](#)

---

```
.addTagsToOutput,simList-method
      .addTagsToOutput for simList objects
```

---

**Description**

See [.addTagsToOutput](#).

**Usage**

```
## S4 method for signature 'simList'
.addTagsToOutput(object, outputObjects, FUN, preDigestByClass)
```

**Arguments**

object	Any R object.
outputObjects	Optional character vector indicating which objects to return. This is only relevant for list, environment (or similar) objects
FUN	A function
preDigestByClass	A list, usually from <code>.preDigestByClass</code>

**Author(s)**

Eliot McIntire

**See Also**

[.addTagsToOutput](#)

---

```
.cacheMessage,simList-method
      .cacheMessage for simList objects
```

---

**Description**

See [.cacheMessage](#).

**Usage**

```
## S4 method for signature 'simList'
.cacheMessage(
  object,
  functionName,
  fromMemoise = getOption("reproducible.useMemoise", TRUE)
)
```

**Arguments**

object	Any R object.
functionName	A character string indicating the function name
fromMemoise	Logical. If TRUE, the message will be about recovery from memoised copy

**See Also**

[.cacheMessage](#)

---

*.checkCacheRepo,list-method*  
*.checkCacheRepo* *for simList objects*

---

**Description**

See [.checkCacheRepo](#).

**Usage**

```
## S4 method for signature 'list'  
.checkCacheRepo(object, create = FALSE)
```

**Arguments**

object	An R object
create	Logical. If TRUE, then it will create the path for cache.

**See Also**

[.checkCacheRepo](#)

---

*.fileExtensions*      *File extensions map*

---

**Description**

How to load various types of files in R.

This function has two roles: 1) to proceed with the loading of files that are in a simList or 2) as a short cut to simInit(inputs = fileList). Generally not to be used by a user.

A data . frame with information on how to load various types of files in R, containing the columns:

- exts: the file extension;
- fun: the function to use for files with this file extension;
- package: the package from which to load fun.

**Usage**

```
.fileExtensions()

loadFiles(sim, filelist, ...)

## S4 method for signature 'simList,missing'
loadFiles(sim, filelist, ...)

## S4 method for signature 'missing,ANY'
loadFiles(sim, filelist, ...)

## S4 method for signature 'missing,missing'
loadFiles(sim, filelist, ...)

.saveFileExtensions()
```

**Arguments**

<code>sim</code>	<code>simList</code> object.
<code>filelist</code>	list or <code>data.frame</code> to call <code>loadFiles</code> directly from the <code>filelist</code> as described in Details
<code>...</code>	Additional arguments.

**Author(s)**

Eliot McIntire and Alex Chubaty

**See Also**

[inputs](#)

**Examples**

```
## Not run:

# Load random maps included with package
filelist <- data.frame(
  files = dir(system.file("maps", package = "quickPlot"),
    full.names = TRUE, pattern = "tif"),
  functions = "rasterToMemory", package = "quickPlot"
)
sim1 <- loadFiles(filelist = filelist)
clearPlot()
if (interactive()) Plot(sim1$DEM)

# Second, more sophisticated. All maps loaded at time = 0, and the last one is reloaded
# at time = 10 and 20 (via "intervals").
# Also, pass the single argument as a list to all functions...
# specifically, when add "native = TRUE" as an argument to the raster function
files = dir(system.file("maps", package = "quickPlot"),
```



```

        full.names = TRUE, pattern = "tif")
arguments = I(rep(list(native = TRUE), length(files)))
filelist = data.frame(
  files = files,
  functions = "raster::raster",
  objectName = NA,
  arguments = arguments,
  loadTime = 0,
  intervals = c(rep(NA, length(files)-1), 10)
)

sim2 <- loadFiles(filelist = filelist)

# if we extend the end time and continue running, it will load an object scheduled
# at time = 10, and it will also schedule a new object loading at 20 because
# interval = 10
end(sim2) <- 20
sim2 <- spades(sim2) # loads the percentPine map 2 more times, once at 10, once at 20

## End(Not run)

```

---

.findSimList	<i>Find simList in a nested list</i>
--------------	--------------------------------------

---

**Description**

This is recursive, so it will find the all simLists even if they are deeply nested.

**Usage**

```
.findSimList(x)
```

**Arguments**

x                    any object, used here only when it is a list with at least one simList in it

---

.objSizeInclEnviros,simList-method	<i>.objSizeInclEnviros for simList objects</i>
------------------------------------	--

---

**Description**

See [.objSizeInclEnviros](#).

**Usage**

```
## S4 method for signature 'simList'
.objSizeInclEnviros(object)
```

**Arguments**

object            Any R object.

**See Also**

[.objSizeInclEnviros](#)

---

[.parseElems,simList-method](#)

*.parseElems for simList class objects*

---

**Description**

See [.parseElems](#).

**Usage**

```
## S4 method for signature 'simList'
.parseElems(tmp, elems, envir)
```

**Arguments**

tmp            A evaluated object  
elems          A character string to be parsed  
envir          An environment

**See Also**

[.parseElems](#)

---

[.preDigestByClass,simList-method](#)

*Pre-digesting method for simList*

---

**Description**

Takes a snapshot of simList objects.

**Usage**

```
## S4 method for signature 'simList'
.preDigestByClass(object)
```

**Arguments**

object            Any R object.

**Details**

See [.preDigestByClass](#).

**Author(s)**

Eliot McIntire

**See Also**

[.preDigestByClass](#)

---

*.prepareOutput,simList-method*  
*.prepareOutput for simList objects*

---

**Description**

See [.prepareOutput](#).

**Usage**

```
## S4 method for signature 'simList'  
.prepareOutput(object, cacheRepo, ...)
```

**Arguments**

object	Any R object
cacheRepo	A repository used for storing cached objects. This is optional if Cache is used inside a SpaDES module.
...	Arguments of FUN function .

**See Also**

[.prepareOutput](#)

---

<code>.quickCheck</code>	<i>The SpADES .core variable to switch between quick and robust checking</i>
--------------------------	--

---

**Description**

A variable that can be use by module developers and model users to switch between a quick check of functions like `downloadData`, `Cache`. The module developer must actually use this in their code.

**Usage**

```
.quickCheck
```

**Format**

An object of class `logical` of length 1.

---

<code>.robustDigest,simList-method</code>	<i>.robustDigest for simList objects</i>
---	--

---

**Description**

This is intended to be used within the `Cache` function, but can be used to evaluate what a `simList` would look like once it is converted to a repeatably digestible object.

**Usage**

```
## S4 method for signature 'simList'
.robustDigest(object, .objects, length, algo, quick, classOptions)
```

**Arguments**

<code>object</code>	an object to digest.
<code>.objects</code>	Character vector of objects to be digested. This is only applicable if there is a list, environment (or similar) named objects within it. Only this/these objects will be considered for caching, i.e., only use a subset of the list, environment or similar objects.
<code>length</code>	Numeric. If the element passed to <code>Cache</code> is a <code>Path</code> class object (from e.g., <code>asPath(filename)</code> ) or it is a <code>Raster</code> with file-backing, then this will be passed to <code>digest::digest</code> , essentially limiting the number of bytes to digest (for speed). This will only be used if <code>quick = FALSE</code> . Default is <code>getOption("reproducible.length")</code> , which is set to <code>Inf</code> .

algo	The algorithms to be used; currently available choices are md5, which is also the default, sha1, crc32, sha256, sha512, xxhash32, xxhash64, murmur32 and spookyhash.
quick	Logical. If TRUE, little or no disk-based information will be assessed, i.e., mostly its memory content. This is relevant for objects of class character, Path and Raster currently. For class character, it is ambiguous whether this represents a character string or a vector of file paths. The function will assess if it is a path to a file or directory first. If not, it will treat the object as a character string. If it is known that character strings should not be treated as paths, then quick = TRUE will be much faster, with no loss of information. If it is file or directory, then it will digest the file content, or basename(object). For class Path objects, the file's metadata (i.e., filename and file size) will be hashed instead of the file contents if quick = TRUE. If set to FALSE (default), the contents of the file(s) are hashed. If quick = TRUE, length is ignored. Raster objects are treated as paths, if they are file-backed.
classOptions	Optional list. This will pass into .robustDigest for specific classes. Should be options that the .robustDigest knows what to do with.

### Details

See [robustDigest](#). This method strips out stuff from a simList class object that would make it otherwise not reproducibly digestible between sessions, operating systems, or machines. This will likely still not allow identical digest results across R versions.

### Author(s)

Eliot McIntire

### See Also

[robustDigest](#)

---

.tagsByClass,simList-method  
*.tagsByClass for simList objects*

---

### Description

See [.tagsByClass](#). Adds current moduleName, eventType, eventTime, and function:spades as userTags.

### Usage

```
## S4 method for signature 'simList'  
.tagsByClass(object)
```

**Arguments**

object            Any R object.

**Author(s)**

Eliot McIntire

**See Also**

[.tagsByClass](#)

---

all.equal.simList        *All equal method for simLists*

---

**Description**

This function removes a few attributes that are added internally by SpaDES.core and are not relevant to the all.equal. One key element removed is any time stamps, as these are guaranteed to be different.

**Usage**

```
## S3 method for class 'equal.simList'  
all(target, current, ...)
```

**Arguments**

target            R object.  
current           other R object, to be compared with target.  
...                further arguments for different methods, notably the following two, for numerical comparison:

**Value**

See [all.equal](#)

---

append_attr	<i>Add a module to a moduleList</i>
-------------	-------------------------------------

---

## Description

Ordinary base lists and vectors do not retain their attributes when subsetted or appended. This function appends items to a list while preserving the attributes of items in the list (but not of the list itself).

## Usage

```
append_attr(x, y)

## S4 method for signature 'list,list'
append_attr(x, y)
```

## Arguments

`x, y`            A list of items with optional attributes.

## Details

Similar to `updateList` but does not require named lists.

## Value

An updated list with attributes.

## Author(s)

Alex Chubaty and Eliot McIntire

## Examples

```
library(igraph) # igraph exports magrittr's pipe operator
tmp1 <- list("apple", "banana") %>% lapply(., `attributes<-`, list(type = "fruit"))
tmp2 <- list("carrot") %>% lapply(., `attributes<-`, list(type = "vegetable"))
append_attr(tmp1, tmp2)
rm(tmp1, tmp2)
```

---

checkModule	<i>Check for the existence of a remote module</i>
-------------	---

---

**Description**

Looks in the remote repo for a module named name.

**Usage**

```
checkModule(name, repo)
```

```
## S4 method for signature 'character,character'
checkModule(name, repo)
```

```
## S4 method for signature 'character,missing'
checkModule(name)
```

**Arguments**

name	Character string giving the module name.
repo	GitHub repository name. Default is "PredictiveEcology/SpaDES-modules", which is specified by the global option spades.moduleRepo.

**Author(s)**

Eliot McIntire and Alex Chubaty

---

checkModuleLocal	<i>Check for the existence of a module locally</i>
------------------	--

---

**Description**

Looks the module path for a module named name, and checks for existence of all essential module files listed below.

**Usage**

```
checkModuleLocal(name, path, version)
```

```
## S4 method for signature 'character,character,character'
checkModuleLocal(name, path, version)
```

```
## S4 method for signature 'character,ANY,ANY'
checkModuleLocal(name, path, version)
```



**Arguments**

name	Character string giving the module name.
path	Local path to modules directory. Default is specified by the global option <code>spades.modulePath</code> .
version	Character specifying the desired module version.

**Details**

- 'data/CHECKSUMS.txt'
- 'name.R'

**Value**

Logical indicating presence of the module (invisibly).

**Author(s)**

Alex Chubaty

---

checkObject	<i>Check for existence of object(s) referenced by a objects slot of a simList object</i>
-------------	--

---

**Description**

Check that a named object exists in the provide `simList` environment slot, and optionally has desired attributes.

**Usage**

```
checkObject(sim, name, object, layer, ...)

## S4 method for signature 'simList,missing,Raster,character'
checkObject(sim, name, object, layer, ...)

## S4 method for signature 'simList,missing,ANY,missing'
checkObject(sim, name, object, layer, ...)

## S4 method for signature 'simList,character,missing,missing'
checkObject(sim, name, object, layer, ...)

## S4 method for signature 'simList,character,missing,character'
checkObject(sim, name, object, layer, ...)

## S4 method for signature 'missing,ANY,missing,ANY'
checkObject(sim, name, object, layer, ...)
```

**Arguments**

sim	A <a href="#">simList</a> object.
name	A character string specifying the name of an object to be checked.
object	An object. This is mostly used internally, or with layer, because it will fail if the object does not exist.
layer	Character string, specifying a layer name in a Raster, if the name is a Raster* object.
...	Additional arguments. Not implemented.

**Value**

Invisibly return TRUE indicating object exists; FALSE if not.

**Author(s)**

Alex Chubaty and Eliot McIntire

**See Also**

[library](#).

---

checkParams

*Check use and existence of params passed to simulation.*

---

**Description**

Checks that all parameters passed are used in a module, and that all parameters used in a module are passed.

**Usage**

```
checkParams(sim, coreParams, ...)
```

```
## S4 method for signature 'simList,list'
checkParams(sim, coreParams, ...)
```

**Arguments**

sim	A <a href="#">simList</a> simulation object.
coreParams	List of default core parameters.
...	Additional arguments. Not implemented.

**Value**

Invisibly return TRUE indicating object exists; FALSE if not. Sensible messages are be produced identifying missing parameters.

**Author(s)**

Alex Chubaty

checksums

*Calculate checksum for a module's data files***Description**

Verify (and optionally write) checksums for data files in a module's 'data/' subdirectory. The file 'data/CHECKSUMS.txt' contains the expected checksums for each data file. Checksums are computed using `reproducible:::digest`, which is simply a wrapper around `digest::digest`.

**Usage**

```
checksums(module, path, ...)
```

**Arguments**

module	Character string giving the name of the module.
path	Character string giving the path to the module directory.
...	Passed to <a href="#">Checksums</a> , notably, <code>write</code> , <code>quickCheck</code> , <code>checksumFile</code> and <code>files</code> .

**Details**

Modules may require data that for various reasons cannot be distributed with the module source code. In these cases, the module developer should ensure that the module downloads and extracts the data required. It is useful to not only check that the data files exist locally but that their checksums match those expected.

**Note**

In version 1.2.0 and earlier, two checksums per file were required because of differences in the checksum hash values on Windows and Unix-like platforms. Recent versions use a different (faster) algorithm and only require one checksum value per file. To update your 'CHECKSUMS.txt' files using the new algorithm:

1. specify your module (`moduleName <- "my_module"`);
2. use a temp dir to ensure all modules get fresh copies of the data (`tmpdir <- file.path(tmpdir(), "SpaDES_modules"`);
3. download your module's data to the temp dir (`downloadData(moduleName, tmpdir)`);
4. initialize a dummy simulation to ensure any 'data prep' steps in the `.inputObjects` section are run (`simInit(modules = moduleName)`);
5. recalculate your checksums and overwrite the file (`checksums(moduleName, tmpdir, write = TRUE)`);
6. copy the new checksums file to your working module directory (the one not in the temp dir) (`file.copy(from = file.path(tmpdir, moduleName, 'data', 'CHECKSUMS.txt'), to = file.path('path/to/my/', 'my_module', 'data', 'CHECKSUMS.txt'), overwrite = TRUE)`).

---

`classFilter`*Filter objects by class*

---

**Description**

Based on <http://stackoverflow.com/a/5158978/1380598>.

**Usage**

```
classFilter(x, include, exclude, envir)

## S4 method for signature 'character,character,character,environment'
classFilter(x, include, exclude, envir)

## S4 method for signature 'character,character,character,missing'
classFilter(x, include, exclude)

## S4 method for signature 'character,character,missing,environment'
classFilter(x, include, envir)

## S4 method for signature 'character,character,missing,missing'
classFilter(x, include)
```

**Arguments**

<code>x</code>	Character vector of object names to filter, possibly from <code>ls</code> .
<code>include</code>	Class(es) to include, as a character vector.
<code>exclude</code>	Optional class(es) to exclude, as a character vector.
<code>envir</code>	The environment ins which to search for objects. Default is the calling environment.

**Value**

Vector of object names matching the class filter.

**Note**

`inherits` is used internally to check the object class, which can, in some cases, return results inconsistent with `is`. See <http://stackoverflow.com/a/27923346/1380598>. These (known) cases are checked manually and corrected.

**Author(s)**

Alex Chubaty

**Examples**

```

## Not run:
## from global environment
a <- list(1:10)      # class `list`
b <- letters        # class `character`
d <- stats::runif(10) # class `numeric`
f <- sample(1L:10L) # class `numeric`, `integer`
g <- lm( jitter(d) ~ d ) # class `lm`
h <- glm( jitter(d) ~ d ) # class `lm`, `glm`
classFilter(ls(), include=c("character", "list"))
classFilter(ls(), include = "numeric")
classFilter(ls(), include = "numeric", exclude = "integer")
classFilter(ls(), include = "lm")
classFilter(ls(), include = "lm", exclude = "glm")
rm(a, b, d, f, g, h)

## End(Not run)

## from local (e.g., function) environment
local({
  e <- environment()
  a <- list(1:10)      # class `list`
  b <- letters        # class `character`
  d <- stats::runif(10) # class `numeric`
  f <- sample(1L:10L) # class `numeric`, `integer`
  g <- lm( jitter(d) ~ d ) # class `lm`
  h <- glm( jitter(d) ~ d ) # class `lm`, `glm`
  classFilter(ls(), include=c("character", "list"), envir = e)
  classFilter(ls(), include = "numeric", envir = e)
  classFilter(ls(), include = "numeric", exclude = "integer", envir = e)
  classFilter(ls(), include = "lm", envir = e)
  classFilter(ls(), include = "lm", exclude = "glm", envir = e)
  rm(a, b, d, e, f, g, h)
})

## from another environment
e = new.env(parent = emptyenv())
e$a <- list(1:10)      # class `list`
e$b <- letters        # class `character`
e$d <- stats::runif(10) # class `numeric`
e$f <- sample(1L:10L) # class `numeric`, `integer`
e$g <- lm( jitter(e$d) ~ e$d ) # class `lm`
e$h <- glm( jitter(e$d) ~ e$d ) # class `lm`, `glm`
classFilter(ls(e), include=c("character", "list"), envir = e)
classFilter(ls(e), include = "numeric", envir = e)
classFilter(ls(e), include = "numeric", exclude = "integer", envir = e)
classFilter(ls(e), include = "lm", envir = e)
classFilter(ls(e), include = "lm", exclude = "glm", envir = e)
rm(a, b, d, f, g, h, envir = e)
rm(e)

```

---

```
clearCache,simList-method
      clearCache for simList objects
```

---

### Description

This will take the cachePath(object) and pass

This will take the cachePath(object) and pass

This will take the cachePath(object) and pass

### Usage

```
## S4 method for signature 'simList'
clearCache(
  x,
  userTags = character(),
  after,
  before,
  ask = getOption("reproducible.ask"),
  useCloud = FALSE,
  cloudFolderID = getOption("reproducible.cloudFolderID", NULL),
  ...
)

## S4 method for signature 'simList'
showCache(x, userTags = character(), after, before, ...)

## S4 method for signature 'simList'
keepCache(
  x,
  userTags = character(),
  after,
  before,
  ask = getOption("reproducible.ask"),
  ...
)
```

### Arguments

x	A simList or a directory containing a valid archivist repository. Note: For compatibility with Cache argument, cacheRepo can also be used instead of x, though x will take precedence.
userTags	Character vector. If used, this will be used in place of the after and before. Specifying one or more userTag here will clear all objects that match those tags. Matching is via regular expression, meaning partial matches will work unless strict beginning (^) and end (\$) of string characters are used. Matching

	will be against any of the 3 columns returned by <code>showCache()</code> , i.e., <code>artifact</code> , <code>tagValue</code> or <code>tagName</code> . Also, <code>length userTags &gt; 1</code> , then matching is by 'and'. For 'or' matching, use <code> </code> in a single character string. See examples.
<code>after</code>	A time (POSIX, character understandable by <code>data.table</code> ). Objects cached after this time will be shown or deleted.
<code>before</code>	A time (POSIX, character understandable by <code>data.table</code> ). Objects cached before this time will be shown or deleted.
<code>ask</code>	Logical. If FALSE, then it will not ask to confirm deletions using <code>clearCache</code> or <code>keepCache</code> . Default is TRUE
<code>useCloud</code>	Logical. If TRUE, then every object that is deleted locally will also be deleted in the <code>cloudFolderID</code> , if it is non-NULL
<code>cloudFolderID</code>	A googledrive id of a folder, e.g., using <code>drive_mkdir()</code> . If left as NULL, the function will create a cloud folder with a warning. The warning will have the <code>cloudFolderID</code> that should be used in subsequent calls. It will also be added to <code>options("reproducible.cloudFolderID")</code> , but this will not persist across sessions.
<code>...</code>	Other arguments. Currently, <code>regex</code> , a logical, can be provided. This must be TRUE if the use is passing a regular expression. Otherwise, <code>userTags</code> will need to be exact matches. Default is missing, which is the same as TRUE. If there are errors due to regular expression problem, try FALSE. For <code>cc</code> , it is passed to <code>clearCache</code> , e.g., <code>ask</code> , <code>userTags</code>

---

Copy, simList-method      *Copy for simList class objects*

---

### Description

Because a `simList` works with an environment to hold all objects, all objects within that slot are pass-by-reference. That means it is not possible to simply copy an object with an assignment operator: the two objects will share the same objects. As one `simList` object changes so will the other. when this is not the desired behaviour, use this function. NOTE: use capital C, to limit confusion with `data.table::copy()` See [Copy](#).

### Usage

```
## S4 method for signature 'simList'
Copy(object, filebackedDir, objects, queues)
```

### Arguments

<code>object</code>	An R object (likely containing environments) or an environment.
<code>filebackedDir</code>	A directory to copy any files that are backing R objects, currently only valid for Raster classes. Defaults to <code>tempdir()</code> , which is unlikely to be very useful. Can be NULL, which means that the file will not be copied and could therefore cause a collision as the pre-copied object and post-copied object would have the same file backing them.

objects	Whether the objects contained within the simList environment should be copied. Default TRUE, which may be slow.
queues	Logical. Should the events queues (events, current, completed) be deep copied via <code>data.table::copy</code>

### Details

simList objects can contain a lot of information, much of which could be in pass-by-reference objects (e.g., `data.table` class), and objects that are file-backed, such as some `Raster*`-class objects. For all the objects that are file-backed, it is likely *very* important to give unique file-backed directories. This should be passed here, which gets passed on to the many methods of `Copy` in `reproducible`.

### Author(s)

Eliot McIntire

### See Also

[Copy](#)

---

copyModule

*Create a copy of an existing module*

---

### Description

Create a copy of an existing module

### Usage

```
copyModule(from, to, path, ...)
```

```
## S4 method for signature 'character,character,character'
copyModule(from, to, path, ...)
```

```
## S4 method for signature 'character,character,missing'
copyModule(from, to, path, ...)
```

### Arguments

from	The name of the module to copy.
to	The name of the copy.
path	The path to a local module directory. Defaults to the path set by the <code>spades.modulePath</code> option. See <a href="#">setPaths</a> .
...	Additional arguments to <code>file.copy</code> , e.g., <code>overwrite = TRUE</code> .



**Value**

Invisible logical indicating success (TRUE) or failure (FALSE).

**Author(s)**

Alex Chubaty

**Examples**

```
## Not run: copyModule(from, to)
```

---

createsOutput	<i>Define an output object of a module</i>
---------------	--

---

**Description**

Used to specify an output object's name, class, description and other specifications.

**Usage**

```
createsOutput(objectName, objectClass, desc, ...)

## S4 method for signature 'ANY,ANY,ANY'
createsOutput(objectName, objectClass, desc, ...)

## S4 method for signature 'character,character,character'
createsOutput(objectName, objectClass, desc, ...)
```

**Arguments**

objectName	Character string to define the output object's name.
objectClass	Character string to specify the output object's class.
desc	Text string providing a brief description of the output object.
...	Other specifications of the output object.

**Value**

A data.frame suitable to be passed to outputObjects in a module's metadata.

**Author(s)**

Yong Luo

## Examples

```
outputObjects <- dplyr::bind_rows(
  createsOutput(objectName = "outputObject1", objectClass = "character",
    desc = "this is for example"),
  createsOutput(objectName = "outputObject2", objectClass = "numeric",
    desc = "this is for example",
    otherInformation = "I am the second output object")
)
```

---

defineModule	<i>Define a new module.</i>
--------------	-----------------------------

---

## Description

Specify a new module's metadata as well as object and package dependencies. Packages are loaded during this call. Any or all of these can be missing, with missing values set to defaults

## Usage

```
defineModule(sim, x)

## S4 method for signature 'simList,list'
defineModule(sim, x)
```

## Arguments

sim	A simList object from which to extract element(s) or in which to replace element(s).
x	A list with a number of named elements, referred to as the metadata. See details.

## Value

Updated simList object.

## Required metadata elements

name	Module name. Must match the filename (without the .R extension). This is currently not parsed by SpaDES.
description	Brief description of the module. This is currently not parsed by SpaDES; it is for human readers only.
keywords	Author-supplied keywords. This is currently not parsed by SpaDES; it is for human readers only.
childModules	If this contains any character vector, then it will be treated as a parent module. If this is a parent module, the
authors	Module author information (as a vector of <a href="#">person</a> objects. This is currently not parsed by SpaDES; it is for
version	Module version number (will be coerced to <a href="#">numeric_version</a> if a character or numeric are supplied). The
spatialExtent	The spatial extent of the module supplied via raster::extent. This is currently unimplemented. Once im
timeframe	Vector (length 2) of POSIXt dates specifying the temporal extent of the module. Currently unimplemented.
timeunit	Time scale of the module (e.g., "day", "year"). This <b>MUST</b> be specified. It indicates what '1' unit of time n
citation	List of character strings specifying module citation information. Alternatively, a list of filenames of .bib o

documentation	List of filenames referring to module documentation sources. This is currently not parsed by SpaDES; it is
reqdPkgs	List of R package names required by the module. These packages will be loaded when <code>simInit</code> is called. R
parameters	A <code>data.frame</code> specifying the parameters used in the module. Usually produced by <code>rbind</code> -ing the outputs of
inputObjects	A <code>data.frame</code> specifying the data objects expected as inputs to the module, with columns <code>objectName</code> (cl
outputObjects	A <code>data.frame</code> specifying the data objects output by the module, with columns identical to those in <code>inputO</code>

**Author(s)**

Alex Chubaty

**See Also**

`moduleDefaults`

**Examples**

```
## Not run:
## a default version of the defineModule is created with a call to newModule
newModule("test", path = tempdir(), open = FALSE)

## view the resulting module file
if (interactive()) file.edit(file.path(tempdir(), "test", "test.R"))

## End(Not run)
```

---

defineParameter      *Define a parameter used in a module*

---

**Description**

Used to specify a parameter's name, value, and set a default. The `min` and `max` arguments are ignored by `simInit` or `spades`; they are for human use only. To ensure that a user cannot set parameters outside of a range of values, the module developer should use assertions in their module code.

**Usage**

```
defineParameter(name, class, default, min, max, desc)

## S4 method for signature 'character,character,ANY,ANY,ANY,character'
defineParameter(name, class, default, min, max, desc)

## S4 method for signature 'character,character,ANY,missing,missing,character'
defineParameter(name, class, default, desc)
```

```
## S4 method for signature 'missing,missing,missing,missing,missing,missing'
defineParameter()
```

### Arguments

name	Character string giving the parameter name.
class	Character string giving the parameter class.
default	The default value to use when none is specified by the user. Non-standard evaluation is used for the expression.
min	With max, used to define a suitable range of values. Non-standard evaluation is used for the expression. <i>These are not tested by simInit or spades.</i> These are primarily for human use, i.e., to tell a module user what values the module expects.
max	With min, used to define a suitable range of values. Non-standard evaluation is used for the expression. <i>These are not tested by simInit or spades.</i> These are primarily for human use, i.e., to tell a module user what values the module expects.
desc	Text string providing a brief description of the parameter.

### Value

data.frame

### Note

Be sure to use the correct NA type: logical (NA), integer (NA\_integer\_), real (NA\_real\_), complex (NA\_complex\_), or character (NA\_character\_). See [NA](#).

### Author(s)

Alex Chubaty

### See Also

[P](#), [params](#) for accessing these parameters in a module.

### Examples

```
parameters = rbind(
  defineParameter("lambda", "numeric", 1.23, desc = "intrinsic rate of increase"),
  defineParameter("P", "numeric", 0.2, 0, 1, "probability of attack")
)

## Not run:
# Create a new module, then access parameters using \code{P}
tmpdir <- file.path(tempdir(), "test")
checkPath(tmpdir, create = TRUE)
```

```

# creates a new, "empty" module -- it has defaults for everything that is required
newModule("testModule", tmpdir, open = FALSE)

# Look at new module code -- see defineParameter
if (interactive()) file.edit(file.path(tmpdir, "testModule", "testModule.R"))

# initialize the simList
mySim <- simInit(modules = "testModule",
                 paths = list(modulePath = tmpdir))

# Access one of the parameters -- because this line is not inside a module
# function, we must specify the module name. If used within a module,
# we can omit the module name
P(mySim, "testModule")$.useCache

## End(Not run)

```

---

 depsEdgeList

*Build edge list for module dependency graph*


---

## Description

Build edge list for module dependency graph

## Usage

```

depsEdgeList(sim, plot)

## S4 method for signature 'simList,logical'
depsEdgeList(sim, plot)

## S4 method for signature 'simList,missing'
depsEdgeList(sim, plot)

```

## Arguments

sim	A simList object.
plot	Logical indicating whether the edgelist (and subsequent graph) will be used for plotting. If TRUE, duplicated rows (i.e., multiple object dependencies between modules) are removed so that only a single arrow is drawn connecting the modules. Default is FALSE.

## Value

A data.table whose first two columns give a list of edges and remaining columns the attributes of the dependency objects (object name, class, etc.).

**Author(s)**

Alex Chubaty

---

depsGraph

*Build a module dependency graph*

---

**Description**

Build a module dependency graph

**Usage**

```
depsGraph(sim, plot)
```

```
## S4 method for signature 'simList,logical'  
depsGraph(sim, plot)
```

```
## S4 method for signature 'simList,missing'  
depsGraph(sim)
```

**Arguments**

`sim` A `simList` object.

`plot` Logical indicating whether the edgelist (and subsequent graph) will be used for plotting. If TRUE, duplicated rows (i.e., multiple object dependencies between modules) are removed so that only a single arrow is drawn connecting the modules. Default is FALSE.

**Value**

An `igraph` object.

**Author(s)**

Alex Chubaty

---

doEvent.checkpoint      *Simulation checkpoints.*

---

### Description

Save and reload the current state of the simulation, including the state of the random number generator, by scheduling checkpoint events.

### Usage

```
doEvent.checkpoint(sim, eventTime, eventType, debug = FALSE)
```

```
checkpointLoad(file, envir = parent.frame())
```

```
.checkpointSave(sim, file)
```

```
checkpointFile(sim)
```

```
## S4 method for signature 'simList'
checkpointFile(sim)
```

```
checkpointFile(sim) <- value
```

```
## S4 replacement method for signature 'simList'
checkpointFile(sim) <- value
```

```
checkpointInterval(sim)
```

```
## S4 method for signature 'simList'
checkpointInterval(sim)
```

```
checkpointInterval(sim) <- value
```

```
## S4 replacement method for signature 'simList'
checkpointInterval(sim) <- value
```

### Arguments

sim	A simList simulation object.
eventTime	A numeric specifying the time of the next event.
eventType	A character string specifying the type of event: one of either "init", "load", or "save".
debug	Optional logical flag determines whether sim debug info will be printed (default debug = FALSE).
file	The checkpoint file.
envir	the environment where the data should be loaded.
value	The object to be stored at the slot.

**Details**

RNG save code adapted from: [http://www.cookbook-r.com/Numbers/Saving\\_the\\_state\\_of\\_the\\_random\\_number\\_generator/](http://www.cookbook-r.com/Numbers/Saving_the_state_of_the_random_number_generator/) and <https://stackoverflow.com/questions/13997444/>

**Value**

Returns the modified simList object.

**Author(s)**

Alex Chubaty

**See Also**

[.Random.seed](#).

Other functions to access elements of a 'simList' object: [.addDepends\(\)](#), [envir\(\)](#), [events\(\)](#), [globals\(\)](#), [inputs\(\)](#), [modules\(\)](#), [objs\(\)](#), [packages\(\)](#), [params\(\)](#), [paths\(\)](#), [progressInterval\(\)](#), [times\(\)](#)

---

downloadData

*Download module data*

---

**Description**

Download external data for a module if not already present in the module directory, or if there is a checksum mismatch indicating that the file is not the correct one.

**Usage**

```
downloadData(  
  module,  
  path,  
  quiet,  
  quickCheck = FALSE,  
  overwrite = FALSE,  
  files = NULL,  
  checked = NULL,  
  urls = NULL,  
  children = NULL,  
  ...  
)  
  
## S4 method for signature 'character,character,logical'  
downloadData(  
  module,  
  path,  
  quiet,
```



```

    quickCheck = FALSE,
    overwrite = FALSE,
    files = NULL,
    checked = NULL,
    urls = NULL,
    children = NULL,
    ...
)

## S4 method for signature 'character,missing,missing'
downloadData(module, quickCheck, overwrite, files, checked, urls, children)

## S4 method for signature 'character,missing,logical'
downloadData(
  module,
  quiet,
  quickCheck,
  overwrite,
  files,
  checked,
  urls,
  children
)

## S4 method for signature 'character,character,missing'
downloadData(
  module,
  path,
  quickCheck,
  overwrite,
  files,
  checked,
  urls,
  children
)

```

### Arguments

module	Character string giving the name of the module.
path	Character string giving the path to the module directory.
quiet	Logical. This is passed to <code>download.file</code> . Default is <code>FALSE</code> .
quickCheck	Logical. If <code>TRUE</code> , then the check with local data will only use <code>file.size</code> instead of <code>digest::digest</code> . This is faster, but potentially much less robust.
overwrite	Logical. Should local data files be overwritten in case they exist? Default is <code>FALSE</code> .
files	A character vector of length 1 or more if only a subset of files should be checked in the 'CHECKSUMS.txt' file.

checked	The result of a previous checksums call. This should only be used when there is no possibility that the file has changed, i.e., if downloadData is called from inside another function.
urls	Character vector of urls from which to get the data. This is automatically found from module metadata when this function invoked with <code>SpaDES.core::downloadModule(..., data = TRUE)</code> . See also <a href="#">prepInputs</a> .
children	The character vector of child modules (without path) to also run downloadData on
...	Passed to <a href="#">preProcess</a> , e.g., <code>purge</code>

### Details

downloadData requires a checksums file to work, as it will only download the files specified therein. Hence, module developers should make sure they have manually downloaded all the necessary data and ran checksums to build a checksums file.

There is an experimental attempt to use the **googledrive** package to download data from a shared (publicly or with individual users) file. To try this, put the Google Drive URL in `sourceURL` argument of `expectsInputs` in the module metadata, and put the filename once downloaded in the `objectName` argument. If using RStudio Server, you may need to use "out of band" authentication by setting `options(httr_oob_default = TRUE)`. To avoid caching of Oauth credentials, set `options(httr_oauth_cache = TRUE)`.

There is also an experimental option for the user to make a new 'CHECKSUMS.txt' file if there is a `sourceURL` but no entry for that file. This is experimental and should be used with caution.

### Value

Invisibly, a list of downloaded files.

### Author(s)

Alex Chubaty & Eliot McIntire

### See Also

[prepInputs](#), [checksums](#), and [downloadModule](#) for downloading modules and building a checksums file.

### Examples

```
## Not run:
# For a Google Drive example
# In metadata:
expectsInputs("theFilename.zip", "NA", "NA",
  sourceURL = "https://drive.google.com/open?id=1Ngb-jIRCSs1G6zcuaaCEFUw1dbkI_K8Ez")
# create the checksums file
checksums("thisModule", "there", write = TRUE)
downloadData("thisModule", "there", files = "theFilename.zip")

## End(Not run)
```

---

downloadModule	<i>Download a module from a SpaDES module GitHub repository</i>
----------------	---

---

**Description**

Download a .zip file of the module and extract (unzip) it to a user-specified location.

**Usage**

```
downloadModule(
  name,
  path,
  version,
  repo,
  data,
  quiet,
  quickCheck = FALSE,
  overwrite = FALSE
)

## S4 method for signature
## 'character,character,character,character,logical,logical,ANY,logical'
downloadModule(
  name,
  path,
  version,
  repo,
  data,
  quiet,
  quickCheck = FALSE,
  overwrite = FALSE
)

## S4 method for signature
## 'character,missing,missing,missing,missing,missing,ANY,ANY'
downloadModule(name, quickCheck, overwrite)

## S4 method for signature 'character,ANY,ANY,ANY,ANY,ANY,ANY,ANY'
downloadModule(
  name,
  path,
  version,
  repo,
  data,
  quiet,
  quickCheck = FALSE,
  overwrite = FALSE
)
```

)

**Arguments**

name	Character string giving the module name.
path	Character string giving the location in which to save the downloaded module.
version	The module version to download. (If not specified, or NA, the most recent version will be retrieved.)
repo	GitHub repository name, specified as "username/repo". Default is "PredictiveEcology/SpaDES-modu" which is specified by the global option <code>spades.moduleRepo</code> . Only master branches can be used at this point.
data	Logical. If TRUE, then the data that is identified in the module metadata will be downloaded, if possible. Default FALSE.
quiet	Logical. This is passed to <code>download.file</code> (default FALSE).
quickCheck	Logical. If TRUE, then the check with local data will only use <code>file.size</code> instead of <code>digest::digest</code> . This is faster, but potentially much less robust.
overwrite	Logical. Should local module files be overwritten in case they exist? Default FALSE.

**Details**

Currently only works with GitHub repositories where modules are located in a `modules` directory in the root tree on the master branch. Module `.zip` files' names should contain the version number and be inside their respective module folders (see `zipModule` for zip compression of modules).

**Value**

A list of length 2. The first element is a character vector containing a character vector of extracted files for the module. The second element is a `tbl` with details about the data that is relevant for the function, including whether it was downloaded or not, and whether it was renamed (because there was a local copy that had the wrong file name).

**Note**

`downloadModule` uses the `GITHUB_PAT` environment variable if a value is set. This alleviates 403 errors caused by too-frequent downloads. Generate a GitHub personal access token with no additional permissions at <https://github.com/settings/tokens>, and add this key to `$.Renviro` as `GITHUB_PAT=<your-github-pat-here>`.

The default is to overwrite any existing files in the case of a conflict.

**Author(s)**

Alex Chubaty

**See Also**

`zipModule` for creating module `.zip` folders.

---

dyears

*SpaDES time units*

---

### Description

SpaDES modules commonly use approximate durations that divide with no remainder among themselves. For example, models that simulate based on a "week" timestep, will likely want to fall in lock step with a second module that is a "year" timestep. Since, weeks, months, years don't really have this behaviour because of: leap years, leap seconds, not quite 52 weeks in a year, months that are of different duration, etc. We have generated a set of units that work well together that are based on the astronomical or "Julian" year. In an astronomical year, leap years are added within each year with an extra 1/4 day, (i.e., 1 year == 365.25 days); months are defined as year/12, and weeks as year/52.

### Usage

```
dyears(x)

## S4 method for signature 'numeric'
dyears(x)

dmonths(x)

## S4 method for signature 'numeric'
dmonths(x)

dweeks(x)

## S4 method for signature 'numeric'
dweeks(x)

dweek(x)

dmonth(x)

dyear(x)

dsecond(x)

dday(x)

dhour(x)

dNA(x)

## S4 method for signature 'ANY'
dNA(x)
```

**Arguments**

`x` numeric. Number of the desired units

**Details**

When these units are not correct, a module developer can create their own time unit using, and create a function to calculate the number of seconds in that unit using the "d" prefix (for duration), following the lubridate package standard: `dfortnight <-function(x) lubridate::duration(dday(14))`. Then the module developer can use "fortnight" as the module's time unit.

**Value**

Number of seconds within each unit

**Author(s)**

Eliot McIntire

---

envir

*Simulation environment*

---

**Description**

Accessor functions for the `.xData` slot, which is the default virtual slot for an S4 class object that inherits from an S3 object (specifically, the `simList` inherits from `environment`) in a `simList` object. These are included for advanced users.

**Usage**

```
envir(sim)

## S4 method for signature 'simList'
envir(sim)

envir(sim) <- value

## S4 replacement method for signature 'simList'
envir(sim) <- value
```

**Arguments**

`sim` A `simList` object from which to extract element(s) or in which to replace element(s).

`value` The object to be stored at the slot.

**Details**

Currently, only get and set methods are defined. Subset methods are not.

**Value**

Returns or sets the value of the slot from the `simList` object.

**Author(s)**

Alex Chubaty

**See Also**

[SpaDES.core-package](#), specifically the section 1.2.8 on `simList` environment.

Other functions to access elements of a 'simList' object: [.addDepends\(\)](#), [doEvent.checkpoint\(\)](#), [events\(\)](#), [globals\(\)](#), [inputs\(\)](#), [modules\(\)](#), [objs\(\)](#), [packages\(\)](#), [params\(\)](#), [paths\(\)](#), [progressInterval\(\)](#), [times\(\)](#)

---

eventDiagram

*Simulation event diagram*

---

**Description**

Create a Gantt Chart representing the events in a completed simulation. This event diagram is constructed using the completed event list. To change the number of events shown, provide an `n` argument.

**Usage**

```
eventDiagram(sim, n, startDate, ...)
```

```
## S4 method for signature 'simList,numeric,character'
```

```
eventDiagram(sim, n, startDate, ...)
```

```
## S4 method for signature 'simList,missing,character'
```

```
eventDiagram(sim, n, startDate, ...)
```

```
## S4 method for signature 'simList,missing,missing'
```

```
eventDiagram(sim, n, startDate, ...)
```

**Arguments**

<code>sim</code>	A <code>simList</code> object (typically corresponding to a completed simulation).
<code>n</code>	The number of most recently completed events to plot.
<code>startDate</code>	A character representation of date in YYYY-MM-DD format.
<code>...</code>	Additional arguments passed to <code>mermaid</code> . Useful for specifying height and width.

**Details**

Simulation time is presented on the x-axis, starting at date 'startDate'. Each module appears in a color-coded row, within which each event for that module is displayed corresponding to the sequence of events for that module. Note that only the start time of the event is meaningful in these figures: the width of the bar associated with a particular module's event DOES NOT correspond to an event's "duration".

Based on this StackOverflow answer: <http://stackoverflow.com/a/29999300/1380598>.

**Value**

Plots an event diagram as Gantt Chart, invisibly returning a mermaid object.

**Note**

A red vertical line corresponding to the current date may appear on the figure. This is useful for Gantt Charts generally but can be considered a 'bug' here.

**Author(s)**

Alex Chubaty

**See Also**

[mermaid](#).

---

events

*Simulation event lists*

---

**Description**

Accessor functions for the events and completed slots of a simList object. These path functions will extract the values that were provided to the simInit function in the path argument.

**Usage**

```
events(sim, unit)

## S4 method for signature 'simList,character'
events(sim, unit)

## S4 method for signature 'simList,missing'
events(sim, unit)

events(sim) <- value

## S4 replacement method for signature 'simList'
events(sim) <- value
```



```

conditionalEvents(sim, unit)

## S4 method for signature 'simList,character'
conditionalEvents(sim, unit)

## S4 method for signature 'simList,missing'
conditionalEvents(sim, unit)

current(sim, unit)

## S4 method for signature 'simList,character'
current(sim, unit)

## S4 method for signature 'simList,missing'
current(sim, unit)

current(sim) <- value

## S4 replacement method for signature 'simList'
current(sim) <- value

completed(sim, unit, times = TRUE)

## S4 method for signature 'simList,character'
completed(sim, unit, times = TRUE)

## S4 method for signature 'simList,missing'
completed(sim, unit, times = TRUE)

completed(sim) <- value

## S4 replacement method for signature 'simList'
completed(sim) <- value

```

### Arguments

sim	A simList object from which to extract element(s) or in which to replace element(s).
unit	Character. One of the time units used in SpaDES.
value	The object to be stored at the slot.
times	Logical. Should this function report the clockTime

### Details

By default, the event lists are shown when the simList object is printed, thus most users will not require direct use of these methods.

events      Scheduled simulation events (the event queue).

completed Completed simulation events.

Currently, only get and set methods are defined. Subset methods are not.

### Value

Returns or sets the value of the slot from the `simList` object.

### Note

Each event is represented by a [data.table](#) row consisting of:

- `eventTime`: The time the event is to occur.
- `moduleName`: The module from which the event is taken.
- `eventType`: A character string for the programmer-defined event type.

### See Also

[SpaDES.core-package](#), specifically the section 1.2.6 on Simulation event queues.

Other functions to access elements of a 'simList' object: [.addDepends\(\)](#), [doEvent.checkpoint\(\)](#), [envir\(\)](#), [globals\(\)](#), [inputs\(\)](#), [modules\(\)](#), [objs\(\)](#), [packages\(\)](#), [params\(\)](#), [paths\(\)](#), [progressInterval\(\)](#), [times\(\)](#)

---

expectsInput

*Define an input object that the module expects.*

---

### Description

Used to specify an input object's name, class, description, source url and other specifications.

### Usage

```
expectsInput(objectName, objectClass, desc, sourceURL, ...)
```

```
## S4 method for signature 'ANY,ANY,ANY,ANY'
```

```
expectsInput(objectName, objectClass, desc, sourceURL, ...)
```

```
## S4 method for signature 'character,character,character,character'
```

```
expectsInput(objectName, objectClass, desc, sourceURL, ...)
```

```
## S4 method for signature 'character,character,character,missing'
```

```
expectsInput(objectName, objectClass, desc, sourceURL, ...)
```

**Arguments**

objectName	Character string to define the input object's name.
objectClass	Character string to specify the input object's class.
desc	Text string providing a brief description of the input object.
sourceURL	Character string to specify an URL to reach the input object, default is NA.
...	Other specifications of the input object.

**Value**

A data.frame suitable to be passed to inputObjects in a module's metadata.

**Author(s)**

Yong Luo

**Examples**

```
inputObjects <- dplyr::bind_rows(
  expectsInput(objectName = "inputObject1", objectClass = "character",
    desc = "this is for example", sourceURL = "not available"),
  expectsInput(objectName = "inputObject2", objectClass = "numeric",
    desc = "this is for example", sourceURL = "not available",
    otherInformation = "I am the second input object")
)
```

---

experiment

*Deprecated functions*

---

**Description**

These functions have been moved to SpaDES.experiment package.

**Usage**

```
experiment(...)
experiment2(...)
POM(...)
simInitAndExperiment(...)
```

**Arguments**

... Unused.

---

extractURL	<i>Extract a url from module metadata</i>
------------	---

---

**Description**

This will get the sourceURL for the object named.

**Usage**

```
extractURL(objectName, sim, module)

## S4 method for signature 'character,missing'
extractURL(objectName, sim, module)

## S4 method for signature 'character,simList'
extractURL(objectName, sim, module)
```

**Arguments**

objectName	A character string of the object name in the metadata.
sim	A simList object from which to extract the sourceURL
module	An optional character string of the module name whose metadata is to be used. If omitted, the function will use the currentModule(sim), if defined.

**Value**

The url.

**Author(s)**

Eliot McIntire

---

fileName	<i>Extract filename (without extension) of a file</i>
----------	---

---

**Description**

Extract filename (without extension) of a file

**Usage**

```
fileName(x)
```

**Arguments**

x	List or character vector
---	--------------------------

**Value**

A character vector.

**Author(s)**

Eliot McIntire

---

getModuleVersion	<i>Find the latest module version from a SpaDES module repository</i>
------------------	---

---

**Description**

Modified from <http://stackoverflow.com/a/25485782/1380598>.

**Usage**

```
getModuleVersion(name, repo)

## S4 method for signature 'character,character'
getModuleVersion(name, repo)

## S4 method for signature 'character,missing'
getModuleVersion(name)
```

**Arguments**

name	Character string giving the module name.
repo	GitHub repository name, specified as "username/repo". Default is "PredictiveEcology/SpaDES-modules" which is specified by the global option <code>spades.moduleRepo</code> . Only master branches can be used at this point.

**Details**

`getModuleVersion` extracts a module's most recent version by looking at the module `.zip` files contained in the module directory. It takes the most recent version, based on the name of the zip file.

See the modules vignette for details of module directory structure (<http://spades-core.predictiveecology.org/articles/ii-modules.html#module-directory-structure-modulename>), and see our SpaDES-modules repo for details of module repository structure (<https://github.com/PredictiveEcology/SpaDES-modules>).

**Author(s)**

Alex Chubaty

**See Also**

[zipModule](#) for creating module `.zip` folders.

---

`globals`*Get and set global simulation parameters*

---

### Description

`globals`, and the alias `G`, accesses or sets the "globals" in the `simList`. This currently is not an explicit slot in the `simList`, but it is a `.globals` element in the `params` slot of the `simList`.

### Usage

```
globals(sim)

## S4 method for signature 'simList'
globals(sim)

globals(sim) <- value

## S4 replacement method for signature 'simList'
globals(sim) <- value

G(sim)

## S4 method for signature 'simList'
G(sim)

G(sim) <- value

## S4 replacement method for signature 'simList'
G(sim) <- value
```

### Arguments

<code>sim</code>	A <code>simList</code> object from which to extract element(s) or in which to replace element(s).
<code>value</code>	The object to be stored at the slot.

### See Also

[SpaDES.core-package](#), specifically the section 1.2.1 on Simulation Parameters.

Other functions to access elements of a 'simList' object: `.addDepends()`, `doEvent.checkpoint()`, `envir()`, `events()`, `inputs()`, `modules()`, `objs()`, `packages()`, `params()`, `paths()`, `progressInterval()`, `times()`

---

```
initialize,simList-method
    Generate a simList object
```

---

**Description**

Given the name or the definition of a class, plus optionally data to be included in the object, new returns an object from that class.

Given the name or the definition of a class, plus optionally data to be included in the object, new returns an object from that class.

**Usage**

```
## S4 method for signature 'simList'
initialize(.Object, ...)

## S4 method for signature 'simList_'
initialize(.Object, ...)
```

**Arguments**

.Object	A simList object.
...	Optional Values passed to any or all slot

---

```
inputObjects      Metadata accessors
```

---

**Description**

These accessors extract the metadata for a module (if specified) or all modules in a simList if not specified.

**Usage**

```
inputObjects(sim, module)

## S4 method for signature 'simList'
inputObjects(sim, module)

outputObjects(sim, module)

## S4 method for signature 'simList'
outputObjects(sim, module)

outputObjectName(sim, module)
```

```

## S4 method for signature 'simList'
outputObjectNames(sim, module)

reqdPkgs(sim, module)

## S4 method for signature 'simList'
reqdPkgs(sim, module)

documentation(sim, module)

## S4 method for signature 'simList'
documentation(sim, module)

citation(package, lib.loc = NULL, auto = NULL, module = character())

## S4 method for signature 'simList'
citation(package, lib.loc = NULL, auto = NULL, module = character())

## S4 method for signature 'character'
citation(package, lib.loc = NULL, auto = NULL, module = character())

```

### Arguments

sim	A <code>simList</code> object from which to extract element(s) or in which to replace element(s).
module	Optional character string indicating which module params should come from.
package	For compatibility with <code>citation</code> . This can be a <code>simList</code> or a character string for a package name.
lib.loc	a character vector with path names of R libraries, or the directory containing the source for package, or NULL. The default value of NULL corresponds to all libraries currently known. If the default is used, the loaded packages are searched before the libraries.
auto	a logical indicating whether the default citation auto-generated from the package 'DESCRIPTION' metadata should be used or not, or NULL (default), indicating that a 'CITATION' file is used if it exists, or an object of class " <code>packageDescription</code> " with package metadata (see below).

---

inputs

*Inputs and outputs*

---

### Description

These functions are one of three mechanisms to add the information about which input files to load in a `spades` call and the information about which output files to save. 1) As arguments to a `simInit` call. Specifically, `inputs` or `outputs`. See `?simInit`. 2) With the `inputs(simList)` or



outputs(simList) function call. 3) By adding a function called `.inputObjects` inside a module, which will be executed during the `simInit` call. This last way is the most "modular" way to create default data sets for your model. See below for more details.

## Usage

```
inputs(sim)

## S4 method for signature 'simList'
inputs(sim)

inputs(sim) <- value

## S4 replacement method for signature 'simList'
inputs(sim) <- value

outputs(sim)

## S4 method for signature 'simList'
outputs(sim)

outputs(sim) <- value

## S4 replacement method for signature 'simList'
outputs(sim) <- value

inputArgs(sim)

## S4 method for signature 'simList'
inputArgs(sim)

inputArgs(sim) <- value

## S4 replacement method for signature 'simList'
inputArgs(sim) <- value

outputArgs(sim)

## S4 method for signature 'simList'
outputArgs(sim)

outputArgs(sim) <- value

## S4 replacement method for signature 'simList'
outputArgs(sim) <- value
```

**Arguments**

sim	A simList object from which to extract element(s) or in which to replace element(s).
value	The object to be stored at the slot. See Details.

**Details**

Accessor functions for the inputs and outputs slots in a simList object.

**Value**

Returns or sets the value(s) of the input or output slots in the simList object.

**inputs function or argument in simInit**

inputs accepts a data.frame, with up to 7 columns. Columns are:

file	required, a character string indicating the file path. There is no default.
objectName	optional, character string indicating the name of the object that the loaded file will be assigned to in the simList object.
fun	optional, a character string indicating the function to use to load that file. Defaults to the known extensions in S4.
package	optional character string indicating the package in which to find the fun);
loadTime	optional numeric, indicating when in simulation time the file should be loaded. The default is the highest priority.
interval	optional numeric, indicating at what interval should this same exact file be reloaded from disk, e.g., 10 would reload every 10 simulation time units.
arguments	is a list of lists of named arguments, one list for each fun. For example, if fun="raster", arguments = list(

Currently, only file is required. All others will be filled with defaults if not specified.

See the modules vignette for more details (browseVignettes("SpaDES.core")).

**.inputObjects function placed inside module**

Any code placed inside a function called `.inputObjects` will be run during `simInit()` for the purpose of creating any objects required by this module, i.e., objects identified in the `inputObjects` element of `defineModule`. This is useful if there is something required before simulation to produce the module object dependencies, including such things as downloading default datasets, e.g., `downloadData('LCC2005', modulePath(sim))`. Nothing should be created here that does not create a named object in `inputObjects`. Any other initiation procedures should be put in the "init" event type of the `doEvent` function. Note: the module developer can use `sim$.userSuppliedObjNames` inside the function to selectively skip unnecessary steps because the user has provided those `inputObjects` in the `simInit` call. e.g., the following code would look to see if the user had passed `defaultColor` into during `simInit`. If the user had done this, then this function would not override that value with 'red'. If the user has not passed in a value for `defaultColor`, then the module will get it here:

```
if (!( 'defaultColor' %in% sim$.userSuppliedObjNames)) { sim$defaultColor <- 'red' }
```

**outputs function or argument in simInit**

outputs accepts a data.frame similar to the inputs data.frame, but with up to 6 columns.

objectName	required, character string indicating the name of the object in the <code>simList</code> that will be saved to disk (without the file)
file	optional, a character string indicating the file path to save to. The default is to concatenate <code>objectName</code> with the file
fun	optional, a character string indicating the function to use to save that file. The default is <code>saveRDS</code>
package	optional character string indicating the package in which to find the fun);
saveTime	optional numeric, indicating when in simulation time the file should be saved. The default is the lowest priority
arguments	is a list of lists of named arguments, one list for each fun. For example, if <code>fun = "write.csv"</code> , <code>arguments = list()</code>

See the modules vignette for more details (`browseVignettes("SpaDES.core")`).

### Note

The automatic file type handling only adds the correct extension from a given fun and package. It does not do the inverse, from a given extension find the correct fun and package.

### See Also

[SpaDES.core-package](#), specifically the section 1.2.2 on loading and saving.

Other functions to access elements of a 'simList' object: `.addDepends()`, `doEvent.checkpoint()`, `envir()`, `events()`, `globals()`, `modules()`, `objs()`, `packages()`, `params()`, `paths()`, `progressInterval()`, `times()`

### Examples

```
#####
# inputs
#####

# Start with a basic empty simList
sim <- simInit()

test <- 1:10
library(igraph) # for %>%
library(reproducible) # for checkPath
tmpdir <- file.path(tempdir(), "inputs") %>% checkPath(create = TRUE)
tmpFile <- file.path(tmpdir, "test.rds")
saveRDS(test, file = tmpFile)
inputs(sim) <- data.frame(file = tmpFile) # using only required column, "file"
inputs(sim) # see that it is not yet loaded, but when it is scheduled to be loaded
simOut <- spades(sim)
inputs(simOut) # confirm it was loaded
simOut$test

# can put data.frame for inputs directly inside simInit call
allTifs <- dir(system.file("maps", package = "quickPlot"),
               full.names = TRUE, pattern = "tif")

# next: .objectNames are taken from the filenames (without the extension)
# This will load all 5 tifs in the SpaDES sample directory, using
# the raster fuction in the raster package, all at time = 0
if (require("rgdal", quietly = TRUE)) {
```

```

sim <- simInit(
  inputs = data.frame(
    files = allTifs,
    functions = "raster",
    package = "raster",
    loadTime = 0,
    stringsAsFactors = FALSE)
)

#####
#A fully described inputs object, including arguments:
files <- dir(system.file("maps", package = "quickPlot"),
             full.names = TRUE, pattern = "tif")
# arguments must be a list of lists. This may require I() to keep it as a list
# once it gets coerced into the data.frame.
arguments = I(rep(list(native = TRUE), length(files)))
filelist = data.frame(
  objectName = paste0("Maps", 1:5),
  files = files,
  functions = "raster::raster",
  arguments = arguments,
  loadTime = 0,
  intervals = c(rep(NA, length(files) - 1), 10)
)
inputs(sim) <- filelist
spades(sim)
}

# Example showing loading multiple objects from global environment onto the
# same object in the simList, but at different load times
a1 <- 1
a2 <- 2
# Note arguments must be a list of NROW(inputs), with each element itself being a list,
# which is passed to do.call(fun[x], arguments[[x]]), where x is row number, one at a time
args <- lapply(1:2, function(x) {
  list(x = paste0("a", x),
       envir = environment()) # may be necessary to specify in which envir a1, a2
                              # are located, if not in an interactive sessino
})
inputs <- data.frame(objectName = "a", loadTime = 1:2, fun = "base::get", arguments = I(args))
a <- simInit(inputs = inputs, times = list(start = 0, end = 1))
a <- spades(a)
identical(a1, a$a)

end(a) <- 3
a <- spades(a) # different object (a2) loaded onto a$a
identical(a2, a$a)

# Clean up after
unlink(tmpdir, recursive = TRUE)

#####
# outputs

```

```
#####

library(igraph) # for %>%
tmpdir <- file.path(tempdir(), "outputs") %>% checkPath(create = TRUE)
tmpFile <- file.path(tmpdir, "temp.rds")
tempObj <- 1:10

# Can add data.frame of outputs directly into simInit call
sim <- simInit(objects = c("tempObj"),
               outputs = data.frame(objectName = "tempObj"),
               paths = list(outputPath = tmpdir))
outputs(sim) # To see what will be saved, when, what filename
sim <- spades(sim)
outputs(sim) # To see that it was saved, when, what filename

# Also can add using assignment after a simList object has been made
sim <- simInit(objects = c("tempObj"), paths = list(outputPath = tmpdir))
outputs(sim) <- data.frame(objectName = "tempObj", saveTime = 1:10)
sim <- spades(sim)
outputs(sim) # To see that it was saved, when, what filename.

# can do highly variable saving
tempObj2 <- paste("val",1:10)
df1 <- data.frame(col1 = tempObj, col2 = tempObj2)
sim <- simInit(objects = c("tempObj", "tempObj2", "df1"),
               paths=list(outputPath = tmpdir))
outputs(sim) = data.frame(
  objectName = c(rep("tempObj", 2), rep("tempObj2", 3), "df1"),
  saveTime = c(c(1,4), c(2,6,7), end(sim)),
  fun = c(rep("saveRDS", 5), "write.csv"),
  package = c(rep("base", 5), "utils"),
  stringsAsFactors = FALSE)
# since write.csv has a default of adding a column, x, with rownames, must add additional
# argument for 6th row in data.frame (corresponding to the write.csv function)
outputArgs(sim)[[6]] <- list(row.names=FALSE)
sim <- spades(sim)
outputs(sim)

# read one back in just to test it all worked as planned
newObj <- read.csv(dir(tmpdir, pattern = "year10.csv", full.name = TRUE))
newObj

# using saving with SpaDES-aware methods
# To see current ones SpaDES can do
.saveFileExtensions()

library(raster)
if (require(rgdal)) {
  ras <- raster(ncol = 4, nrow = 5)
  ras[] <- 1:20

  sim <- simInit(objects = c("ras"), paths = list(outputPath = tmpdir))
  outputs(sim) = data.frame(
```

```

file = "test",
fun = "writeRaster",
package = "raster",
objectName = "ras",
stringsAsFactors = FALSE)

outputArgs(sim)[[1]] <- list(format = "GTiff") # see ?raster::writeFormats
simOut <- spades(sim)
outputs(simOut)
newRas <- raster(dir(tmpdir, full.name = TRUE, pattern = ".tif"))
all.equal(newRas, ras) # Should be TRUE
}
# Clean up after
unlink(tmpdir, recursive = TRUE)

```

---

inSeconds

*Convert time units*


---

### Description

In addition to using the lubridate package, some additional functions to work with times are provided.

This function takes a numeric with a "unit" attribute and converts it to another numeric with a different time attribute. If the units passed to argument `units` are the same as `attr("unit")`, then it simply returns input time.

### Usage

```

inSeconds(unit, envir, skipChecks = FALSE)

convertTimeunit(time, unit, envir, skipChecks = FALSE)

.spadesTimes

spadesTimes()

checkTimeunit(unit, envir)

## S4 method for signature 'character,missing'
checkTimeunit(unit, envir)

## S4 method for signature 'character,environment'
checkTimeunit(unit, envir)

```

### Arguments

`unit` Character. One of the time units used in Spades or user defined time unit, given as the unit name only. See details.

envir	An environment. This is where to look up the function definition for the time unit. See details.
skipChecks	For speed, the internal checks for classes and missingness can be skipped. Default FALSE.
time	Numeric. With a unit attribute, indicating the time unit of the input numeric. See Details.

### Format

An object of class character of length 12.

### Details

Current pre-defined units are found within the `spadesTimes()` function. The user can define a new unit. The unit name can be anything, but the function definition must be of the form "dunitName", e.g., `dyear` or `dfortnight`. The unit name is the part without the `d` and the function name definition includes the `d`. This new function, e.g., `dfortnight <-function(x) lubridate::duration(dday(14))` can be placed anywhere in the search path or in a module.

Because of R scoping, if `envir` is a `simList` environment, then this function will search there first, then up the current `search()` path. Thus, it will find a user defined or module defined unit before a SpaDES unit. This means that a user can override the `dyear` given in SpaDES, for example, which is 365.25 days, with `dyear <-function(x) lubridate::duration(dday(365))`.

If `time` has no `unit` attribute, then it is assumed to be seconds.

### Value

A numeric vector of length 1, with `unit` attribute set to "seconds".

### Author(s)

Alex Chubaty & Eliot McIntire

Eliot McIntire

---

loadPackages

*Load packages.*

---

### Description

Load and optionally install additional packages.

**Usage**

```
loadPackages(packageList, install = FALSE, quiet = TRUE)

## S4 method for signature 'character'
loadPackages(packageList, install = FALSE, quiet = TRUE)

## S4 method for signature 'list'
loadPackages(packageList, install = FALSE, quiet = TRUE)

## S4 method for signature ``NULL``
loadPackages(packageList, install = FALSE, quiet = TRUE)
```

**Arguments**

packageList	A list of character strings specifying the names of packages to be loaded.
install	Logical flag. If required packages are not already installed, should they be installed?
quiet	Logical flag. Should the final "packages loaded" message be suppressed?

**Value**

Specified packages are loaded and attached using `require()`, invisibly returning a logical vector of successes.

**Author(s)**

Alex Chubaty

**See Also**

[require.](#)

**Examples**

```
## Not run:
pkgs <- list("raster", "lme4")
loadPackages(pkgs) # loads packages if installed
loadPackages(pkgs, install = TRUE) # loads packages after installation (if needed)

## End(Not run)
```



---

`makeMemoisable.simList`*Make simList correctly work with memoise*

---

**Description**

Because of the environment slot, `simList` objects don't correctly memoise a `simList`. This method for `simList` converts the object to a `simList_` first.

**Usage**

```
## S3 method for class 'simList'  
makeMemoisable(x)
```

```
## S3 method for class 'simList_'  
unmakeMemoisable(x)
```

**Arguments**

`x` An object to make memoisable. See individual methods in other packages.

**Value**

A `simList_` object or a `simList`, in the case of `unmakeMemoisable`.

**See Also**

[makeMemoisable](#)

---

`maxTimeunit`*Determine the largest timestep unit in a simulation*

---

**Description**

Determine the largest timestep unit in a simulation

**Usage**

```
maxTimeunit(sim)
```

```
## S4 method for signature 'simList'  
maxTimeunit(sim)
```

**Arguments**

`sim` A `simList` simulation object.

**Value**

The timeunit as a character string. This defaults to NA if none of the modules has explicit units.

**Author(s)**

Eliot McIntire and Alex Chubaty

---

memoryUseThisSession *Estimate memory used with system("ps")*

---

**Description**

This will give a slightly different estimate than `pryr::mem_used`, which uses `gc()` internally. The purpose of this function is to allow continuous monitoring, external to the R session. Normally, this is run in a different session.

This will only work if the user has specified before running the `spades` call, set the interval, in seconds, that `ps` is run with `options("spades.memoryUseInterval" = 0.5)`, will assess memory use every 0.5 seconds. The default is 0, meaning no interval, "off".

**Usage**

```
memoryUseThisSession(thisPid)
```

```
memoryUse(sim, max = TRUE)
```

**Arguments**

<code>thisPid</code>	Numeric or Integer, the PID of the process. If omitted, it will be found with <code>Sys.getpid()</code>
<code>sim</code>	A completed <code>simList</code>
<code>max</code>	Logical. If TRUE, then the return value will be summarized by module/event, showing the maximum memory used. If FALSE, then the raw memory used during each event will be shown.

**See Also**

The vignette("iv-modules")

---

minTimeunit	<i>Determine the smallest timeunit in a simulation</i>
-------------	--

---

**Description**

When modules have different timeunit, SpaDES automatically takes the smallest (e.g., "second") as the unit for a simulation.

**Usage**

```
minTimeunit(sim)

## S4 method for signature 'simList'
minTimeunit(sim)

## S4 method for signature 'list'
minTimeunit(sim)
```

**Arguments**

sim                    A simList simulation object.

**Value**

The timeunit as a character string. This defaults to "second" if none of the modules has explicit units.

**Author(s)**

Eliot McIntire

---

moduleCoverage	<i>Calculate module coverage of unit tests</i>
----------------	--

---

**Description**

Calculate the test coverage by unit tests for the module and its functions.

**Usage**

```
moduleCoverage(name, path)

## S4 method for signature 'character,character'
moduleCoverage(name, path)

## S4 method for signature 'character,missing'
moduleCoverage(name)
```

## Arguments

name	Character string. The module's name.
path	Character string. The path to the module directory (default is the current working directory).

## Value

Return a list of two coverage objects and two data.table objects. The two coverage objects are named 'moduleCoverage' and 'functionCoverage'. The 'moduleCoverage' object contains the percent value of unit test coverage for the module. The 'functionCoverage' object contains percentage values for unit test coverage for each function defined in the module. Please use [report](#) to view the coverage information. Two data.tables give the information of all the tested and untested functions in the module.

## Note

When running this function, the test files must be strictly placed in the 'tests/testthat/' directory under module path. To automatically generate this folder, please set `unitTests = TRUE` when creating a new module using [newModule](#). To accurately test your module, the test filename must follow the format `test-functionName.R`.

## Author(s)

Yong Luo

## See Also

[newModule](#).

## Examples

```
## Not run:
library(igraph) # for
library(SpaDES.core)
tmpdir <- file.path(tempdir(), "coverage")
modulePath <- file.path(tmpdir, "Modules")
moduleName <- "forestAge" # sample module to test
downloadModule(name = moduleName, path = modulePath) # download sample module
testResults <- moduleCoverage(name = moduleName, path = modulePath)
report(testResults$moduleCoverage)
report(testResults$functionCoverage)
unlink(tmpdir, recursive = TRUE)

## End(Not run)
```

---

moduleDefaults	<i>Defaults values used in defineModule</i>
----------------	---

---

**Description**

Where individual elements are missing in `defineModule`, these defaults will be used.

**Usage**

```
moduleDefaults
```

**Format**

An object of class `list` of length 12.

---

moduleDiagram	<i>Simulation module dependency diagram</i>
---------------	---

---

**Description**

Create a network diagram illustrating the simplified module dependencies of a simulation. Offers a less detailed view of specific objects than does plotting the `depsEdgeList` directly with [objectDiagram](#).

**Usage**

```
moduleDiagram(sim, type, showParents, ...)

## S4 method for signature 'simList,character,logical'
moduleDiagram(sim, type, showParents, ...)

## S4 method for signature 'simList,missing,ANY'
moduleDiagram(sim, type, showParents, ...)
```

**Arguments**

<code>sim</code>	A <code>simList</code> object (typically corresponding to a completed simulation).
<code>type</code>	Character string, either <code>"rgl"</code> for <code>igraph::rglplot</code> or <code>"tk"</code> for <code>igraph::tkplot</code> . Default missing, which uses regular plot.
<code>showParents</code>	Logical. If <code>TRUE</code> , then any children that are grouped into parent modules will be grouped together by colored blobs. Internally, this is calling <a href="#">moduleGraph</a> . Default <code>FALSE</code> .
<code>...</code>	Additional arguments passed to plotting function specified by <code>type</code> .

**Value**

Plots module dependency diagram.

**Author(s)**

Alex Chubaty

**See Also**

[igraph](#), [moduleGraph](#) for a version that accounts for parent and children module structure.

---

 moduleGraph

*Build a module dependency graph*


---

**Description**

This is still experimental, but this will show the hierarchical structure of parent and children modules and return a list with an [igraph](#) object and an [igraph communities](#) object, showing the groups. Currently only tested with relatively simple structures.

**Usage**

```
moduleGraph(sim, plot, ...)

## S4 method for signature 'simList,logical'
moduleGraph(sim, plot, ...)

## S4 method for signature 'simList,missing'
moduleGraph(sim, plot, ...)
```

**Arguments**

sim	A <code>simList</code> object.
plot	Logical indicating whether the edgelist (and subsequent graph) will be used for plotting. If TRUE, duplicated rows (i.e., multiple object dependencies between modules) are removed so that only a single arrow is drawn connecting the modules. Default is FALSE.
...	Arguments passed to <code>Plot</code>

**Value**

A list with 2 elements, an [igraph](#) object and an [igraph communities](#) object.

**Author(s)**

Eliot McIntire

**See Also**

moduleDiagram

---

moduleMetadata	<i>Parse and extract module metadata</i>
----------------	--

---

**Description**

Parse and extract module metadata

**Usage**

```
moduleMetadata(sim, module, path)

## S4 method for signature 'missing,character,character'
moduleMetadata(module, path)

## S4 method for signature 'missing,character,missing'
moduleMetadata(module)

## S4 method for signature 'ANY,ANY,ANY'
moduleMetadata(sim, module, path)
```

**Arguments**

sim	A simList simulation object, generally produced by simInit.
module	Character string. Your module's name.
path	Character string specifying the file path to modules directory. Default is to use the spades.modulePath option.

**Value**

A list of module metadata, matching the structure in [defineModule](#).

**Author(s)**

Alex Chubaty

**See Also**

[defineModule](#)

## Examples

```

path <- system.file("sampleModules", package = "SpaDES.core")
sampleModules <- dir(path)
# turn off code checking -- don't need it here
opts <- options("spades.moduleCodeChecks" = FALSE,
                "spades.useRequire" = FALSE)

x <- moduleMetadata(sampleModules[3], path = path)

# using simList
mySim <- simInit(
  times = list(start = 2000.0, end = 2001.0, timeunit = "year"),
  params = list(
    .globals = list(stackName = "landscape")
  ),
  modules = list("caribouMovement"),
  paths = list(modulePath = system.file("sampleModules", package = "SpaDES.core"))
)
moduleMetadata(sim = mySim)

# turn code checking back on -- don't need it here
options(opts)

```

---

modules

*Simulation modules and dependencies*

---

## Description

Accessor functions for the depends and modules slots in a `simList` object. These are included for advanced users.

<code>depends</code>	List of simulation module dependencies. (advanced)
<code>modules</code>	List of simulation modules to be loaded. (advanced)
<code>inputs</code>	List of loaded objects used in simulation. (advanced)

## Usage

```

modules(sim, hidden = FALSE)

## S4 method for signature 'simList'
modules(sim, hidden = FALSE)

modules(sim) <- value

## S4 replacement method for signature 'simList'
modules(sim) <- value

```



```

depends(sim)

## S4 method for signature 'simList'
depends(sim)

depends(sim) <- value

## S4 replacement method for signature 'simList'
depends(sim) <- value

```

### Arguments

sim	A simList object from which to extract element(s) or in which to replace element(s).
hidden	Logical. If TRUE, show the default core modules.
value	The object to be stored at the slot.

### Details

Currently, only get and set methods are defined. Subset methods are not.

### Value

Returns or sets the value of the slot from the simList object.

### Author(s)

Alex Chubaty

### See Also

[SpaDES.core-package](#), specifically the section 1.2.7 on Modules and dependencies.

Other functions to access elements of a 'simList' object: [.addDepends\(\)](#), [doEvent.checkpoint\(\)](#), [envir\(\)](#), [events\(\)](#), [globals\(\)](#), [inputs\(\)](#), [objs\(\)](#), [packages\(\)](#), [params\(\)](#), [paths\(\)](#), [progressInterval\(\)](#), [times\(\)](#)

---

moduleVersion

*Parse and extract a module's version*

---

### Description

Parse and extract a module's version

**Usage**

```

moduleVersion(module, path, sim, envir = NULL)

## S4 method for signature 'character,character,missing'
moduleVersion(module, path, envir)

## S4 method for signature 'character,missing,missing'
moduleVersion(module, envir)

## S4 method for signature 'character,missing,simList'
moduleVersion(module, sim, envir)

```

**Arguments**

module	Character string. Your module's name.
path	Character string specifying the file path to modules directory. Default is to use the <code>spades.modulePath</code> option.
sim	A <code>simList</code> simulation object, generally produced by <code>simInit</code> .
envir	Optional environment in which to store parsed code. This may be useful if the same file is being parsed multiple times. This function will check in that <code>envir</code> for the parsed file before parsing again. If the <code>envir</code> is transient, then this will have no effect.

**Value**

numeric\_version indicating the module's version.

**Author(s)**

Alex Chubaty

**See Also**

[moduleMetadata](#)

**Examples**

```

path <- system.file("sampleModules", package = "SpaDES.core")

# using filepath
moduleVersion("caribouMovement", path)

# using simList
mySim <- simInit(
  times = list(start = 2000.0, end = 2002.0, timeunit = "year"),
  params = list(
    .globals = list(stackName = "landscape", burnStats = "nPixelsBurned")
  ),
  modules = list("caribouMovement"),

```

```

    paths = list(modulePath = path)
  )
  moduleVersion("caribouMovement", sim = mySim)

```

---

newModule *Create new module from template*

---

## Description

Autogenerate a skeleton for a new SpaDES module, a template for a documentation file, a citation file, a license file, a 'README.txt' file, and a folder that contains unit tests information. The newModuleDocumentation will not generate the module file, but will create the other files.

## Usage

```

newModule(name, path, ...)

## S4 method for signature 'character,character'
newModule(name, path, ...)

## S4 method for signature 'character,missing'
newModule(name, path, ...)

```

## Arguments

name	Character string specifying the name of the new module.
path	Character string. Subdirectory in which to place the new module code file. The default is the current working directory.
...	Additional arguments. Currently, only the following are supported:
	<p>open. Logical. Should the new module file be opened after creation? Default TRUE.</p> <p>unitTests. Logical. Should the new module include unit test files? Default TRUE. Unit testing relies on the testthat package.</p> <p>type. Character string specifying one of "child" (default), or "parent".</p> <p>children. Required when type = "parent". A character vector specifying the names of child modules.</p>

## Details

All files will be created within a subdirectory named `name` within the path:

- `path/`
  - `name/`
  - `R/` # contains additional module R scripts
  - `data/` # directory for all included data
    - \* `CHECKSUMS.txt` # contains checksums for data files
  - `tests/` # contains unit tests for module code
  - `citation.bib` # bibtex citation for the module
  - `LICENSE.txt` # describes module's legal usage
  - `README.txt` # provide overview of key aspects
  - `name.R` # module code file (incl. metadata)
  - `name.Rmd` # documentation, usage info, etc.

## Value

Nothing is returned. The new module file is created at `'path/name.R'`, as well as ancillary files for documentation, citation, `'LICENSE'`, `'README'`, and `'tests'` directory.

## Note

On Windows there is currently a bug in RStudio that prevents the editor from opening when `file.edit` is called. Similarly, in RStudio on macOS, there is an issue opening files where they are opened in an overlaid window rather than a new tab. `file.edit` does work if the user types it at the command prompt. A message with the correct lines to copy and paste is provided.

## Author(s)

Alex Chubaty and Eliot McIntire

## See Also

Other module creation helpers: [newModuleCode\(\)](#), [newModuleDocumentation\(\)](#), [newModuleTests\(\)](#)

## Examples

```
## Not run:
## create a "myModule" module in the "modules" subdirectory.
newModule("myModule", "modules")

## create a new parent module in the "modules" subdirectory.
newModule("myParentModule", "modules", type = "parent", children = c("child1", "child2"))

## End(Not run)
```

---

newModuleCode            *Create new module code file*

---

**Description**

Create new module code file

**Usage**

```
newModuleCode(name, path, open, type, children)
```

```
## S4 method for signature 'character,character,logical,character,character'  
newModuleCode(name, path, open, type, children)
```

**Arguments**

name	Character string specifying the name of the new module.
path	Character string. Subdirectory in which to place the new module code file. The default is the current working directory.
open	Logical. Should the new module file be opened after creation? Default TRUE in an interactive session.
type	Character string specifying one of "child" (default), or "parent".
children	Required when type = "parent". A character vector specifying the names of child modules.

**Author(s)**

Eliot McIntire and Alex Chubaty

**See Also**

Other module creation helpers: [newModuleDocumentation\(\)](#), [newModuleTests\(\)](#), [newModule\(\)](#)

---

newModuleDocumentation            *Create new module documentation*

---

**Description**

Create new module documentation

**Usage**

```

newModuleDocumentation(name, path, open, type, children)

## S4 method for signature 'character,character,logical,character,character'
newModuleDocumentation(name, path, open, type, children)

## S4 method for signature 'character,missing,logical,ANY,ANY'
newModuleDocumentation(name, open)

## S4 method for signature 'character,character,missing,ANY,ANY'
newModuleDocumentation(name, path)

## S4 method for signature 'character,missing,missing,ANY,ANY'
newModuleDocumentation(name)

```

**Arguments**

name	Character string specifying the name of the new module.
path	Character string. Subdirectory in which to place the new module code file. The default is the current working directory.
open	Logical. Should the new module file be opened after creation? Default TRUE in an interactive session.
type	Character string specifying one of "child" (default), or "parent".
children	Required when type = "parent". A character vector specifying the names of child modules.

**Author(s)**

Eliot McIntire and Alex Chubaty

**See Also**

Other module creation helpers: [newModuleCode\(\)](#), [newModuleTests\(\)](#), [newModule\(\)](#)

---

newModuleTests	<i>Create template testing structures for new modules</i>
----------------	---

---

**Description**

Create template testing structures for new modules

**Usage**

```

newModuleTests(name, path, open)

## S4 method for signature 'character,character,logical'
newModuleTests(name, path, open)

```

**Arguments**

name	Character string specifying the name of the new module.
path	Character string. Subdirectory in which to place the new module code file. The default is the current working directory.
open	Logical. Should the new module file be opened after creation? Default TRUE in an interactive session.

**Author(s)**

Eliot McIntire and Alex Chubaty

**See Also**

Other module creation helpers: [newModuleCode\(\)](#), [newModuleDocumentation\(\)](#), [newModule\(\)](#)

---

newProgressBar	<i>Progress bar</i>
----------------	---------------------

---

**Description**

Shows a progress bar that is scaled to simulation end time.

**Usage**

```
newProgressBar(sim)
```

```
setProgressBar(sim)
```

**Arguments**

sim	A <code>simList</code> simulation object.
-----	---

**Details**

The progress bar object is stored in a separate environment, #' .pkgEnv.

**Author(s)**

Alex Chubaty and Eliot McIntire

---

newProject	<i>Create new SpaDES project</i>
------------	----------------------------------

---

### Description

Initialize a project with subdirectories 'cache/', 'modules/', 'inputs/', 'outputs/', and setPaths accordingly.

### Usage

```
newProject(name, path, open)

## S4 method for signature 'character,character,logical'
newProject(name, path, open)

## S4 method for signature 'character,character,missing'
newProject(name, path, open)
```

### Arguments

name	project name (name of project directory)
path	path to directory in which to create the project directory
open	Logical. Should the new project file be opened after creation? Default TRUE in an interactive session.

### Examples

```
myProjDir <- newProject("myProject", tempdir())

dir.exists(file.path(myProjDir, "cache"))
dir.exists(file.path(myProjDir, "inputs"))
dir.exists(file.path(myProjDir, "modules"))
dir.exists(file.path(myProjDir, "outputs"))
unlink(myProjDir, recursive = TRUE) ## cleanup
```

---

newProjectCode	<i>Create new module code file</i>
----------------	------------------------------------

---

### Description

Create new module code file



**Usage**

```
newProjectCode(name, path, open)

## S4 method for signature 'character,character,logical'
newProjectCode(name, path, open = interactive())
```

**Arguments**

name	project name (name of project directory)
path	path to directory in which to create the project directory
open	Logical. Should the new project file be opened after creation? Default TRUE in an interactive session.

**Author(s)**

Alex Chubaty

---

objectDiagram	<i>Simulation object dependency diagram</i>
---------------	---

---

**Description**

Create a sequence diagram illustrating the data object dependencies of a simulation. Offers a more detailed view of specific objects than does plotting the `depsEdgeList` directly with `moduleDiagram`.

**Usage**

```
objectDiagram(sim, ...)

## S4 method for signature 'simList'
objectDiagram(sim, ...)
```

**Arguments**

sim	A <code>simList</code> object (typically corresponding to a completed simulation).
...	Additional arguments passed to <code>mermaid</code> . Useful for specifying height and width.

**Value**

Plots a sequence diagram, invisibly returning a `mermaid` object.

**Author(s)**

Alex Chubaty

**See Also**

[mermaid](#).

---

objectSynonyms

*Identify synonyms in a simList*

---

**Description**

This will create active bindings amongst the synonyms. To minimize copying, the first one that exists in the character vector will become the "canonical" object. All others named in the character vector will be activeBindings to that canonical one. This synonym list will be assigned to the `envir`, as an object named `objectSynonyms`. That object will have an attribute called, `bindings` indicating which one is the canonical one and which is/are the activeBindings. **EXPERIMENTAL:** If the objects are removed during a `spades` call by, say, a module, then at the end of the event, the `spades` call will replace the bindings. In other words, if a module deletes the object, it will "come back". This may not always be desired.

**Usage**

```
objectSynonyms(envir, synonyms)
```

**Arguments**

<code>envir</code>	An environment, which in the context of <code>SpaDES.core</code> is usually a <code>simList</code> to find and/or place the <code>objectSynonyms</code> object.
<code>synonyms</code>	A list of synonym character vectors, such as <code>list(c("age", "ageMap", "age2"), c("veg", "vegMap"))</code>

**Details**

This is very experimental and only has minimal tests. Please report if this is not working, and under what circumstances (e.g., please submit a reproducible example to our issues tracker)

This function will append any new `objectSynonym` to any pre-existing `objectSynonym` in the `envir`. Similarly, this function assumes transitivity, i.e., if `age` and `ageMap` are synonyms, and `ageMap` and `timeSinceFire` are synonyms, then `age` and `timeSinceFire` must be synonyms.

**Value**

Active bindings in the `envir` so that all synonyms point to the same canonical object, e.g., they would be at `envir[[synonym[[1]][1]]]` and `envir[[synonym[[1]][2]]]`, if a list of length one is passed into `synonyms`, with a character vector of length two. See examples.

**Examples**

```

sim <- simInit()

sim$age <- 1:10;
sim <- objectSynonyms(sim, list(c("age", "ageMap")))

identical(sim$ageMap, sim$age)
sim$age <- 4
identical(sim$ageMap, sim$age)
sim$ageMap <- 2:5
sim$ageMap[3] <- 11
identical(sim$ageMap, sim$age)

# Also works to pass it in as an object
objectSynonyms <- list(c("age", "ageMap"))
sim <- simInit(objects = list(objectSynonyms = objectSynonyms))
identical(sim$ageMap, sim$age) # they are NULL at this point
sim$age <- 1:10
identical(sim$ageMap, sim$age) # they are not NULL at this point

## More complicated, with 'updating' i.e., you can add new synonyms to previous
sim <- simInit()
os <- list(c("age", "ageMap"), c("vegMap", "veg"), c("studyArea", "studyArea2"))
os2 <- list(c("ageMap", "timeSinceFire", "tsf"),
           c("systime", "systime2"),
           c("vegMap", "veg"))
sim <- objectSynonyms(sim, os)
sim <- objectSynonyms(sim, os2)

# check
sim$objectSynonyms

```

---

 objs

---

*Extract or replace an object from the simulation environment*


---

**Description**

The `[[` and `$` operators provide "shortcuts" for accessing objects in the simulation environment. I.e., instead of using `envir(sim)$object` or `envir(sim)[["object"]]`, one can simply use `sim$object` or `sim[["object"]]`.

**Usage**

```

objs(sim, ...)

## S4 method for signature 'simList'
objs(sim, ...)

```

```

objs(sim) <- value

## S4 replacement method for signature 'simList'
objs(sim) <- value

```

### Arguments

sim	A simList object from which to extract element(s) or in which to replace element(s).
...	passed to ls
value	objects to assign to the simList

### Details

objs can take ... arguments passed to ls, allowing, e.g. all.names=TRUE objs<- requires takes a named list of values to be assigned in the simulation environment.

### Value

Returns or sets a list of objects in the simList environment.

### See Also

[SpaDES.core-package](#), specifically the section 1.2.1 on Simulation Parameters.

Other functions to access elements of a 'simList' object: [.addDepends\(\)](#), [doEvent.checkpoint\(\)](#), [envir\(\)](#), [events\(\)](#), [globals\(\)](#), [inputs\(\)](#), [modules\(\)](#), [packages\(\)](#), [params\(\)](#), [paths\(\)](#), [progressInterval\(\)](#), [times\(\)](#)

---

objSize.simList	<i>Object size for simList</i>
-----------------	--------------------------------

---

### Description

Recursively, runs [objSize](#) on the simList environment, so it estimates the correct size of functions stored there (e.g., with their enclosing environments) plus, it adds all other "normal" elements of the simList, e.g., `object.size(completed(sim))`.

### Usage

```

## S3 method for class 'simList'
objSize(
  x,
  quick = getOption("reproducible.quick", FALSE),
  enclosingEnvs = TRUE,
  .prevEnvirs = list(),
  ...
)

```

**Arguments**

x	An object
quick	Logical. Only some methods use this. e.g., Path class objects. In which case, <code>file.size</code> will be used instead of <code>object.size</code> .
enclosingEnvs	Logical indicating whether to include enclosing environments. Default TRUE.
.prevEnvs	For internal account keeping to identify and prevent duplicate counting
...	Additional arguments (currently unused)

**Examples**

```
a <- simInit(objects = list(d = 1:10, b = 2:20))
objSize(a)
object.size(a)
```

---

openModules	<i>Open all modules nested within a base directory</i>
-------------	--

---

**Description**

This is just a convenience wrapper for opening several modules at once, recursively. A module is defined as any file that ends in `.R` or `.r` and has a directory name identical to its filename. Thus, this must be case sensitive.

**Usage**

```
openModules(name, path)

## S4 method for signature 'character,character'
openModules(name, path)

## S4 method for signature 'missing,missing'
openModules()

## S4 method for signature 'missing,character'
openModules(path)

## S4 method for signature 'character,missing'
openModules(name)

## S4 method for signature 'simList,missing'
openModules(name)
```

**Arguments**

name	Character vector with names of modules to open. If missing, then all modules will be opened within the basedir.
path	Character string of length 1. The base directory within which there are only module subdirectories.

**Value**

Nothing is returned. All file are open via `file.edit`.

**Note**

On Windows there is currently a bug in RStudio that prevents the editor from opening when `file.edit` is called. `file.edit` does work if the user types it at the command prompt. A message with the correct lines to copy and paste is provided.

**Author(s)**

Eliot McIntire

**Examples**

```
## Not run: openModules("~/\SpaDESModules")
```

---

packages

*Get module or simulation package dependencies*

---

**Description**

Get module or simulation package dependencies

**Usage**

```
packages(sim, modules, paths, filenames, envir, clean = FALSE, ...)
```

```
## S4 method for signature 'ANY'
```

```
packages(sim, modules, paths, filenames, envir, clean = FALSE, ...)
```

**Arguments**

<code>sim</code>	A <code>simList</code> object.
<code>modules</code>	Character vector, specifying the name or vector of names of module(s)
<code>paths</code>	Character vector, specifying the name or vector of names of paths(s) for those modules. If path not specified, it will be taken from <code>getOption("spades.modulePath")</code> , which is set with <code>setPaths</code>
<code>filenames</code>	Character vector specifying filenames of modules (i.e. combined path & module. If this is specified, then <code>modules</code> and <code>path</code> are ignored.
<code>envir</code>	Optional environment in which to store parsed code. This may be useful if the same file is being parsed multiple times. This function will check in that <code>envir</code> for the parsed file before parsing again. If the <code>envir</code> is transient, then this will have no effect.
<code>clean</code>	Optional logical. If TRUE, it will scrub any references to github repositories, e.g., "PredictiveEcology/reproducible" will be returned as "reproducible"
<code>...</code>	All <code>simInit</code> parameters.

**Value**

A sorted character vector of package names.

**Author(s)**

Alex Chubaty & Eliot McIntire

**See Also**

Other functions to access elements of a 'simList' object: [.addDepends\(\)](#), [doEvent.checkpoint\(\)](#), [envir\(\)](#), [events\(\)](#), [globals\(\)](#), [inputs\(\)](#), [modules\(\)](#), [objs\(\)](#), [params\(\)](#), [paths\(\)](#), [progressInterval\(\)](#), [times\(\)](#)

---

paddedFloatToChar      *Convert numeric to character with padding*

---

**Description**

Convert numeric to character with padding

**Usage**

```
paddedFloatToChar(x, padL = ceiling(log10(x + 1)), padR = 3, pad = "0")
```

**Arguments**

x	numeric. Number to be converted to character with padding
padL	numeric. Desired number of digits on left side of decimal. If not enough, pad will be used to pad.
padR	numeric. Desired number of digits on right side of decimal. If not enough, pad will be used to pad.
pad	character to use as padding (nchar(pad) == 1 must be TRUE). Passed to <a href="#">stri_pad</a>

**Value**

Character string representing the filename.

**Author(s)**

Eliot McIntire and Alex Chubaty

**Examples**

```
paddedFloatToChar(1.25)
paddedFloatToChar(1.25, padL = 3, padR = 5)
```

---

 params

*Get and set simulation parameters*


---

### Description

params and P access the parameter slot in the simList. params has a replace method, so can be used to update a parameter value.

### Usage

```

params(sim)

## S4 method for signature 'simList'
params(sim)

params(sim) <- value

## S4 replacement method for signature 'simList'
params(sim) <- value

P(sim, module, param)

parameters(sim, asDF = FALSE)

## S4 method for signature 'simList'
parameters(sim, asDF = FALSE)

```

### Arguments

sim	A simList object from which to extract element(s) or in which to replace element(s).
value	The object to be stored at the slot.
module	Optional character string indicating which module params should come from.
param	Optional character string indicating which parameter to choose.
asDF	Logical. For parameters, if TRUE, this will produce a single data.frame of all model parameters. If FALSE, then it will return a data.frame with 1 row for each parameter within nested lists, with the same structure as params.

### Details

parameters will extract only the metadata with the metadata defaults, NOT the current values that may be overwritten by a user. See examples.

### Value

Returns or sets the value of the slot from the simList object.



**Note**

The differences between P, params and being explicit with passing arguments are mostly a question of speed and code compactness. The computationally fastest way to get a parameter is to specify moduleName and parameter name, as in: `P(sim, "moduleName", "paramName")` (replacing moduleName and paramName with your specific module and parameter names), but it is more verbose than `P(sim)$paramName`. Note: the important part for speed (e.g., 2-4x faster) is specifying the moduleName. Specifying the parameter name is <5

**See Also**

[SpaDES.core-package](#), specifically the section 1.2.1 on Simulation parameters.

Other functions to access elements of a 'simList' object: `.addDepends()`, `doEvent.checkpoint()`, `envir()`, `events()`, `globals()`, `inputs()`, `modules()`, `objs()`, `packages()`, `paths()`, `progressInterval()`, `times()`

**Examples**

```
modules <- list("randomLandscapes")
paths <- list(modulePath = system.file("sampleModules", package = "SpaDES.core"))
mySim <- simInit(modules = modules, paths = paths,
                params = list(.globals = list(stackName = "landscape")))

# update some parameters using assignment -- currently only params will work
params(mySim)$randomLandscapes$nx <- 200
params(mySim)$randomLandscapes$ny <- 200

parameters(mySim) # Does not contain these user overridden values

# These next 2 are same here because they are not within a module
P(mySim)          # Does contain the user overridden values
params(mySim)     # Does contain the user overridden values

# NOTE -- deleting a parameter will affect params and P, not parameters
params(mySim)$randomLandscapes$nx <- NULL
params(mySim)$randomLandscapes$ny <- NULL

parameters(mySim) # Shows nx and ny

# These next 2 are same here because they are not within a module
P(mySim)          # nx and ny are Gone
params(mySim)     # nx and ny are Gone
```

## Description

Accessor functions for the paths slot in a simList object.

dataPath will return `file.path(modulePath(sim), currentModule(sim), "data")`. dataPath, like currentModule, is namespaced. This means that when it is used inside a module, then it will return *that model-specific* information. For instance, if used inside a module called "movingAgent", then `currentModule(sim)` will return "movingAgent", and `dataPath(sim)` will return `file.path(modulePath(sim), "mo`

## Usage

```
paths(sim)
```

```
## S4 method for signature 'simList'  
paths(sim)
```

```
paths(sim) <- value
```

```
## S4 replacement method for signature 'simList'  
paths(sim) <- value
```

```
cachePath(sim)
```

```
## S4 method for signature 'simList'  
cachePath(sim)
```

```
cachePath(sim) <- value
```

```
## S4 replacement method for signature 'simList'  
cachePath(sim) <- value
```

```
inputPath(sim)
```

```
## S4 method for signature 'simList'  
inputPath(sim)
```

```
inputPath(sim) <- value
```

```
## S4 replacement method for signature 'simList'  
inputPath(sim) <- value
```

```
outputPath(sim)
```

```
## S4 method for signature 'simList'  
outputPath(sim)
```

```
outputPath(sim) <- value
```

```
## S4 replacement method for signature 'simList'  
outputPath(sim) <- value
```

```

modulePath(sim, module)

## S4 method for signature 'simList'
modulePath(sim, module)

modulePath(sim) <- value

## S4 replacement method for signature 'simList'
modulePath(sim) <- value

rasterPath(sim)

## S4 method for signature 'simList'
rasterPath(sim)

rasterPath(sim) <- value

## S4 replacement method for signature 'simList'
rasterPath(sim) <- value

dataPath(sim)

## S4 method for signature 'simList'
dataPath(sim)

```

### Arguments

sim	A <code>simList</code> object from which to extract element(s) or in which to replace element(s).
value	The object to be stored at the slot.
module	The optional character string of the module(s) whose paths are desired. If omitted, will return all <code>modulePaths</code> , if more than one exist.

### Details

These are ways to add or access the file paths used by [spades](#). There are five file paths: `cachePath`, `modulePath`, `inputPath`, `outputPath`, and `rasterPath`. Each has a function to get or set the value in a `simList` object. If no paths are specified, the defaults are as follows:

- `cachePath`: `getOption("reproducible.cachePath")`;
- `inputPath`: `getOption("spades.modulePath")`;
- `modulePath`: `getOption("spades.inputPath")`;
- `outputPath`: `getOption("spades.outputPath")`;
- `rasterPath`: `raster::tmpDir()`

### Value

Returns or sets the value of the slot from the `simList` object.

**See Also**

[SpaDES.core-package](#), specifically the section 1.2.4 on Simulation Paths.

Other functions to access elements of a 'simList' object: [.addDepends\(\)](#), [doEvent.checkpoint\(\)](#), [envir\(\)](#), [events\(\)](#), [globals\(\)](#), [inputs\(\)](#), [modules\(\)](#), [objs\(\)](#), [packages\(\)](#), [params\(\)](#), [progressInterval\(\)](#), [times\(\)](#)

---

Plot, simList-method     *Plot method for simList objects*

---

**Description**

Extends [Plot](#) for simList objects.

**Usage**

```
## S4 method for signature 'simList'
Plot(
  ...,
  new = FALSE,
  addTo = NULL,
  gp = gpar(),
  gpText = gpar(),
  gpAxis = gpar(),
  axes = FALSE,
  speedup = 1,
  size = 5,
  cols = NULL,
  col = NULL,
  zoomExtent = NULL,
  visualSqueeze = NULL,
  legend = TRUE,
  legendRange = NULL,
  legendText = NULL,
  pch = 19,
  title = NULL,
  na.color = "#FFFFFF00",
  zero.color = NULL,
  length = NULL,
  arr = NULL,
  plotFn = "plot"
)
```

**Arguments**

...     A combination of spatialObjects or non-spatial objects. For many object classes, there are specific Plot methods. Where there are no specific ones, the

base plotting will be used internally. This means that for objects with no specific Plot methods, many arguments, such as `addTo`, will not work. See details.

<code>new</code>	Logical. If TRUE, then the previous named plot area is wiped and a new one made; if FALSE, then the . . . plots will be added to the current device, adding or rearranging the plot layout as necessary. Default is FALSE. This currently works best if there is only one object being plotted in a given Plot call. However, it is possible to pass a list of logicals to this, matching the length of the ... objects. Use <code>clearPlot</code> to clear the whole plotting device.
<code>addTo</code>	Character vector, with same length as . . . . This is for overplotting, when the overplot is not to occur on the plot with the same name, such as plotting a <code>SpatialPoints*</code> object on a <code>RasterLayer</code> .
<code>gp</code>	A <code>gpar</code> object, created by <code>gpar</code> function, to change plotting parameters (see <b>grid</b> package).
<code>gpText</code>	A <code>gpar</code> object for the title text. Default <code>gpar(col = "black")</code> .
<code>gpAxis</code>	A <code>gpar</code> object for the axes. Default <code>gpar(col = "black")</code> .
<code>axes</code>	Logical or "L", representing the left and bottom axes, over all plots.
<code>speedup</code>	Numeric. The factor by which the number of pixels is divided by to plot rasters. See Details.
<code>size</code>	Numeric. The size, in points, for <code>SpatialPoints</code> symbols, if using a scalable symbol.
<code>cols</code>	(also <code>col</code> ) Character vector or list of character vectors of colours. See details.
<code>col</code>	(also <code>cols</code> ) Alternative to <code>cols</code> to be consistent with <code>plot</code> . <code>cols</code> takes precedence, if both are provided.
<code>zoomExtent</code>	An <code>Extent</code> object. Supplying a single extent that is smaller than the rasters will call a crop statement before plotting. Defaults to NULL. This occurs after any downsampling of rasters, so it may produce very pixelated maps.
<code>visualSqueeze</code>	Numeric. The proportion of the white space to be used for plots. Default is 0.75.
<code>legend</code>	Logical indicating whether a legend should be drawn. Default is TRUE.
<code>legendRange</code>	Numeric vector giving values that, representing the lower and upper bounds of a legend (i.e., <code>1:10</code> or <code>c(1, 10)</code> will give same result) that will override the data bounds contained within the <code>grobToPlot</code> .
<code>legendText</code>	Character vector of legend value labels. Defaults to NULL, which results in a pretty numeric representation. If <code>Raster*</code> has a Raster Attribute Table ( <code>rat</code> ; see <b>raster</b> package), this will be used by default. Currently, only a single vector is accepted. The length of this must match the length of the legend, so this is mostly useful for discrete-valued rasters.
<code>pch</code>	see <code>?par</code> .
<code>title</code>	Logical or character string. If logical, it indicates whether to print the object name as the title above the plot. If a character string, it will print this above the plot. NOTE: the object name is used with <code>addTo</code> , not the title. Default NULL, which means print the object name as title, if no other already exists on the plot, in which case, keep the previous title.
<code>na.color</code>	Character string indicating the color for NA values. Default transparent.

zero.color	Character string indicating the color for zero values, when zero is the minimum value, otherwise, zero is treated as any other color. Default transparent.
length	Numeric. Optional length, in inches, of the arrow head.
arr	A vector of length 2 indicating a desired arrangement of plot areas indicating number of rows, number of columns. Default NULL, meaning let Plot function do it automatically.
plotFn	An optional function name to do the plotting internally, e.g., "barplot" to get a barplot() call. Default "plot".

### Details

Plot for simList class objects

See [Plot](#). This method strips out stuff from a simList class object that would make it otherwise not reproducibly digestible between sessions, operating systems, or machines. This will likely still not allow identical digest results across R versions.

### See Also

[Plot](#)

---

priority

*Event priority*

---

### Description

Preset event priorities: 1 = first (highest); 5 = normal; 10 = last (lowest).

### Usage

`.first()`

`.highest()`

`.last()`

`.lowest()`

`.normal()`

### Value

A numeric.

### Author(s)

Alex Chubaty

---

progressInterval      *Get and set simulation progress bar details*

---

### Description

The progress bar can be set in two ways in SpaDES. First, by setting values in the `.progress` list element in the `params` list element passed to `simInit`. Second, at the `spades` call itself, which can be simpler. See examples.

### Usage

```
progressInterval(sim)

## S4 method for signature 'simList'
progressInterval(sim)

progressInterval(sim) <- value

## S4 replacement method for signature 'simList'
progressInterval(sim) <- value

progressType(sim)

## S4 method for signature 'simList'
progressType(sim)

progressType(sim) <- value

## S4 replacement method for signature 'simList'
progressType(sim) <- value
```

### Arguments

<code>sim</code>	A <code>simList</code> object from which to extract element(s) or in which to replace element(s).
<code>value</code>	The object to be stored at the slot.

### Details

Progress Bar: Progress type can be one of "text", "graphical", or "shiny". Progress interval can be a numeric. These both can get set by passing a `.progress = list(type = "graphical", interval = 1)` into the `simInit` call. See examples.

### See Also

Other functions to access elements of a 'simList' object: `.addDepends()`, `doEvent.checkpoint()`, `envir()`, `events()`, `globals()`, `inputs()`, `modules()`, `objs()`, `packages()`, `params()`, `paths()`, `times()`

**Examples**

```
## Not run:
mySim <- simInit(
  times = list(start=0.0, end=100.0),
  params = list(.globals = list(stackName = "landscape"),
    .progress = list(type = "text", interval = 10),
    .checkpoint = list(interval = 10, file = "chkpnt.RData")),
  modules = list("randomLandscapes"),
  paths = list(modulePath = system.file("sampleModules", package = "SpaDES.core")))

# progress bar
progressType(mySim) # "text"
progressInterval(mySim) # 10

# parameters
params(mySim) # returns all parameters in all modules
               # including .global, .progress, .checkpoint
globals(mySim) # returns only global parameters

# checkpoint
checkpointFile(mySim) # returns the name of the checkpoint file
                      # In this example, "chkpnt.RData"
checkpointInterval(mySim) # 10

## End(Not run)
```

---

rasterToMemory

*Read raster to memory*


---

**Description**

Wrapper to the raster function, that creates the raster object in memory, even if it was read in from file.

**Usage**

```
rasterToMemory(x, ...)

## S4 method for signature 'ANY'
rasterToMemory(x, ...)
```

**Arguments**

x	An object passed directly to the function raster (e.g., character string of a file-name).
...	Additional arguments to raster.



**Value**

A raster object whose values are stored in memory.

**Author(s)**

Eliot McIntire and Alex Chubaty

**See Also**

[raster](#).

---

remoteFileSize	<i>Determine the size of a remotely hosted file</i>
----------------	---

---

**Description**

Query a remote web server to determine the size of a remote file.

**Usage**

```
remoteFileSize(url)
```

**Arguments**

`url`            The url of the remote file.

**Value**

A numeric indicating the size of the remote file in bytes.

**Author(s)**

Eliot McIntire and Alex Chubaty

**Examples**

```
urls <- c("https://www.alexchubaty.com/uploads/2011/11/open-forest-science-journal.csl",
         "https://www.alexchubaty.com/uploads/2011/08/models_GUI_2011-08-07.zip",
         "http://example.com/doesntexist.csv")
try(remoteFileSize(urls)) ## 5429, 3997384, 0
```

restartR

*Restart R programmatically***Description**

This will attempt to restart the R session, reloading all packages, and saving and reloading the `simList`. Currently, this is not intended for general use: it has many specialized pieces for using inside a `spades` call. The main purpose for doing this is to clear memory leaks (possibly deep in R <https://github.com/r-lib/fastmap>) that are not fully diagnosed. This is still very experimental. USE AT YOUR OWN RISK. This should only be used if there are RAM limitations being hit with long running simulations. It has been tested to work Linux within Rstudio and at a terminal R session. The way to initiate restarting of R is simply setting the `spades.restartRInterval` or setting the equivalent parameter in the `restartR` core module via: `simInit(..., params = list(restartR = list(.restartRInterval = 1)), ...)` greater than 0, which is the default, e.g., `options("spades.restartRInterval" = 100)`. This is only intended to restart a simulation in exactly the same place as it was (i.e., can't change machines), and because of the restart, the assignment of the `spades` call will be either to `sim` or the user must make such an assignment manually, e.g., `sim <- SpaDES.core:::pkgEnv$.sim`. This is stated in a message.

**Usage**

```
restartR(
  sim,
  reloadPkgs = TRUE,
  .First = NULL,
  .RDataFile = getOption("spades.restartR.RDataFilename"),
  restartDir = getOption("spades.restartR.restartDir", NULL)
)
```

**Arguments**

<code>sim</code>	Required. A <code>simList</code> to be retained through the restart
<code>reloadPkgs</code>	Logical. If <code>TRUE</code> , it will attempt to reload all the packages as they were in previous session, in the same order. If <code>FALSE</code> , it will load no packages beyond normal R startup. Default <code>TRUE</code>
<code>.First</code>	A function to save to <code>~/RData</code> which will be loaded at restart from <code>~/RData</code> and run. Default is <code>NULL</code> , meaning it will use the non-exported <code>SpaDES.core:::First</code> . If a user wants to make a custom <code>First</code> file, it should built off that one.
<code>.RDataFile</code>	A filename for saving <code>simList</code> . Defaults to <code>getOption("spades.restartR.RDataFilename")</code> , and the directory will be in <code>restartDir</code> . The simulation time will be mid-pended to this name, as in: <code>basename(.RDataFile), "_time", paddedFloatToChar(time(sim), padL = nchar(as.character(end(sim))))</code>
<code>restartDir</code>	A character string indicating root directory to save <code>simList</code> and other ancillary files during restart. Defaults to <code>getOption("spades.restartR.restartDir", NULL)</code> . If <code>NULL</code> , then it will try, in order, <code>outputPath(sim)</code> , <code>modulePath(sim)</code> , <code>inputPath(sim)</code> , <code>cachePath(sim)</code> , taking the first one that is not inside the <code>tempdir()</code> , which

will disappear during restart of R. The actual directory for a given spades call that is restarting will be: `file.path(restartDir, "restartR", paste0(sim$._startClockTime, "_",`  
`The random string is to prevent parallel processes that started at the same clock`  
`time from colliding.`

## Details

The process responds to several options. Though under most cases, the default behaviour should suffice. These are of 3 types: `restartRInterval` the arguments to `restartR` and the arguments to `saveSimList`, these latter two using a dot to separate the function name and its argument. The defaults for two key options are: `options("spades.restartR.restartDir" = NULL`, meaning use `file.path(restartDir, "restartR", paste0(sim$._startClockTime, "_", .rndString))` and `options("spades.saveSimList.fileBackend" = 0)`, which means don't do anything with raster-backed files. See specific functions for defaults and argument meanings. The only difference from the default function values is with `saveSimList` argument `fileBackend = FALSE` during `restartR` by default, because it is assumed that the file backends will still be intact after a restart, so no need to move them all to memory.

## Note

Because of the restarting, the object name of the original assignment of the spades call can not be preserved. The spades call will be assigned to `sim` in the `.GlobalEnv`.

Because this function is focused on restarting during a spades call, it will remove all objects in the `.GlobalEnv`, emulating `q("no")`. If the user wants to keep those objects, then they should be saved to disk immediately before the spades call. This can then be recovered immediately after the return from the spades call.

To keep the saved `simList`, use `options("spades.restartR.clearFiles" = TRUE)`. The default is to treat these files as temporary files and so will be removed.

---

restartSpades

*Restart an interrupted simulation*

---

## Description

This is very experimental and has not been thoroughly tested. Use with caution. This function will reparse a single module (currently) into the `simList` where its source code should reside, and then optionally restart a simulation that stopped on an error, presumably after the developer has modified the source code of the module that caused the break. This will restart the simulation at the next event in the event queue (i.e., returned by `events(sim)`). Because of this, this function will not do anything if the event queue is empty.

## Usage

```
restartSpades(sim = NULL, module = NULL, numEvents = Inf, restart = TRUE, ...)
```

**Arguments**

sim	A simList. If not supplied (the default), this will take the sim from SpaDES.core::.pkgEnv\$.sim, i.e., the one that was interrupted
module	A character string length one naming the module that caused the error and whose source code was fixed. This module will be reparsed and placed into the simList
numEvents	Numeric. Default is Inf (i.e., all available). In the simList, if options('spades.recoveryMode') is set to TRUE or a numeric, then there will be a list in the simList called .recoverableObjs. These will be replayed backwards in time to reproduce the initial state of the simList before the event that is numEvents back from the first event in events(sim).
restart	Logical. If TRUE, then the call to spades will be made, i.e., restarting the simulation. If FALSE, then it will return a new simList with the module code parsed into the simList
...	Passed to spades, e.g., debug, .plotInitialTime

**Details**

This will only parse the source code from the named module. It will not affect any objects that are in the mod or sim.

The random number seed will be reset to the state it was at the start of the earliest event recovered, thereby returning to the exact stochastic simulation trajectory.

**Value**

A simList as if spades had been called on a simList.

**Note**

This will only work reliably *if the simList was not modified yet during the event which caused the error*. The simList will be in the state it was at the time of the error.

**Examples**

```
## Not run:
# options("spades.recoveryMode" = 1) # now the default
s <- simInit()
s <- spades(s) # this this is interrupted or fails
s <- restartSpades() # don't need to put simList
# will take from SpaDES.core::.pkgEnv$.sim automatically

## End(Not run)
```

---

rndstr	<i>Generate random strings</i>
--------	--------------------------------

---

**Description**

Generate a vector of random alphanumeric strings each of an arbitrary length.

**Usage**

```
rndstr(n, len, characterFirst)

## S4 method for signature 'numeric,numeric,logical'
rndstr(n, len, characterFirst)

## S4 method for signature 'numeric,numeric,missing'
rndstr(n, len)

## S4 method for signature 'numeric,missing,logical'
rndstr(n, characterFirst)

## S4 method for signature 'missing,numeric,logical'
rndstr(len, characterFirst)

## S4 method for signature 'numeric,missing,missing'
rndstr(n)

## S4 method for signature 'missing,numeric,missing'
rndstr(len)

## S4 method for signature 'missing,missing,logical'
rndstr(characterFirst)

## S4 method for signature 'missing,missing,missing'
rndstr(n, len, characterFirst)
```

**Arguments**

n	Number of strings to generate (default 1). Will attempt to coerce to integer value.
len	Length of strings to generate (default 8). Will attempt to coerce to integer value.
characterFirst	Logical, if TRUE, then a letter will be the first character of the string (useful if being used for object names).

**Value**

Character vector of random strings.

**Author(s)**

Alex Chubaty and Eliot McIntire

**Examples**

```
set.seed(11)
rndstr()
rndstr(len = 10)
rndstr(characterFirst = FALSE)
rndstr(n = 5, len = 10)
rndstr(n = 5)
rndstr(n = 5, characterFirst = TRUE)
rndstr(len = 10, characterFirst = TRUE)
rndstr(n = 5, len = 10, characterFirst = TRUE)
```

---

saveFiles

*Save objects using .saveObjects in params slot of simInit*

---

**Description**

In the `simInit` call, a parameter called `.saveObjects` can be provided in each module. This must be a character string vector of all object names to save. These objects will then be saved whenever a call to `saveFiles` is made.

**Usage**

```
saveFiles(sim)
```

**Arguments**

`sim`            A `simList` simulation object.

**Details**

The file names will be equal to the object name plus `time(sim)` is appended at the end. The files are saved as `.rds` files, meaning, only one object gets saved per file.

For objects saved using this function, the module developer must create save events that schedule a call to `saveFiles`.

If this function is used outside of a module, it will save all files in the `outputs(sim)` that are scheduled to be saved at the current time in the `simList`.

There are 3 ways to save objects using SpaDES.

**1. Model-level saving**

Using the `outputs` slot in the `simInit` call. See example in `simInit`. This can be convenient because it gives overall control of many modules at a time, and it gets automatically scheduled during the `simInit` call.

## 2. Module-level saving

Using the `saveFiles` function inside a module. This must be accompanied by a `.saveObjects` list element in the `params` slot in the `simList`. Usually a module developer will create this method for future users of their module.

## 3. Custom saving

A module developer can save any object at any time inside their module, using standard R functions for saving R objects (e.g., `save` or `saveRDS`). This is the least modular approach, as it will happen whether a module user wants it or not.

### Note

It is not possible to schedule separate saving events for each object that is listed in the `.saveObjects`.

### Author(s)

Eliot McIntire

Alex Chubaty

### Examples

```
## Not run:

# This will save the "caribou" object at the save interval of 1 unit of time
# in the outputPath location
outputPath <- file.path(tempdir(), "test_save")
times <- list(start = 0, end = 6, "month")
parameters <- list(
  .globals = list(stackName = "landscape"),
  caribouMovement = list(
    .saveObjects = "caribou",
    .saveInitialTime = 1, .saveInterval = 1
  ),
  randomLandscapes = list(.plotInitialTime = NA, nx = 20, ny = 20))

modules <- list("randomLandscapes", "caribouMovement")
paths <- list(
  modulePath = system.file("sampleModules", package = "SpaDES.core"),
  outputPath = savePath
)
mySim <- simInit(times = times, params = parameters, modules = modules,
  paths = paths)

# The caribou module has a saveFiles(sim) call, so it will save caribou
spades(mySim)
dir(outputPath)

# remove the files
file.remove(dir(savePath, full.names = TRUE))
```

```
## End(Not run)
```

---

saveSimList	<i>Save a whole simList object to disk</i>
-------------	--

---

## Description

Because of the environment slot, this is not quite as straightforward as just saving the object. This also has option for file-backed Rasters.

## Usage

```
saveSimList(sim, filename, fileBackend = 0, filebackedDir = NULL, envir, ...)
```

## Arguments

sim	Either a simList or a character string of the name of a simList that can be found in envir. Using a character string will assign that object name to the saved simList, so when it is recovered it will be given that name.
filename	Character string with the path for saving simList
fileBackend	Numeric. 0 means don't do anything with file backed rasters. Leave their file intact as is, in its place. 1 means save a copy of the file backed rasters in fileBackedDir. 2 means move all data in file-backed rasters to memory. This means that the objects will be part of the main RData file of the simList. Default is 0.
filebackedDir	Only used if fileBackend is 1. NULL, the default, or Character string. If NULL, then then the files will be copied to the directory: <code>file.path(dirname(filename), "rasters")</code> . A character string will be interpreted as a path to copy all rasters to.
envir	If sim is a character string, then this must be provided. It is the environment where the object named sim can be found.
...	Passed to save, e.g., compression

## Value

A saved .RData file in filename location.

## See Also

[zipSimList](#)



---

 scheduleConditionalEvent

*Schedule a conditional simulation event*


---

### Description

Adds a new event to the simulation's conditional event queue, updating the simulation object by creating or appending to `sim$._conditionalEvents`. This is very experimental. Use with caution.

### Usage

```
scheduleConditionalEvent(
  sim,
  condition,
  moduleName,
  eventType,
  eventPriority = .pkgEnv$.normalVal,
  minEventTime = start(sim),
  maxEventTime = end(sim)
)
```

### Arguments

<code>sim</code>	A <code>simList</code> simulation object.
<code>condition</code>	A string, call or expression that will be assessed for TRUE after each event in the regular event queue. It can access objects in the <code>simList</code> by using functions of <code>sim</code> , e.g., " <code>sim\$page &gt; 1</code> "
<code>moduleName</code>	A character string specifying the module from which to call the event. If missing, it will use <code>currentModule(sim)</code>
<code>eventType</code>	A character string specifying the type of event from within the module.
<code>eventPriority</code>	A numeric specifying the priority of the event. Lower number means higher priority. As a best practice, it is recommended that decimal values are conceptual grouped by their integer values (e.g., 4.0, 4.25, 4.5 are conceptually similar). See <a href="#">priority</a> .
<code>minEventTime</code>	A numeric specifying the time before which the event should not occur, even if the condition is met. Defaults to <code>start(sim)</code>
<code>maxEventTime</code>	A numeric specifying the time after which the event should not occur, even if the condition is met. Defaults to <code>end(sim)</code>

### Value

Returns the modified `simList` object, i.e., `sim$._conditionalEvents`.

This conditional event queue will be assessed at every single event in the normal event queue. If there are no conditional events, then spades will proceed as normal. As conditional event conditions are found to be true, then it will trigger a call to `scheduleEvent(...)` with the current time passed

to eventTime *and* it will remove the conditional event from the conditional queue. If the user would like the triggered conditional event to occur as the very next event, then a possible strategy would be to set eventPriority of the conditional event to very low or even negative to ensure it gets inserted at the top of the event queue.

### Author(s)

Eliot McIntire

### References

Matloff, N. (2011). The Art of R Programming (ch. 7.8.3). San Francisco, CA: No Starch Press, Inc.. Retrieved from <https://www.nostarch.com/artofr.htm>

### See Also

[scheduleEvent](#), [conditionalEvents](#)

### Examples

```
sim <- simInit(times = list(start = 0, end = 2))
condition <- "sim$age > 1" # provide as string
condition <- quote(sim$age > 1) # provide as a call
condition <- expression(sim$age > 1) # provide as an expression
sim <- scheduleConditionalEvent(sim, condition, "firemodule", "burn")
conditionalEvents(sim)
sim <- spades(sim) # no changes to sim$age, i.e., it is absent
events(sim) # nothing scheduled
sim$age <- 2 # change the value
sim <- spades(sim) # Run spades, the condition is now true, so event is
                  # scheduled at current time
events(sim)      # now scheduled in the normal event queue
```

---

scheduleEvent

*Schedule a simulation event*

---

### Description

Adds a new event to the simulation's event queue, updating the simulation object.

### Usage

```
scheduleEvent(
  sim,
  eventTime,
  moduleName,
  eventType,
  eventPriority = .pkgEnv$.normalVal,
  .skipChecks = FALSE
)
```

**Arguments**

sim	A simList simulation object.
eventTime	A numeric specifying the time of the next event.
moduleName	A character string specifying the module from which to call the event. If missing, it will use <code>currentModule(sim)</code>
eventType	A character string specifying the type of event from within the module.
eventPriority	A numeric specifying the priority of the event. Lower number means higher priority. As a best practice, it is recommended that decimal values are conceptual grouped by their integer values (e.g., 4.0, 4.25, 4.5 are conceptually similar). See <a href="#">priority</a> .
.skipChecks	Logical. If TRUE, then internal checks that arguments match expected types are skipped. Should only be used if speed is critical.

**Details**

Here, we implement a simulation in a more modular fashion so it's easier to add submodules to the simulation. We use S4 classes and methods, and use 'data.table' instead of 'data.frame' to implement the event queue (because it is much faster).

**Value**

Returns the modified simList object.

**Author(s)**

Alex Chubaty

**References**

Matloff, N. (2011). The Art of R Programming (ch. 7.8.3). San Francisco, CA: No Starch Press, Inc.. Retrieved from <https://www.nostarch.com/artofr.htm>

**See Also**

[priority](#), [scheduleConditionalEvent](#)

**Examples**

```
## Not run:
scheduleEvent(x, time(sim) + 1.0, "firemodule", "burn") # default priority
scheduleEvent(x, time(sim) + 1.0, "firemodule", "burn", .normal()) # default priority

scheduleEvent(x, time(sim) + 1.0, "firemodule", "burn", .normal()-1) # higher priority
scheduleEvent(x, time(sim) + 1.0, "firemodule", "burn", .normal()+1) # lower priority

scheduleEvent(x, time(sim) + 1.0, "firemodule", "burn", .highest()) # highest priority
scheduleEvent(x, time(sim) + 1.0, "firemodule", "burn", .lowest()) # lowest priority

## End(Not run)
```

show, simList-method    *Show an Object*

---

**Description**

Show an Object

**Usage**

```
## S4 method for signature 'simList'  
show(object)
```

**Arguments**

object                  simList

**Author(s)**

Alex Chubaty

---

simInit                  *Initialize a new simulation*

---

**Description**

Create a new simulation object, the "sim" object. This object is implemented using an environment where all objects and functions are placed. Since environments in R are pass by reference, "putting" objects in the sim object does no actual copy. The simList also stores all parameters, and other important simulation information, such as times, paths, modules, and module load order. See more details below.

**Usage**

```
simInit(  
  times,  
  params,  
  modules,  
  objects,  
  paths,  
  inputs,  
  outputs,  
  loadOrder,  
  notOlderThan = NULL  
)  
  
## S4 method for signature
```

```
## 'list,list,list,list,list,data.frame,data.frame,character'
simInit(
  times,
  params,
  modules,
  objects,
  paths,
  inputs,
  outputs,
  loadOrder,
  notOlderThan = NULL
)

## S4 method for signature 'ANY,ANY,ANY,character,ANY,ANY,ANY,ANY'
simInit(
  times,
  params,
  modules,
  objects,
  paths,
  inputs,
  outputs,
  loadOrder,
  notOlderThan = NULL
)

## S4 method for signature 'ANY,ANY,character,ANY,ANY,ANY,ANY,ANY'
simInit(
  times,
  params,
  modules,
  objects,
  paths,
  inputs,
  outputs,
  loadOrder,
  notOlderThan = NULL
)

## S4 method for signature 'ANY,ANY,ANY,ANY,ANY,ANY,ANY,ANY'
simInit(
  times,
  params,
  modules,
  objects,
  paths,
  inputs,
  outputs,
```

```

    loadOrder,
    notOlderThan = NULL
  )

```

### Arguments

times	A named list of numeric simulation start and end times (e.g., <code>times = list(start = 0.0, end = 10.0)</code> ).
params	A list of lists of the form <code>list(moduleName=list(param1=value, param2=value))</code> . See details.
modules	A named list of character strings specifying the names of modules to be loaded for the simulation. Note: the module name should correspond to the R source file from which the module is loaded. Example: a module named "caribou" will be sourced from the file 'caribou.R', located at the specified <code>modulePath(simList)</code> (see below).
objects	(optional) A vector of object names (naming objects that are in the calling environment of the <code>simInit</code> , which is often the <code>.GlobalEnv</code> unless used programmatically – NOTE: this mechanism will fail if object name is in a package dependency), or a named list of data objects to be passed into the <code>simList</code> (more reliable). These objects will be accessible from the <code>simList</code> as a normal list, e.g., <code>mySim\$obj</code> .
paths	An optional named list with up to 4 named elements, <code>modulePath</code> , <code>inputPath</code> , <code>outputPath</code> , and <code>cachePath</code> . See details. NOTE: Experimental feature now allows for multiple <code>modulePaths</code> to be specified in a character vector. The modules will be searched for sequentially in the first <code>modulePath</code> , then if it doesn't find it, in the second etc.
inputs	A <code>data.frame</code> . Can specify from 1 to 6 columns with following column names: <code>objectName</code> (character, required), <code>file</code> (character), <code>fun</code> (character), <code>package</code> (character), <code>interval</code> (numeric), <code>loadTime</code> (numeric). See <a href="#">inputs</a> and <code>vignette("ii-modules")</code> section about inputs.
outputs	A <code>data.frame</code> . Can specify from 1 to 5 columns with following column names: <code>objectName</code> (character, required), <code>file</code> (character), <code>fun</code> (character), <code>package</code> (character), <code>saveTime</code> (numeric) and <code>eventPriority</code> (numeric). If <code>eventPriority</code> is not set, it defaults to <code>.last()</code> . If <code>eventPriority</code> is set to a low value, e.g., 0, 1, 2 and <code>saveTime</code> is <code>start(sim)</code> , it should give "initial conditions". See <a href="#">outputs</a> and <code>vignette("ii-modules")</code> section about outputs.
loadOrder	An optional list of module names specifying the order in which to load the modules. If not specified, the module load order will be determined automatically.
notOlderThan	A time, as in from <code>Sys.time()</code> . This is passed into the <code>Cache</code> function that wraps <code>.inputObjects</code> . If the module uses the <code>.useCache</code> parameter and it is set to <code>TRUE</code> or <code>".inputObjects"</code> , then the <code>.inputObjects</code> will be cached. Setting <code>notOlderThan = Sys.time()</code> will cause the cached versions of <code>.inputObjects</code> to be refreshed, i.e., rerun.

### Details

**Calling this `simInit` function does the following::**

**What**

fills simList slots  
 sources all module files  
 copies objects  
 loads objects  
 schedule object loading/copying  
 schedule object saving  
 schedules "init" events  
 assesses module dependencies  
 determines time unit  
 runs .inputObjects functions

**Details**

places the arguments times, params, modules, paths into equivalently named simList slots  
 places all function definitions in the simList, specifically, into a sub-environment of the m  
 from the global environment to the simList environment  
 from disk into the simList  
 Objects can be loaded into the simList at any time during a simulation  
 Objects can be saved to disk at any arbitrary time during the simulation. If specified here, t  
 from all modules (see [events](#))  
 via the inputs and outputs identified in their metadata. This gives the order of the .inputOb  
 takes time units of modules and how they fit together  
 from every module *in the module order as determined above*

params can only contain updates to any parameters that are defined in the metadata of modules.

Take the example of a module named, Fire, which has a parameter named .plotInitialTime. In the metadata of that module, it says TRUE. Here we can override that default with: `list(Fire=list(.plotInitialTime=NA))` effectively turning off plotting. Since this is a list of lists, one can override the module defaults for multiple parameters from multiple modules all at once, with say: `list(Fire = list(.plotInitialTime = NA, .plotInterval = 2), caribouModule = list(N = 1000))`.

We implement a discrete event simulation in a more modular fashion so it is easier to add modules to the simulation. We use S4 classes and methods, and fast lists to manage the event queue.

paths specifies the location of the module source files, the data input files, and the saving output files. If no paths are specified the defaults are as follows:

- `cachePath: getOption("reproducible.cachePath");`
- `inputPath: getOption("spades.modulePath");`
- `modulePath: getOption("spades.inputPath");`
- `outputPath: getOption("spades.outputPath");`

**Value**

A simList simulation object, pre-initialized from values specified in the arguments supplied.

**Parsing and Checking Code**

The simInit function will attempt to find usage of `sim$xxx` or `sim[['xxx']]` on either side of the assignment "`<-`" operator. It will compare these to the module metadata, specifically `inputObjects` for cases where objects or "gotten" from the simList and `outputObjects` for cases where objects are assigned to the simList.

It will also attempt to find potential, common function name conflicts with things like `scale` and `stack` (both in base and raster), and `Plot` (in `quickPlot` and some modules).

*This code checking is young and may get false positives and false negatives – i.e., miss things.* It also takes computational time, which may be undesirable in operational code. To turn off checking (i.e., if there are too many false positives and negatives), set the option `spades.moduleCodeChecks` to FALSE, e.g., `options(spades.moduleCodeChecks = FALSE)`

## Caching

Using caching with SpaDES is vital when building re-usable and reproducible content. Please see the vignette dedicated to this topic.

## Note

Since the objects in the `simList` are passed-by-reference, it is useful to create a copy of the initialized `simList` object prior to running the simulation (e.g., `mySimOut <-spades(Copy(mySim))`). This ensures you retain access to the original objects, which would otherwise be overwritten/modified during the simulation.

The user can opt to run a simpler `simInit` call without inputs, outputs, and times. These can be added later with the accessor methods (See example). These are not required for initializing the simulation via `simInit`. All of modules, paths, params, and objects are needed for successful initialization.

## Author(s)

Alex Chubaty and Eliot McIntire

## References

Matloff, N. (2011). The Art of R Programming (ch. 7.8.3). San Francisco, CA: No Starch Press, Inc.. Retrieved from <https://www.nostarch.com/artofr.htm>

## See Also

[spades](#), [times](#), [params](#), [objs](#), [paths](#), [modules](#), [inputs](#), [outputs](#)

## Examples

```
## Not run:
mySim <- simInit(
  times = list(start = 0.0, end = 2.0, timeunit = "year"),
  params = list(
    .globals = list(stackName = "landscape", burnStats = "nPixelsBurned")
  ),
  modules = list("randomLandscapes", "fireSpread", "caribouMovement"),
  paths = list(modulePath = system.file("sampleModules", package = "SpaDES.core"))
)
spades(mySim) # shows plotting

# Change more parameters, removing plotting
mySim <- simInit(
  times = list(start = 0.0, end = 2.0, timeunit = "year"),
  params = list(
    .globals = list(stackName = "landscape", burnStats = "nPixelsBurned"),
    fireSpread = list(.plotInitialTime = NA)
  ),
  modules = list("randomLandscapes", "fireSpread", "caribouMovement"),
  paths = list(modulePath = system.file("sampleModules", package = "SpaDES.core"))
)
```



```

)
outSim <- spades(mySim)

# A little more complicated with inputs and outputs
if (require(rgdal)) {
  mapPath <- system.file("maps", package = "quickPlot")
  mySim <- simInit(
    times = list(start = 0.0, end = 2.0, timeunit = "year"),
    params = list(
      .globals = list(stackName = "landscape", burnStats = "nPixelsBurned")
    ),
    modules = list("randomLandscapes", "fireSpread", "caribouMovement"),
    paths = list(modulePath = system.file("sampleModules", package = "SpaDES.core"),
      outputPath = tempdir()),
    inputs = data.frame(
      files = dir(file.path(mapPath), full.names = TRUE, pattern = "tif")[1:2],
      functions = "raster",
      package = "raster",
      loadTime = 1,
      stringsAsFactors = FALSE),
    outputs = data.frame(
      expand.grid(objectName = c("caribou", "landscape"),
        saveTime = 1:2,
        stringsAsFactors = FALSE))
  )
)

# Use accessors for inputs, outputs
mySim2 <- simInit(
  times = list(current = 0, start = 0.0, end = 2.0, timeunit = "year"),
  modules = list("randomLandscapes", "fireSpread", "caribouMovement"),
  params = list(.globals = list(stackName = "landscape", burnStats = "nPixelsBurned")),
  paths = list(
    modulePath = system.file("sampleModules", package = "SpaDES.core"),
    outputPath = tempdir()
  )
)

# add by accessor is equivalent
inputs(mySim2) <- data.frame(
  files = dir(file.path(mapPath), full.names = TRUE, pattern = "tif")[1:2],
  functions = "raster",
  package = "raster",
  loadTime = 1,
  stringsAsFactors = FALSE)
outputs(mySim2) <- data.frame(
  expand.grid(objectName = c("caribou", "landscape"),
    saveTime = 1:2,
    stringsAsFactors = FALSE))
all.equal(mySim, mySim2) # TRUE

# Use accessors for times -- does not work as desired because times are
# adjusted to the input timeunit during simInit
mySim2 <- simInit(

```

```

params = list(
  .globals = list(stackName = "landscape", burnStats = "nPixelsBurned")
),
modules = list("randomLandscapes", "fireSpread", "caribouMovement"),
paths = list(modulePath = system.file("sampleModules", package = "SpaDES.core"),
  outputPath = tempdir()),
inputs = data.frame(
  files = dir(file.path(mapPath), full.names = TRUE, pattern = "tif")[1:2],
  functions = "raster",
  package = "raster",
  loadTime = 1,
  stringsAsFactors = FALSE),
outputs = data.frame(
  expand.grid(objectName = c("caribou", "landscape"),
  saveTime = 1:2,
  eventPriority = c(0,10), # eventPriority 0 may give "initial" conditions
  stringsAsFactors = FALSE))
)

# add times by accessor fails all.equal test because "year" was not
# declared during module loading, so month became the default
times(mySim2) <- list(current = 0, start = 0.0, end = 2.0, timeunit = "year")
all.equal(mySim, mySim2) # fails because time units are all different, so
# several parameters that have time units in
# "months" because they were loaded that way
params(mySim)$fireSpread$.plotInitialTime
params(mySim2)$fireSpread$.plotInitialTime
events(mySim) # load event is at time 1 year
events(mySim2) # load event is at time 1 month, reported in years because of
# update to times above
}

## End(Not run)

```

---

simInitAndSpades

*Call simInit and spades together*

---

### Description

These functions are convenience wrappers that may allow for more efficient Caching. Passes all arguments to `simInit`, then passes the created `simList` to `spades`.

### Usage

```

simInitAndSpades(
  times,
  params,
  modules,
  objects,

```

```

    paths,
    inputs,
    outputs,
    loadOrder,
    notOlderThan,
    debug,
    progress,
    cache,
    .plotInitialTime,
    .saveInitialTime,
    ...
)

```

### Arguments

times	A named list of numeric simulation start and end times (e.g., <code>times = list(start = 0.0, end = 10.0)</code> ).
params	A list of lists of the form <code>list(moduleName=list(param1=value, param2=value))</code> . See details.
modules	A named list of character strings specifying the names of modules to be loaded for the simulation. Note: the module name should correspond to the R source file from which the module is loaded. Example: a module named "caribou" will be sourced from the file 'caribou.R', located at the specified <code>modulePath(simList)</code> (see below).
objects	(optional) A vector of object names (naming objects that are in the calling environment of the <code>simInit</code> , which is often the <code>.GlobalEnv</code> unless used programmatically – NOTE: this mechanism will fail if object name is in a package dependency), or a named list of data objects to be passed into the <code>simList</code> (more reliable). These objects will be accessible from the <code>simList</code> as a normal list, e.g., <code>mySim\$obj</code> .
paths	An optional named list with up to 4 named elements, <code>modulePath</code> , <code>inputPath</code> , <code>outputPath</code> , and <code>cachePath</code> . See details. NOTE: Experimental feature now allows for multiple <code>modulePaths</code> to be specified in a character vector. The modules will be searched for sequentially in the first <code>modulePath</code> , then if it doesn't find it, in the second etc.
inputs	A data.frame. Can specify from 1 to 6 columns with following column names: <code>objectName</code> (character, required), <code>file</code> (character), <code>fun</code> (character), <code>package</code> (character), <code>interval</code> (numeric), <code>loadTime</code> (numeric). See <a href="#">inputs</a> and <a href="#">vignette("ii-modules")</a> section about inputs.
outputs	A data.frame. Can specify from 1 to 5 columns with following column names: <code>objectName</code> (character, required), <code>file</code> (character), <code>fun</code> (character), <code>package</code> (character), <code>saveTime</code> (numeric) and <code>eventPriority</code> (numeric). If <code>eventPriority</code> is not set, it defaults to <code>.last()</code> . If <code>eventPriority</code> is set to a low value, e.g., 0, 1, 2 and <code>saveTime</code> is <code>start(sim)</code> , it should give "initial conditions". See <a href="#">outputs</a> and <a href="#">vignette("ii-modules")</a> section about outputs.
loadOrder	An optional list of module names specifying the order in which to load the modules. If not specified, the module load order will be determined automatically.

notOlderThan	A time, as in from <code>Sys.time()</code> . This is passed into the Cache function that wraps <code>.inputObjects</code> . If the module uses the <code>.useCache</code> parameter and it is set to TRUE or " <code>.inputObjects</code> ", then the <code>.inputObjects</code> will be cached. Setting <code>notOlderThan = Sys.time()</code> will cause the cached versions of <code>.inputObjects</code> to be refreshed, i.e., rerun.
debug	Optional logical flag or character vector indicating what to print to console at each event. See details. Default is to use the value in <code>getOption("spades.debug")</code> .
progress	Logical (TRUE or FALSE show a graphical progress bar), character (" <code>graphical</code> ", " <code>text</code> ") or numeric indicating the number of update intervals to show in a graphical progress bar.
cache	Logical. If TRUE, then the spades call will be cached. This means that if the call is made again with the same <code>simList</code> , then 'spades' will return the return value from the previous run of that exact same <code>simList</code> . Default FALSE. See Details. See also the vignette on caching for examples.
<code>.plotInitialTime</code>	Numeric. Temporarily override the <code>.plotInitialTime</code> parameter for all modules. See Details.
<code>.saveInitialTime</code>	Numeric. Temporarily override the <code>.plotInitialTime</code> parameter for all modules. See Details.
...	Arguments passed to <code>simInit</code> and <code>spades</code>

**Value**

Same as `spades` (a `simList`) or

**See Also**

`simInit`, `spades`

---

simList-class	<i>The simList class</i>
---------------	--------------------------

---

**Description**

Contains the minimum components of a Spades simulation. Various slot accessor methods (i.e., get and set functions) are provided (see 'Accessor Methods' below).

**Details**

Based on code from chapter 7.8.3 of Matloff (2011): "Discrete event simulation". Here, we implement a discrete event simulation in a more modular fashion so it's easier to add simulation components (i.e., "simulation modules"). We use S4 classes and methods, and use `data.table` instead of `data.frame` to implement the event queue (because it is much more efficient).

## Slots

- modules List of character names specifying which modules to load.
- params Named list of potentially other lists specifying simulation parameters.
- events The list of scheduled events (i.e., event queue), which can be converted to a sorted `data.table` with `events(sim)`. See 'Event Lists' for more information.
- current The current event, as a `data.table`. See 'Event Lists' for more information..
- completed An environment consisting of completed events, with each object named a character representation of the order of events. This was converted from a previous version which was a list. This was changed because the list became slow as number of events increased. See 'Event Lists' for more information. It is kept as an environment of individual events for speed. The `completed` method converts it to a sorted `data.table`.
- depends A `.simDeps` list of `.moduleDeps` objects containing module object dependency information.
- simtimes List of numerical values describing the simulation start and end times; as well as the current simulation time.
- inputs a `data.frame` or `data.table` of files and metadata
- outputs a `data.frame` or `data.table` of files and metadata
- paths Named list of `modulePath`, `inputPath`, and `outputPath` paths. Partial matching is performed.
- .xData Environment referencing the objects used in the simulation. Several "shortcuts" to accessing objects referenced by this environment are provided, and can be used on the `simList` object directly instead of specifying the `.xData` slot: `$`, `[[`, `ls`, `ls.str`, `objs`. See examples.
- .envir Deprecated. Please do not use any more.

## Accessor Methods

Several slot (and sub-slot) accessor methods are provided for use, and categorized into separate help pages:

<code>simList-accessors-envir</code>	Simulation environment.
<code>simList-accessors-events</code>	Scheduled and completed events.
<code>simList-accessors-inout</code>	Passing data in to / out of simulations.
<code>simList-accessors-modules</code>	Modules loaded and used; module dependencies.
<code>simList-accessors-objects</code>	Accessing objects used in the simulation.
<code>simList-accessors-params</code>	Global and module-specific parameters.
<code>simList-accessors-paths</code>	File paths for modules, inputs, and outputs.
<code>simList-accessors-times</code>	Simulation times.

## Event Lists

The main event list is a sorted `data.table` (keyed) on `eventTime`, and `eventPriority`. The completed event list is an ordered list in the exact order that the events were executed. Each event is represented by a `data.table` row consisting of:

eventTime	The time the event is to occur.
moduleName	The module from which the event is taken.
eventType	A character string for the programmer-defined event type.
eventPriority	The priority given to the event.

**Note**

The `simList` class extends the environment, by adding several slots that provide information about the metadata for a discrete event simulation. The environment slot, if accessed directly is `.xData` and this is where input and output objects from modules are placed. The `simList_` class is similar, but it extends the `list` class. All other slots are the same. Thus, `simList` is identical to `simList_`, except that the former uses an environment for objects and the latter uses a list. The class `simList_` is only used internally when saving/loading, because saving/loading a list behaves more reliably than saving/loading an environment.

**Author(s)**

Alex Chubaty and Eliot McIntire

**References**

Matloff, N. (2011). *The Art of R Programming* (ch. 7.8.3). San Francisco, CA: No Starch Press, Inc.. Retrieved from <https://www.nostarch.com/artofr.htm>

---

spades

*Run a spatial discrete event simulation*

---

**Description**

Here, we implement a simulation in a more modular fashion so it's easier to add submodules to the simulation. We use S4 classes and methods, and use `'data.table'` instead of `'data.frame'` to implement the event queue (because it is much faster).

**Usage**

```
spades(
  sim,
  debug = getOption("spades.debug"),
  progress = NA,
  cache,
  .plotInitialTime = NULL,
  .saveInitialTime = NULL,
  notOlderThan = NULL,
  ...
)
```

```
## S4 method for signature 'simList,ANY,ANY,missing'
spades(
  sim,
  debug = getOption("spades.debug"),
  progress = NA,
  cache,
  .plotInitialTime = NULL,
  .saveInitialTime = NULL,
  notOlderThan = NULL,
  ...
)

## S4 method for signature 'ANY,ANY,ANY,logical'
spades(
  sim,
  debug = getOption("spades.debug"),
  progress = NA,
  cache,
  .plotInitialTime = NULL,
  .saveInitialTime = NULL,
  notOlderThan = NULL,
  ...
)
```

## Arguments

<code>sim</code>	A <code>simList</code> simulation object, generally produced by <code>simInit</code> .
<code>debug</code>	Optional logical flag or character vector indicating what to print to console at each event. See details. Default is to use the value in <code>getOption("spades.debug")</code> .
<code>progress</code>	Logical (TRUE or FALSE show a graphical progress bar), character ("graphical", "text") or numeric indicating the number of update intervals to show in a graphical progress bar.
<code>cache</code>	Logical. If TRUE, then the <code>spades</code> call will be cached. This means that if the call is made again with the same <code>simList</code> , then 'spades' will return the return value from the previous run of that exact same <code>simList</code> . Default FALSE. See Details. See also the vignette on caching for examples.
<code>.plotInitialTime</code>	Numeric. Temporarily override the <code>.plotInitialTime</code> parameter for all modules. See Details.
<code>.saveInitialTime</code>	Numeric. Temporarily override the <code>.plotInitialTime</code> parameter for all modules. See Details.
<code>notOlderThan</code>	Date or time. Passed to <code>reproducible::Cache</code> to update the cache. Default is NULL, meaning don't update the cache. If <code>Sys.time()</code> is provided, then it will force a recache, i.e., remove old value and replace with new value. Ignored if cache is FALSE.

... Any. Can be used to make a unique cache identity, such as "replicate = 1". This will be included in the Cache call, so will be unique and thus spades will not use a cached copy as long as anything passed in ... is unique, i.e., not cached previously.

## Details

The is the workhorse function in the SpaDES package. It runs simulations by implementing the rules outlined in the `simList`.

This function gives simple access to two sets of module parameters: `.plotInitialTime` and `.saveInitialTime`. The primary use of these arguments is to temporarily turn off plotting and saving. "Temporary" means that the `simList` is not changed, so it can be used again with the `simList` values reinstated. To turn off plotting and saving, use `.plotInitialTime = NA` or `.saveInitialTime = NA`. NOTE: if a module did not use `.plotInitialTime` or `.saveInitialTime`, then these arguments will not do anything.

If `cache` is TRUE, this allows for a seamless way to "save" results of a simulation. The user does not have to intentionally do any saving manually. Instead, upon a call to `spades` in which the `simList` is identical, the function will simply return the result that would have come if it had been rerun. Use this with caution, as it will return exactly the result from a previous run, even if there is stochasticity internally. Caching is only based on the input `simList`. See also the vignette on caching for examples.

## Value

Invisibly returns the modified `simList` object.

## debug

`debug` can be a logical, character vector or a numeric scalar (currently 1 or 2). If `debug` is specified and is not FALSE, 2 things could happen: 1) there can be messages sent to console, such as events as they pass by, and 2) if `options("spades.browserOnError" = TRUE)` (experimental still) if there is an error, it will attempt to open a browser in the event where the error occurred. You can edit, and then press `c` to continue or `Q` to quit, plus all other normal interactive browser tools. `c` will trigger a reparse and events will continue as scheduled, starting with the one just edited. There may be some unexpected consequences if the `simList` objects had already been changed before the error occurred.

If not specified in the function call, the package option `spades.debug` is used. The following options for `debug` are available:

TRUE

function name (as character string)

moduleName (as character string)

eventName (as character string)

`c(<moduleName>, <eventName>)`

Any other R expression expressed as a character string

A numeric scalar, currently 1 or 2 (maybe others)

information that users may find useful

the event immediately following will be printed as it runs (equivalent to `print`)

If a function, then it will be run on the `simList`, e.g., "time" will run `time`

All calls to that module will be entered interactively

All calls that have that event name (in any module) will be entered into the browser

Only the event in that specified module will be entered into.

Will be evaluated with access to the `simList` as 'sim'. If this is more than one function, it will be evaluated sequentially.

This will print out alternative forms of event information that users may find useful



**Note**

The debug option is primarily intended to facilitate building simulation models by the user. Will print additional outputs informing the user of updates to the values of various `simList` slot components. See <https://github.com/PredictiveEcology/SpaDES/wiki/Debugging> for details.

**Author(s)**

Alex Chubaty and Eliot McIntire

**References**

Matloff, N. (2011). The Art of R Programming (ch. 7.8.3). San Francisco, CA: No Starch Press, Inc.. Retrieved from <https://www.nostarch.com/artofr.htm>

**See Also**

[SpaDES.core-package](#), [simInit](#), and the caching vignette (very important for reproducibility): <https://CRAN.R-project.org/package=SpaDES.core/vignettes/iii-cache.html> which uses [Cache](#).

**Examples**

```
## Not run:
mySim <- simInit(
  times = list(start = 0.0, end = 2.0, timeunit = "year"),
  params = list(
    .globals = list(stackName = "landscape", burnStats = "nPixelsBurned")
  ),
  modules = list("randomLandscapes", "fireSpread", "caribouMovement"),
  paths = list(modulePath = system.file("sampleModules", package = "SpaDES.core"))
)
spades(mySim)

# set default debug printing for the current session
# setOption(spades.debug = TRUE)

# Different debug options (overrides the package option 'spades.debug')
spades(mySim, debug = TRUE) # Fastest
spades(mySim, debug = "simList")
spades(mySim, debug = "print(table(sim$landscape$Fires[]))")

# Can turn off plotting, and inspect the output simList instead
out <- spades(mySim, .plotInitialTime = NA) # much faster
completed(out) # shows completed events

# use cache -- simInit should generally be rerun each time a spades call is made
# to guarantee that it is identical. Here, run spades call twice, first
# time to establish cache, second time to return cached result
for (i in 1:2) {
  mySim <- simInit(
    times = list(start = 0.0, end = 2.0, timeunit = "year"),
```

```

params = list(
  .globals = list(stackName = "landscape", burnStats = "nPixelsBurned")
),
modules = list("randomLandscapes", "fireSpread", "caribouMovement"),
paths = list(modulePath = system.file("sampleModules", package = "SpaDES.core"))
)
print(system.time(out <- spades(mySim, cache = TRUE)))
}

## End(Not run)

```

---

spadesClasses                    *Classes defined in SpaDES*

---

### Description

These S4 classes are defined within SpaDES. "dot" classes are not exported and are therefore intended for internal use only.

### Simulation classes

<code>simList</code>	The 'simList' class
<code>.moduleDeps</code>	Descriptor object for specifying SpaDES module dependencies
<code>.simDeps</code>	Defines all simulation dependencies for all modules within a SpaDES simulation

---

### Author(s)

Eliot McIntire and Alex Chubaty

### See Also

`simInit`

---

suppliedElsewhere                    *Assess whether an object has or will be supplied from elsewhere*

---

## Description

When loading objects into a `simList`, especially during the `simInit` call, and inside the `.inputObjects` functions of modules, it is often useful to know if an object in question will or has been by the user via the `inputs` or `objects` arguments, or by another module's `.inputObjects` while preparing its expected inputs (via `expectsInputs` in metadata), or if it will be supplied by another module during its "init" event. In all these cases, it may not be necessary for a given module to load any default value for its `expectsInputs`. This function can be used as a check to determine whether the module needs to proceed in getting and assigning its default value.

## Usage

```
suppliedElsewhere(
  object,
  sim,
  where = c("sim", "user", "initEvent"),
  returnWhere = FALSE
)
```

## Arguments

<code>object</code>	Character vector
<code>sim</code>	A <code>simList</code> in which to evaluate whether the object is supplied elsewhere
<code>where</code>	Character vector with one to three of "sim", "user", or "initEvent". Default is all three. Partial matching is used. See details.
<code>returnWhere</code>	Logical, default FALSE, whether the vector of length 3 logical should be returned, or a logical of length one

## Details

`where` indicates which of three places to search, either "sim" i.e., the `simList`, which would be equivalent to `is.null(sim$objName)`, or "user" which would be supplied by the user in the `simInit` function call via `outputs` or `inputs` (equivalent to `!( 'defaultColor' %in% sim$.userSuppliedObjNames)`), or "initEvent", which would test whether a module that gets loaded **before** the present one **will** create it as part of its `outputs` (i.e., as indicated by `createsOutputs` in that module's metadata). There is a caveat to this test, however; if that other event also has the object as an `expectsInput`, then it would fail this test, as it *also* needs it as an input. This final one ("initEvent") does not explicitly test that the object will be created in the "init" event, only that it is in the `outputs` of that module, and that it is a module that is loaded prior to this one.

## Examples

```
mySim <- simInit()
suppliedElsewhere("test", mySim) # FALSE

# supplied in the simList
mySim$test <- 1
suppliedElsewhere("test", mySim) # TRUE
test <- 1
```

```

# supplied from user at simInit time -- note, this object would eventually get into the simList
# but the user supplied values come *after* the module's .inputObjects, so
# a basic is.null(sim$test) would return TRUE even though the user supplied test
mySim <- simInit(objects = list("test" = test))
suppliedElsewhere("test", mySim) # TRUE

## Not run:
# Example with prepInputs
# Put chunks like this in your .inputObjects
if (!suppliedElsewhere("test", mySim))
  sim$test <- Cache(prepareInputs, "raster.tif", "downloadedArchive.zip",
                    destinationPath = dataPath(sim), studyArea = sim$studyArea,
                    rasterToMatch = sim$otherRasterTemplate, overwrite = TRUE)

## End(Not run)

```

---

times

*Time usage in SpaDES*


---

## Description

Functions for the `simtimes` slot of a `simList` object and its elements. To maintain modularity, the behaviour of these functions depends on where they are used. In other words, different modules can have their own `timeunit`. SpaDES converts these to seconds when running a simulation, but shows the user time in the units of the model as shown with `timeunit(sim)`

## Usage

```

times(x, ...)

## S4 method for signature 'simList'
times(x)

times(x) <- value

## S4 replacement method for signature 'simList'
times(x) <- value

## S3 method for class 'simList'
time(x, unit, ...)

time(x) <- value

## S4 replacement method for signature 'simList'
time(x) <- value

end(x, ...)

```

```

## S3 method for class 'simList'
end(x, unit, ...)

end(x) <- value

## S4 replacement method for signature 'simList'
end(x) <- value

start(x, ...)

## S3 method for class 'simList'
start(x, unit = NULL, ...)

start(x) <- value

## S4 replacement method for signature 'simList'
start(x) <- value

timeunit(x)

## S4 method for signature 'simList'
timeunit(x)

timeunit(x) <- value

## S4 replacement method for signature 'simList'
timeunit(x) <- value

timeunits(x)

## S4 method for signature 'simList'
timeunits(x)

elapsedTime(x, ...)

## S3 method for class 'simList'
elapsedTime(x, byEvent = TRUE, ...)

```

### Arguments

x	A <code>simList</code>
...	Additional parameters.
value	A time, given as a numeric, optionally with a unit attribute, but this will be deduced from the model time units or module time units (if used within a module).
unit	Character. One of the time units used in Spades.
byEvent	Logical. If TRUE, the elapsed time will be by module and event; FALSE will report only by module. Default is TRUE.

## Details

`timeunit` will extract the current units of the time used in a simulation (i.e., within a `spades` call). If it is set within a `simInit`, e.g., `times=list(start=0,end=52,timeunit = "week")`, it will set the units for that simulation. By default, a `simInit` call will use the smallest unit contained within the metadata for the modules being used. If there are parent modules, then the parent module `timeunit` will be used even if one of its children is a smaller `timeunit`. If all modules, including parents, are set to `NA`, `timeunit` defaults to seconds. If parents are set to `NA`, then the set of modules defined by that parent module will be given the smallest units of the children.

Currently, available units are "second", "hours", "day", "week", "month", and "year" can be used in the metadata of a module.

The user can also define a new unit. The unit name can be anything, but the function definition must be of the form `dunitName`, e.g., `dyear` or `dfortnight`. The unit name is the part without the `d` and the function name definition includes the `d`. This new function, e.g., `dfortnight <-function(x) lubridate::duration(dday(14))` can be placed anywhere in the search path or in a module.

`timeunits` will extract the current units of the time of all modules used in a simulation. This is different from `timeunit` because it is not necessarily associated with a `spades` call.

In many cases, the "simpler" use of each of these functions may be slower computationally. For instance, it is much faster to use `time(sim, "year")` than `time(sim)`. So as a module developer, it is advantageous to write out the longer one, minimizing the looking up that R must do.

## Value

Returns or sets the value of the slot from the `simList` object.

## Note

These have default behaviour that is based on the calling frame `timeunit`. When used inside a module, then the time is in the units of the module. If used in an interactive mode, then the time will be in the units of the simulation.

Additional methods are provided to access the current, start, and end times of the simulation:

<code>time</code>	Current simulation time.
<code>start</code>	Simulation start time.
<code>end</code>	Simulation end time.
<code>timeunit</code>	Simulation <code>timeunit</code> .
<code>timeunits</code>	Module <code>timeunits</code> .
<code>times</code>	List of all simulation times (current, start, end, <code>timeunit</code> ).

## Author(s)

Alex Chubaty and Eliot McIntire

## See Also

[SpaDES.core-package](#), specifically the section 1.2.5 on Simulation times.

Other functions to access elements of a 'simList' object: `.addDepends()`, `doEvent.checkpoint()`, `envir()`, `events()`, `globals()`, `inputs()`, `modules()`, `objs()`, `packages()`, `params()`, `paths()`, `progressInterval()`

---

updateList	<i>Update elements of a named list with elements of a second named list</i>
------------	---

---

### Description

Merge two named list based on their named entries. Where any element matches in both lists, the value from the second list is used in the updated list. Subelements are not examined and are simply replaced. If one list is empty, then it returns the other one, unchanged.

### Usage

```
updateList(x, y)

## S4 method for signature 'list,list'
updateList(x, y)

## S4 method for signature '`NULL`,list'
updateList(x, y)

## S4 method for signature 'list,`NULL`'
updateList(x, y)

## S4 method for signature '`NULL`,`NULL`'
updateList(x, y)
```

### Arguments

x	a named list
y	a named list

### Value

A named list, with elements sorted by name. The values of matching elements in list y replace the values in list x.

### Author(s)

Alex Chubaty

**Examples**

```
L1 <- list(a = "hst", b = NA_character_, c = 43)
L2 <- list(a = "gst", c = 42, d = list(letters))
updateList(L1, L2)

updateList(L1, NULL)
updateList(NULL, L2)
updateList(NULL, NULL) # should return empty list
```

---

zipModule

---

*Create a zip archive of a module subdirectory*


---

**Description**

The most common use of this would be from a "modules" directory, rather than inside a given module.

**Usage**

```
zipModule(name, path, version, data = FALSE, ...)

## S4 method for signature 'character,character,character'
zipModule(name, path, version, data = FALSE, ...)

## S4 method for signature 'character,missing,character'
zipModule(name, path, version, data = FALSE, ...)

## S4 method for signature 'character,missing,missing'
zipModule(name, path, version, data = FALSE, ...)

## S4 method for signature 'character,character,missing'
zipModule(name, path, version, data = FALSE, ...)
```

**Arguments**

name	Character string giving the module name.
path	A file path to a directory containing the module subdirectory.
version	The module version.
data	Logical. If TRUE, then the data subdirectory will be included in the zip. Default is FALSE.
...	Additional arguments to <code>zip</code> : e.g., add "-q" using <code>flags="-q -r9X"</code> (the default flags are "-r9X").

**Author(s)**

Eliot McIntire and Alex Chubaty



---

zipSimList	<i>Zip many of the files in a simList</i>
------------	---

---

### Description

Currently, this will save the raster-backed files, `outputs(sim)`, `inputs(sim)`. It will add these to a temp file, using Copy, where appropriate to not affect the original `simList`. VERY experimental; unlikely to work perfectly at the moment.

### Usage

```
zipSimList(sim, zipfile, ..., outputs = TRUE, inputs = TRUE, cache = FALSE)
```

### Arguments

<code>sim</code>	A <code>simList</code> at the core of the zipping.
<code>zipfile</code>	A character string indicating the filename for the zip file. Passed to <code>zip</code> .
<code>...</code>	passed to <code>saveSimList</code> , including important ones such as <code>filename</code> .
<code>outputs</code>	Logical. If TRUE, all files identified in <code>outputs(sim)</code> will be included in the zip.
<code>inputs</code>	Logical. If TRUE, all files identified in <code>inputs(sim)</code> will be included in the zip.
<code>cache</code>	Logical. If TRUE, all files in <code>cachePath(sim)</code> will be included in the zip archive. Defaults to FALSE as this could be large, and may include many out of date elements. See Details. Not yet implemented.

### Details

If `cache` is used, it is likely that it should be trimmed before zipping, to include only cache elements that are relevant.

# Index

## \*Topic **datasets**

- .quickCheck, 20
- inSeconds, 62
- moduleDefaults, 69
- .Random.seed, 40
- .addChangedAttr, 13
- .addChangedAttr, simList-method, 13
- .addDepends, 40, 47, 50, 54, 59, 73, 84, 87, 89, 92, 95, 127
- .addTagsToOutput, 14
- .addTagsToOutput, simList-method, 14
- .cacheMessage, 14, 15
- .cacheMessage, simList-method, 14
- .checkCacheRepo, 15
- .checkCacheRepo, list-method, 15
- .checkpointSave (doEvent.checkpoint), 39
- .fileExtensions, 15
- .findSimList, 17
- .first (priority), 94
- .highest (priority), 94
- .last (priority), 94
- .lowest (priority), 94
- .moduleDeps, 117, 122
- .normal (priority), 94
- .objSizeInclEnviros, 17, 18
- .objSizeInclEnviros, simList-method, 17
- .parseElems, 18
- .parseElems, simList-method, 18
- .preDigestByClass, 19
- .preDigestByClass, simList-method, 18
- .prepareOutput, 19
- .prepareOutput, simList-method, 19
- .quickCheck, 20
- .robustDigest, simList-method, 20
- .saveFileExtensions (.fileExtensions), 15
- .simDeps, 122
- .spadesTimes (inSeconds), 62
- .tagsByClass, 21, 22
- .tagsByClass, simList-method, 21
- adj, 8
- adjacent, 8
- agentLocation, 9
- all.equal, 22
- all.equal.simList, 22
- append\_attr, 23
- append\_attr, list, list-method (append\_attr), 23
- Cache, 10, 121
- Cache (.robustDigest, simList-method), 20
- cache, 10
- cachePath, 6
- cachePath (paths), 89
- cachePath, simList-method (paths), 89
- cachePath<- (paths), 89
- cachePath<-, simList-method (paths), 89
- checkModule, 24
- checkModule, character, character-method (checkModule), 24
- checkModule, character, missing-method (checkModule), 24
- checkModuleLocal, 24
- checkModuleLocal, character, ANY, ANY-method (checkModuleLocal), 24
- checkModuleLocal, character, character, character-method (checkModuleLocal), 24
- checkObject, 9, 25
- checkObject, missing, ANY, missing, ANY-method (checkObject), 25
- checkObject, simList, character, missing, character-method (checkObject), 25
- checkObject, simList, character, missing, missing-method (checkObject), 25
- checkObject, simList, missing, ANY, missing-method (checkObject), 25
- checkObject, simList, missing, Raster, character-method (checkObject), 25

- checkParams, 26
- checkParams, simList, list-method (checkParams), 26
- checkPath, 9
- checkpointFile, 7
- checkpointFile (doEvent.checkpoint), 39
- checkpointFile, simList-method (doEvent.checkpoint), 39
- checkpointFile<- (doEvent.checkpoint), 39
- checkpointFile<-, simList-method (doEvent.checkpoint), 39
- checkpointInterval, 7
- checkpointInterval (doEvent.checkpoint), 39
- checkpointInterval, simList-method (doEvent.checkpoint), 39
- checkpointInterval<- (doEvent.checkpoint), 39
- checkpointInterval<-, simList-method (doEvent.checkpoint), 39
- checkpointLoad (doEvent.checkpoint), 39
- Checksums, 27
- checksums, 7, 27, 42
- checkTimeunit (inSeconds), 62
- checkTimeunit, character, environment-method (inSeconds), 62
- checkTimeunit, character, missing-method (inSeconds), 62
- cir, 8
- citation, 8, 56
- citation (inputObjects), 55
- citation, character-method (inputObjects), 55
- citation, simList-method (inputObjects), 55
- classFilter, 28
- classFilter, character, character, character, environment-method (classFilter), 28
- classFilter, character, character, character, missing-method (classFilter), 28
- classFilter, character, character, missing, environment-method (classFilter), 28
- classFilter, character, character, missing, missing-method (classFilter), 28
- clearCache, 10
- clearCache, simList-method, 30
- clearPlot, 11
- clearStubArtifacts, 10
- clickCoordinates, 11
- clickExtent, 11
- clickValues, 11
- completed, 6
- completed (events), 48
- completed, simList, character-method (events), 48
- completed, simList, missing-method (events), 48
- completed<- (events), 48
- completed<-, simList-method (events), 48
- conditionalEvents, 106
- conditionalEvents (events), 48
- conditionalEvents, simList, character-method (events), 48
- conditionalEvents, simList, missing-method (events), 48
- convertTimeunit (inSeconds), 62
- Copy, 31, 32
- copy, 7
- Copy, simList-method, 31
- copyModule, 32
- copyModule, character, character, character-method (copyModule), 32
- copyModule, character, character, missing-method (copyModule), 32
- createsOutput, 8, 33
- createsOutput, ANY, ANY, ANY-method (createsOutput), 33
- createsOutput, character, character, character-method (createsOutput), 33
- crw, 8
- current, 6
- current (events), 48
- current, simList, character-method (events), 48
- current, simList, missing-method (events), 48
- current, simList, missing-method (events), 48
- current<-, simList-method (events), 48
- data.frame, 116
- dataPath, 50, 116, 117
- dataPath (paths), 89
- dataPath, simList-method (paths), 89
- dday (dyears), 45
- defineModule, 8, 34, 71



- expectsInput, character, character, character, missing-method (expectsInput), 50
- experiment, 51
- experiment2 (experiment), 51
- extractURL, 52
- extractURL, character, missing-method (extractURL), 52
- extractURL, character, simList-method (extractURL), 52
  
- fileName, 52
  
- G (globals), 54
- G, simList-method (globals), 54
- G<- (globals), 54
- G<-, simList-method (globals), 54
- gaussMap, 9
- getColors, 9
- getModuleVersion, 7, 53
- getModuleVersion, character, character-method (getModuleVersion), 53
- getModuleVersion, character, missing-method (getModuleVersion), 53
- globals, 6, 40, 47, 50, 54, 59, 73, 84, 87, 89, 92, 95, 127
- globals, simList-method (globals), 54
- globals<- (globals), 54
- globals<-, simList-method (globals), 54
- gpar, 93
  
- heading, 8
  
- igraph, 38, 70
- inherits, 28
- initialize, simList-method, 55
- initialize, simList\_-method (initialize, simList-method), 55
- initiateAgents, 9
- inputArgs (inputs), 56
- inputArgs, simList-method (inputs), 56
- inputArgs<- (inputs), 56
- inputArgs<-, simList-method (inputs), 56
- inputObjects, 8, 55
- inputObjects, simList-method (inputObjects), 55
- inputPath, 6
- inputPath (paths), 89
- inputPath, simList-method (paths), 89
- inputPath<- (paths), 89
  
- inputPath, missing-method (paths), 89
- inputs, 6, 16, 40, 47, 50, 54, 56, 72, 73, 84, 87, 89, 92, 95, 110, 112, 115, 127
- inputs, simList-method (inputs), 56
- inputs<- (inputs), 56
- inputs<-, simList-method (inputs), 56
- inRange, 10
- inSeconds, 62
  
- keepCache, 10
- keepCache, simList-method (clearCache, simList-method), 30
  
- layerNames, 10
- library, 26
- loadFiles, 11
- loadFiles (.fileExtensions), 15
- loadFiles, missing, ANY-method (.fileExtensions), 15
- loadFiles, missing, missing-method (.fileExtensions), 15
- loadFiles, simList, missing-method (.fileExtensions), 15
- loadPackages, 10, 63
- loadPackages, character-method (loadPackages), 63
- loadPackages, list-method (loadPackages), 63
- loadPackages, NULL-method (loadPackages), 63
- ls, 6
- ls.str, 6
  
- makeLines, 9
- makeMemoisable, 65
- makeMemoisable.simList, 65
- maxTimeunit, 65
- maxTimeunit, simList-method (maxTimeunit), 65
- memoryUse (memoryUseThisSession), 66
- memoryUseThisSession, 66
- mermaid, 48, 82
- minTimeunit, 67
- minTimeunit, list-method (minTimeunit), 67
- minTimeunit, simList-method (minTimeunit), 67
- moduleCoverage, 67

- moduleCoverage, character, character-method (moduleCoverage), 67
- moduleCoverage, character, missing-method (moduleCoverage), 67
- moduleDefaults, 69
- moduleDiagram, 11, 69, 81
- moduleDiagram, simList, character, logical-method (moduleDiagram), 69
- moduleDiagram, simList, missing, ANY-method (moduleDiagram), 69
- moduleGraph, 69, 70, 70
- moduleGraph, simList, logical-method (moduleGraph), 70
- moduleGraph, simList, missing-method (moduleGraph), 70
- moduleMetadata, 7, 71, 74
- moduleMetadata, ANY, ANY, ANY-method (moduleMetadata), 71
- moduleMetadata, missing, character, character-method (moduleMetadata), 71
- moduleMetadata, missing, character, missing-method (moduleMetadata), 71
- modulePath, 6
- modulePath (paths), 89
- modulePath, simList-method (paths), 89
- modulePath<- (paths), 89
- modulePath<-, simList-method (paths), 89
- modules, 7, 40, 47, 50, 54, 59, 72, 72, 84, 87, 89, 92, 95, 112, 127
- modules, simList-method (modules), 72
- modules<- (modules), 72
- modules<-, simList-method (modules), 72
- moduleVersion, 73
- moduleVersion, character, character, missing-method (moduleVersion), 73
- moduleVersion, character, missing, missing-method (moduleVersion), 73
- moduleVersion, character, missing, simList-method (moduleVersion), 73
- move, 9
  
- NA, 36
- newModule, 7, 68, 75, 77–79
- newModule, character, character-method (newModule), 75
- newModule, character, missing-method (newModule), 75
- newModuleCode, 76, 77, 78, 79
- newModuleCode, character, character, logical, character, character-method (newModuleCode), 77
- newModuleDocumentation, 7, 76, 77, 77, 79
- newModuleDocumentation, character, character, logical, character-method (newModuleDocumentation), 77
- newModuleDocumentation, character, character, missing, ANY, ANY-method (newModuleDocumentation), 77
- newModuleDocumentation, character, missing, logical, ANY, ANY-method (newModuleDocumentation), 77
- newModuleDocumentation, character, missing, missing, ANY, ANY-method (newModuleDocumentation), 77
- newModuleTests, 76–78, 78
- newModuleTests, character, character, logical-method (newModuleTests), 78
- newPlot, 11
- newProgressBar, 79
- newProject, 80
- newProject, character, character, logical-method (newProject), 80
- newProject, character, character, missing-method (newProject), 80
- newProjectCode, 80
- newProjectCode, character, character, logical-method (newProjectCode), 80
- numAgents, 9
- numeric\_version, 34
- numLayers, 10
  
- objectDiagram, 11, 69, 81
- objectDiagram, simList-method (objectDiagram), 81
- objects, 6
- objectSynonyms, 82
- objs, 6, 40, 47, 50, 54, 59, 73, 83, 87, 89, 92, 95, 112, 127
- objs, simList-method (objs), 83
- objs<- (objs), 83
- objs<-, simList-method (objs), 83
- objSize, 84
- objSize.simList, 84
- openModules, 7, 85
- openModules, character, character-method (openModules), 85
- openModules, character, missing-method (openModules), 85
- openModules, missing, character-method (openModules), 85
- openModules, missing, missing-method (openModules), 85

- openModules, simList, missing-method (openModules), 85
- options, 11
- outputArgs (inputs), 56
- outputArgs, simList-method (inputs), 56
- outputArgs<- (inputs), 56
- outputArgs<-, simList-method (inputs), 56
- outputObjectNames (inputObjects), 55
- outputObjectNames, simList-method (inputObjects), 55
- outputObjects, 8
- outputObjects (inputObjects), 55
- outputObjects, simList-method (inputObjects), 55
- outputPath, 6
- outputPath (paths), 89
- outputPath, simList-method (paths), 89
- outputPath<- (paths), 89
- outputPath<-, simList-method (paths), 89
- outputs, 6, 110, 112, 115
- outputs (inputs), 56
- outputs, simList-method (inputs), 56
- outputs<- (inputs), 56
- outputs<-, simList-method (inputs), 56
- P, 6, 36
- P (params), 88
- packageDescription, 56
- packages, 7, 40, 47, 50, 54, 59, 73, 84, 86, 89, 92, 95, 127
- packages, ANY-method (packages), 86
- paddedFloatToChar, 10, 87
- parameters (params), 88
- parameters, simList-method (params), 88
- params, 6, 36, 40, 47, 50, 54, 59, 73, 84, 87, 88, 92, 95, 112, 127
- params, simList-method (params), 88
- params<- (params), 88
- params<-, simList-method (params), 88
- paths, 6, 40, 47, 50, 54, 59, 73, 84, 87, 89, 89, 95, 112, 127
- paths, simList-method (paths), 89
- paths<- (paths), 89
- paths<-, simList-method (paths), 89
- person, 34
- Plot, 10, 11, 92, 94
- Plot, simList-method, 92
- POM (experiment), 51
- prepInputs, 42
- preProcess, 42
- priority, 94, 105, 107
- probInit, 9
- progressInterval, 7, 40, 47, 50, 54, 59, 73, 84, 87, 89, 92, 95, 127
- progressInterval, simList-method (progressInterval), 95
- progressInterval<- (progressInterval), 95
- progressInterval<-, simList-method (progressInterval), 95
- progressType, 7
- progressType (progressInterval), 95
- progressType, simList-method (progressInterval), 95
- progressType<- (progressInterval), 95
- progressType<-, simList-method (progressInterval), 95
- randomPolygons, 9
- raster, 97
- rasterizeReduced, 9
- rasterPath, 6
- rasterPath (paths), 89
- rasterPath, simList-method (paths), 89
- rasterPath<- (paths), 89
- rasterPath<-, simList-method (paths), 89
- rasterToMemory, 11, 96
- rasterToMemory, ANY-method (rasterToMemory), 96
- remoteFileSize, 97
- rePlot, 11
- report, 68
- reqdPkgs, 8
- reqdPkgs (inputObjects), 55
- reqdPkgs, simList-method (inputObjects), 55
- Require, 35
- require, 64
- restartR, 98
- restartSpades, 99
- rings, 8
- rndstr, 101
- rndstr, missing, missing, logical-method (rndstr), 101
- rndstr, missing, missing, missing-method (rndstr), 101
- rndstr, missing, numeric, logical-method (rndstr), 101

- rndstr,missing,numeric,missing-method (rndstr), 101
- rndstr,numeric,missing,logical-method (rndstr), 101
- rndstr,numeric,missing,missing-method (rndstr), 101
- rndstr,numeric,numeric,logical-method (rndstr), 101
- rndstr,numeric,numeric,missing-method (rndstr), 101
- robustDigest, 21
- saveFiles, 11, 102
- saveRDS, 59
- saveSimList, 104
- scheduleConditionalEvent, 5, 105, 107
- scheduleEvent, 5, 106, 106
- setColors, 9
- setPaths, 32
- setProgressBar (newProgressBar), 79
- show,simList-method, 108
- showCache, 10
- showCache,simList-method (clearCache,simList-method), 30
- simInit, 5, 35, 95, 102, 108, 116, 121, 122
- simInit,ANY,ANY,ANY,ANY,ANY,ANY,ANY,ANY,ANY-method (simInit), 108
- simInit,ANY,ANY,ANY,character,ANY,ANY,ANY,ANY,ANY-method (simInit), 108
- simInit,ANY,ANY,character,ANY,ANY,ANY,ANY,ANY,ANY-method (simInit), 108
- simInit,list,list,list,list,list,data.frame,data.frame,character-method (simInit), 108
- simInitAndExperiment (experiment), 51
- simInitAndSpades, 114
- simList, 5, 7, 26, 103, 122
- simList (simList-class), 116
- simList-accessors-envir, 117
- simList-accessors-envir (envir), 46
- simList-accessors-events, 117
- simList-accessors-events (events), 48
- simList-accessors-inout, 117
- simList-accessors-inout (inputs), 56
- simList-accessors-metadata (inputObjects), 55
- simList-accessors-modules, 117
- simList-accessors-modules (modules), 72
- simList-accessors-objects, 117
- simList-accessors-objects (objs), 83
- simList-accessors-packages (packages), 86
- simList-accessors-params, 117
- simList-accessors-params (params), 88
- simList-accessors-paths, 117
- simList-accessors-paths (paths), 89
- simList-accessors-times, 117
- simList-accessors-times (times), 124
- simList-class, 116
- simList\_, 118
- simList\_ (simList-class), 116
- simList\_-class (simList-class), 116
- spades, 5, 10, 91, 95, 112, 116, 118
- spades,ANY,ANY,ANY,logical-method (spades), 118
- spades,simList,ANY,ANY,missing-method (spades), 118
- SpaDES.core (SpaDES.core-package), 4
- SpaDES.core-package, 4
- spadesClasses, 122
- spadesTimes (inSeconds), 62
- SpatialPoints\*, 8
- specificNumPerPatch, 9
- spokes, 8
- spread, 8
- start, 6
- start (times), 124
- startMethod (times), 124
- start<-,simList-method (times), 124
- stephead, 87
- suppliedElsewhere, 122
- time, 6
- time.simList (times), 124
- time<- (times), 124
- time<-,simList-method (times), 124
- times, 6, 40, 47, 50, 54, 59, 73, 84, 87, 89, 92, 95, 112, 124
- times,simList-method (times), 124
- times<- (times), 124
- times<-,simList-method (times), 124
- timeunit, 8
- timeunit (times), 124
- timeunit,simList-method (times), 124
- timeunit<- (times), 124
- timeunit<-,simList-method (times), 124
- timeunits (times), 124
- timeunits,simList-method (times), 124
- transitions, 10



unmakeMemoisable.simList\_  
    (makeMemoisable.simList), 65

updateList, 10, 127

updateList,list,list-method  
    (updateList), 127

updateList,list,NULL-method  
    (updateList), 127

updateList,NULL,list-method  
    (updateList), 127

updateList,NULL,NULL-method  
    (updateList), 127

wrap, 8

zip, 128

zipModule, 7, 44, 53, 128

zipModule,character,character,character-method  
    (zipModule), 128

zipModule,character,character,missing-method  
    (zipModule), 128

zipModule,character,missing,character-method  
    (zipModule), 128

zipModule,character,missing,missing-method  
    (zipModule), 128

zipSimList, 104, 129