

Package ‘soundgen’

October 12, 2019

Type Package

Title Parametric Voice Synthesis

Version 1.5.1

Date 2019-10-12

Maintainer Andrey Anikin <rty.anik@rambler.ru>

URL <http://cogsci.se/soundgen.html>

Description Tools for sound synthesis and acoustic analysis.

Performs parametric synthesis of sounds with harmonic and noise components such as animal vocalizations or human voice. Also includes tools for spectral analysis, pitch tracking, audio segmentation, self-similarity matrices, morphing, etc.

License GPL (>= 2)

Encoding UTF-8

LazyData true

Imports stats, graphics, utils, tuneR, seewave (>= 2.1.0), zoo, reshape2, mvtnorm, dtw, phonTools, shiny, shinyjs

Depends R (>= 3.4), shinyBS

RoxygenNote 6.1.1

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Andrey Anikin [aut, cre]

Repository CRAN

Date/Publication 2019-10-12 08:20:02 UTC

R topics documented:

addFormants	3
addVectors	6

analyze	7
analyzeFolder	13
beat	17
compareSounds	19
crossFade	21
defaults	22
defaults_analyze	23
estimateVTL	23
fade	25
fart	26
flatEnv	28
flatSpectrum	29
gaussianSmooth2D	30
generateNoise	31
getEntropy	34
getIntegerRandomWalk	35
getLoudness	36
getLoudnessFolder	38
getPrior	39
getRandomWalk	41
getRMS	42
getRMSFolder	43
getRolloff	44
getSmoothContour	46
getSpectralEnvelope	48
HzToSemitones	51
matchPars	52
modulationSpectrum	54
modulationSpectrumFolder	57
morph	59
normalizeFolder	61
notesDict	62
optimizePars	63
osc_dB	65
permittedValues	67
pitchManual	67
pitchSmoothPraat	68
pitch_app	69
playme	70
presets	71
reportTime	71
schwa	72
segment	75
segmentFolder	77
segmentManual	79
semitonesToHz	80
soundgen	80
soundgen_app	86

spectrogram	86
spectrogramFolder	89
ssm	91
transplantFormants	93

Index	95
--------------	-----------

addFormants	<i>Add formants</i>
-------------	---------------------

Description

A spectral filter that either adds or removes formants from a sound - that is, amplifies or dampens certain frequency bands, as in human vowels. See [soundgen](#) and [getSpectralEnvelope](#) for more information. With `action = 'remove'` this function can perform inverse filtering to remove formants and obtain raw glottal output, provided that you can specify the correct formant structure.

Usage

```
addFormants(sound, formants, spectralEnvelope = NULL, action = c("add",
  "remove")[1], vocalTract = NA, formantDep = 1,
  formantDepStoch = 20, formantWidth = 1, lipRad = 6, noseRad = 4,
  mouthOpenThres = 0, mouth = NA, interpol = c("approx", "spline",
  "loess")[3], temperature = 0.025, formDrift = 0.3, formDisp = 0.2,
  samplingRate = 16000, windowLength_points = 800, overlap = 75,
  normalize = TRUE)
```

Arguments

sound	numeric vector with samplingRate
formants	either a character string like "aaui" referring to default presets for speaker "M1" or a list of formant times, frequencies, amplitudes, and bandwidths (see ex. below). <code>formants = NA</code> defaults to schwa. Time stamps for formants and mouthOpening can be specified in ms or an any other arbitrary scale. See getSpectralEnvelope for more details
spectralEnvelope	(optional): as an alternative to specifying formant frequencies, we can provide the exact filter - a vector of non-negative numbers specifying the power in each frequency bin on a linear scale (interpolated to length equal to <code>windowLength_points/2</code>). A matrix specifying the filter for each STFT step is also accepted. The easiest way to create this matrix is to call <code>soundgen::getSpectralEnvelope</code> or to use the spectrum of a recorded sound
action	'add' = add formants to the sound, 'remove' = remove formants (inverse filtering)
vocalTract	the length of vocal tract, cm. Used for calculating formant dispersion (for adding extra formants) and formant transitions as the mouth opens and closes. If NULL or NA, the length is estimated based on specified formant frequencies (if any)

formantDep	scale factor of formant amplitude (1 = no change relative to amplitudes in formants)
formantDepStoch	the amplitude of additional stochastic formants added above the highest specified formant, dB (only if temperature > 0)
formantWidth	= scale factor of formant bandwidth (1 = no change)
lipRad	the effect of lip radiation on source spectrum, dB/oct (the default of +6 dB/oct produces a high-frequency boost when the mouth is open)
noseRad	the effect of radiation through the nose on source spectrum, dB/oct (the alternative to lipRad when the mouth is closed)
mouthOpenThres	open the lips (switch from nose radiation to lip radiation) when the mouth is open >mouthOpenThres, 0 to 1
mouth	mouth opening (0 to 1, 0.5 = neutral, i.e. no modification) (anchor format)
interpol	the method of smoothing envelopes based on provided mouth anchors: 'approx' = linear interpolation, 'spline' = cubic spline, 'loess' (default) = polynomial local smoothing function. NB: this does NOT affect the smoothing of formant anchors
temperature	hyperparameter for regulating the amount of stochasticity in sound generation
formDrift, formDisp	scaling factors for the effect of temperature on formant drift and dispersal, respectively
samplingRate	sampling frequency, Hz
windowLength_points	length of FFT window, points
overlap	FFT window overlap, %. For allowed values, see istft
normalize	if TRUE, normalizes the output to range from -1 to +1

Details

Algorithm: converts input from a time series (time domain) to a spectrogram (frequency domain) through short-term Fourier transform (STFT), multiplies by the spectral filter containing the specified formants, and transforms back to a time series via inverse STFT. This is a subroutine in [soundgen](#), but it can also be used on any existing sound.

See Also

[getSpectralEnvelope](#) [transplantFormants](#) [soundgen](#)

Examples

```

sound = c(rep(0, 1000), runif(16000), rep(0, 1000)) # white noise
# NB: pad with silence to avoid artefacts if removing formants
# playme(sound)
# spectrogram(sound, samplingRate = 16000)

# add F1 = 900, F2 = 1300 Hz
sound_filtered = addFormants(sound, formants = c(900, 1300))

```

```

# playme(sound_filtered)
# spectrogram(sound_filtered, samplingRate = 16000)

# ...and remove them again (assuming we know what the formants are)
sound_inverse_filt = addFormants(sound_filtered,
                                formants = c(900, 1300),
                                action = 'remove')

# playme(sound_inverse_filt)
# spectrogram(sound_inverse_filt, samplingRate = 16000)

## Not run:
# Use the spectral envelope of an existing recording (bleating of a sheep)
# (see also the same example with noise as source in ?generateNoise)
data(sheep, package = 'seewave') # import a recording from seewave
sound_orig = as.numeric(scale(sheep@left))
samplingRate = sheep@samp.rate
sound_orig = sound_orig / max(abs(sound_orig)) # range -1 to +1
# playme(sound_orig, samplingRate)

# get a few pitch anchors to reproduce the original intonation
pitch = analyze(sound_orig, samplingRate = samplingRate,
                pitchMethod = c('autocor', 'dom'))$pitch
pitch = pitch[!is.na(pitch)]
pitch = pitch[seq(1, length(pitch), length.out = 10)]

# extract a frequency-smoothed version of the original spectrogram
# to use as filter
specEnv_bleating = spectrogram(sound_orig, windowLength = 5,
                               samplingRate = samplingRate, output = 'original', plot = FALSE)
# image(t(log(specEnv_bleating)))

# Synthesize source only, with flat spectrum
sound_unfilt = soundgen(syllLen = 2500, pitch = pitch,
                       rolloff = 0, rolloffOct = 0, rolloffKHz = 0,
                       temperature = 0, jitterDep = 0, subDep = 0,
                       formants = NULL, lipRad = 0, samplingRate = samplingRate)
# playme(sound_unfilt, samplingRate)
# seewave::meanspec(sound_unfilt, f = samplingRate, dB = 'max0') # ~flat

# Force spectral envelope to the shape of target
sound_filt = addFormants(sound_unfilt, formants = NULL,
                        spectralEnvelope = specEnv_bleating, samplingRate = samplingRate)
# playme(sound_filt, samplingRate) # playme(sound_orig, samplingRate)
# spectrogram(sound_filt, samplingRate) # spectrogram(sound_orig, samplingRate)

# The spectral envelope is now similar to the original recording. Compare:
par(mfrow = c(1, 2))
seewave::meanspec(sound_orig, f = samplingRate, dB = 'max0', alim = c(-50, 20))
seewave::meanspec(sound_filt, f = samplingRate, dB = 'max0', alim = c(-50, 20))
par(mfrow = c(1, 1))
# NB: but the source of excitation in the original is actually a mix of
# harmonics and noise, while the new sound is purely tonal

```

```
## End(Not run)
```

addVectors *Add overlapping vectors*

Description

Adds two partly overlapping vectors, such as two waveforms, to produce a longer vector. The location at which vector 2 is pasted is defined by insertionPoint. Algorithm: both vectors are padded with zeros to match in length and then added. All NA's are converted to 0.

Usage

```
addVectors(v1, v2, insertionPoint = 1, normalize = TRUE)
```

Arguments

v1, v2	numeric vectors
insertionPoint	the index of element in vector 1 at which vector 2 will be inserted (any integer, can also be negative)
normalize	if TRUE, the output is normalized to range from -1 to +1

See Also

[soundgen](#)

Examples

```
v1 = 1:6
v2 = rep(100, 3)
addVectors(v1, v2, insertionPoint = 5, normalize = FALSE)
addVectors(v1, v2, insertionPoint = -4, normalize = FALSE)
# note the asymmetry: insertionPoint refers to the first arg
addVectors(v2, v1, insertionPoint = -4, normalize = FALSE)

v3 = rep(100, 15)
addVectors(v1, v3, insertionPoint = -4, normalize = FALSE)
addVectors(v2, v3, insertionPoint = 7, normalize = FALSE)
```

analyze

*Analyze sound***Description**

Acoustic analysis of a single sound file: pitch tracking, basic spectral characteristics, and estimated loudness (see [getLoudness](#)). The default values of arguments are optimized for human non-linguistic vocalizations. See `vignette('acoustic_analysis', package = 'soundgen')` for details.

Usage

```
analyze(x, samplingRate = NULL, dynamicRange = 80, silence = 0.04,
  scale = NULL, SPL_measured = 70, Pref = 2e-05, windowLength = 50,
  step = NULL, overlap = 50, wn = "gaussian", zp = 0,
  cutFreq = min(samplingRate/2, max(7000, pitchCeiling * 2)),
  nFormants = 3, pitchMethods = c("autocor", "spec", "dom"),
  entropyThres = 0.6, pitchFloor = 75, pitchCeiling = 3500,
  priorMean = 300, priorSD = 6, priorPlot = "deprecated",
  nCands = 1, minVoicedCands = NULL, domThres = 0.1,
  domSmooth = 220, autocorThres = 0.7, autocorSmooth = NULL,
  cepThres = 0.3, cepSmooth = 400, cepZp = 0, specThres = 0.3,
  specPeak = 0.35, specSinglePeakCert = 0.4, specHNRSlope = 0.8,
  specSmooth = 150, specMerge = 1, shortestSyl = 20,
  shortestPause = 60, interpolWin = 75, interpolTol = 0.3,
  interpolCert = 0.3, pathfinding = c("none", "fast", "slow")[2],
  annealPars = list(maxit = 5000, temp = 1000), certWeight = 0.5,
  snakeStep = 0.05, snakePlot = FALSE, smooth = 1,
  smoothVars = c("pitch", "dom"), summary = FALSE,
  summaryFun = c("mean", "median", "sd"), plot = TRUE,
  showLegend = TRUE, savePath = NA, plotSpec = "deprecated",
  osc = TRUE, osc_dB = FALSE, pitchPlot = list(col = rgb(0, 0, 1,
  0.75), lwd = 3), candPlot = list(), ylim = NULL, xlab = "Time, ms",
  ylab = "kHz", main = NULL, width = 900, height = 500,
  units = "px", res = NA, ...)
```

Arguments

<code>x</code>	path to a .wav or .mp3 file or a vector of amplitudes with specified <code>samplingRate</code>
<code>samplingRate</code>	sampling rate of <code>x</code> (only needed if <code>x</code> is a numeric vector, rather than an audio file)
<code>dynamicRange</code>	dynamic range, dB. All values more than one <code>dynamicRange</code> under maximum are treated as zero
<code>silence</code>	(0 to 1) frames with RMS amplitude below silence threshold are not analyzed at all. NB: this number is dynamically updated: the actual silence threshold may be higher depending on the quietest frame, but it will never be lower than this specified number.

scale	maximum possible amplitude of input used for normalization of input vector (not needed if input is an audio file)
SPL_measured	sound pressure level at which the sound is presented, dB (set to 0 to skip analyzing subjective loudness)
Pref	reference pressure, Pa
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
wn	window type: gaussian, hanning, hamming, bartlett, rectangular, blackman, flat-top
zp	window length after zero padding, points
cutFreq	(2 * pitchCeiling to Nyquist, Hz) repeat the calculation of spectral descriptives after discarding all info above cutFreq. Recommended if the original sampling rate varies across different analyzed audio files. Note that "entropyThres" applies only to this frequency range, which also affects which frames will not be analyzed with pitchAutocor.
nFormants	the number of formants to extract per STFT frame (0 = no formant analysis). Calls <code>findformants</code> with default settings
pitchMethods	methods of pitch estimation to consider for determining pitch contour: 'autocor' = autocorrelation (~PRAAT), 'cep' = cepstral, 'spec' = spectral (~BaNa), 'dom' = lowest dominant frequency band ("" or NULL = no pitch analysis)
entropyThres	pitch tracking is not performed for frames with Weiner entropy above entropyThres, but other spectral descriptives are still calculated
pitchFloor, pitchCeiling	absolute bounds for pitch candidates (Hz)
priorMean, priorSD	specifies the mean (Hz) and standard deviation (semitones) of gamma distribution describing our prior knowledge about the most likely pitch values for this file. For ex., priorMean = 300, priorSD = 6 gives a prior with mean = 300 Hz and SD = 6 semitones (half an octave)
priorPlot	deprecated; use <code>getPrior</code> to visualize the prior
nCands	maximum number of pitch candidates per method (except for dom, which returns at most one candidate per frame), normally 1...4
minVoicedCands	minimum number of pitch candidates that have to be defined to consider a frame voiced (if NULL, defaults to 2 if dom is among other candidates and 1 otherwise)
domThres	(0 to 1) to find the lowest dominant frequency band, we do short-term FFT and take the lowest frequency with amplitude at least domThres
domSmooth	the width of smoothing interval (Hz) for finding dom
autocorThres, cepThres, specThres	(0 to 1) separate voicing thresholds for detecting pitch candidates with three different methods: autocorrelation, cepstrum, and BaNa algorithm (see Details). Note that HNR is calculated even for unvoiced frames.

autocorSmooth	the width of smoothing interval (in bins) for finding peaks in the autocorrelation function. Defaults to 7 for sampling rate 44100 and smaller odd numbers for lower values of sampling rate
cepSmooth	the width of smoothing interval (Hz) for finding peaks in the cepstrum
cepZp	zero-padding of the spectrum used for cepstral pitch detection (final length of spectrum after zero-padding in points, e.g. 2^{13})
specPeak, specHNRSlope	when looking for putative harmonics in the spectrum, the threshold for peak detection is calculated as $\text{specPeak} * (1 - \text{HNR} * \text{specHNRSlope})$
specSinglePeakCert	(0 to 1) if F0 is calculated based on a single harmonic ratio (as opposed to several ratios converging on the same candidate), its certainty is taken to be specSinglePeakCert
specSmooth	the width of window for detecting peaks in the spectrum, Hz
specMerge	pitch candidates within specMerge semitones are merged with boosted certainty
shortestSyl	the smallest length of a voiced segment (ms) that constitutes a voiced syllable (shorter segments will be replaced by NA, as if unvoiced)
shortestPause	the smallest gap between voiced syllables (ms) that means they shouldn't be merged into one voiced syllable
interpolWin, interpolTol, interpolCert	control the behavior of interpolation algorithm when postprocessing pitch candidates. To turn off interpolation, set <code>interpolWin = 0</code> . See <code>soundgen:::pathfinder</code> for details.
pathfinding	method of finding the optimal path through pitch candidates: 'none' = best candidate per frame, 'fast' = simple heuristic, 'slow' = annealing. See <code>soundgen:::pathfinder</code>
annealPars	a list of control parameters for postprocessing of pitch contour with SANN algorithm of <code>optim</code> . This is only relevant if <code>pathfinding = 'slow'</code>
certWeight	(0 to 1) in pitch postprocessing, specifies how much we prioritize the certainty of pitch candidates vs. pitch jumps / the internal tension of the resulting pitch curve
snakeStep	optimized path through pitch candidates is further processed to minimize the elastic force acting on pitch contour. To disable, set <code>snakeStep = 0</code>
snakePlot	if TRUE, plots the snake
smooth, smoothVars	if smooth is a positive number, outliers of the variables in smoothVars are adjusted with median smoothing. smooth of 1 corresponds to a window of ~100 ms and tolerated deviation of ~4 semitones. To disable, set <code>smooth = 0</code>
summary	if TRUE, returns only a summary of the measured acoustic variables (mean, median and SD). If FALSE, returns a list containing frame-by-frame values
summaryFun	a vector of names of functions used to summarize each acoustic characteristic
plot	if TRUE, produces a spectrogram with pitch contour overlaid
showLegend	if TRUE, adds a legend with pitch tracking methods
savePath	if a valid path is specified, a plot is saved in this folder (defaults to NA)

<code>plotSpec</code>	deprecated
<code>osc</code>	should an oscillogram be shown under the spectrogram? TRUE/ FALSE. If 'osc_dB', the oscillogram is displayed on a dB scale. See osc_dB for details
<code>osc_dB</code>	should an oscillogram be shown under the spectrogram? TRUE/ FALSE. If 'osc_dB', the oscillogram is displayed on a dB scale. See osc_dB for details
<code>pitchPlot</code>	a list of graphical parameters for displaying the final pitch contour. Set to NULL or NA to suppress
<code>candPlot</code>	a list of graphical parameters for displaying individual pitch candidates. Set to NULL or NA to suppress
<code>ylim</code>	frequency range to plot, kHz (defaults to 0 to Nyquist frequency)
<code>xlab, ylab, main</code>	plotting parameters
<code>width, height, units, res</code>	parameters passed to png if the plot is saved
<code>...</code>	other graphical parameters passed to spectrogram

Value

If `summary = TRUE`, returns a dataframe with one row and three columns per acoustic variable (mean / median / SD). If `summary = FALSE`, returns a dataframe with one row per STFT frame and one column per acoustic variable. The best guess at the pitch contour considering all available information is stored in the variable called "pitch". In addition, the output contains pitch estimates by separate algorithms included in `pitchMethods` and a number of other acoustic descriptors:

duration total duration, s

duration_noSilence duration from the beginning of the first non-silent STFT frame to the end of the last non-silent STFT frame, s (NB: depends strongly on `windowLength` and `silence` settings)

time time of the middle of each frame (ms)

ampl root mean square of amplitude per frame, calculated as $\sqrt{\text{mean}(\text{frame}^2)}$

amplVoiced the same as `ampl` for voiced frames and NA for unvoiced frames

dom lowest dominant frequency band (Hz) (see "Pitch tracking methods / Dominant frequency" in the vignette)

entropy Weiner entropy of the spectrum of the current frame. Close to 0: pure tone or tonal sound with nearly all energy in harmonics; close to 1: white noise

f1_freq, f1_width, ... the frequency and bandwidth of the first `nFormants` formants per STFT frame, as calculated by `phonTools::findformants` with default settings

harmonics the amount of energy in upper harmonics, namely the ratio of total spectral mass above $1.25 \times F_0$ to the total spectral mass below $1.25 \times F_0$ (dB)

HNR harmonics-to-noise ratio (dB), a measure of harmonicity returned by `soundgen::getPitchAutocor` (see "Pitch tracking methods / Autocorrelation"). If `HNR = 0` dB, there is as much energy in harmonics as in noise

loudness subjective loudness, in sone, corresponding to the chosen `SPL_measured` - see [getLoudness](#)

medianFreq 50th quantile of the frame's spectrum
peakFreq the frequency with maximum spectral power (Hz)
peakFreqCut the frequency with maximum spectral power below cutFreq (Hz)
pitch post-processed pitch contour based on all F0 estimates
pitchAutocor autocorrelation estimate of F0
pitchCep cepstral estimate of F0
pitchSpec BaNa estimate of F0
quartile25, quartile50, quartile75 the 25th, 50th, and 75th quantiles of the spectrum below cutFreq (Hz)
specCentroid the center of gravity of the frame's spectrum, first spectral moment (Hz)
specCentroidCut the center of gravity of the frame's spectrum below cutFreq
specSlope the slope of linear regression fit to the spectrum below cutFreq
voiced is the current STFT frame voiced? TRUE / FALSE

See Also

[analyzeFolder](#) [pitch_app](#) [getLoudness](#) [segment](#) [getRMS](#) [modulationSpectrum](#) [ssm](#)

Examples

```

sound = soundgen(syllen = 300, pitch = c(900, 400, 2300),
  noise = list(time = c(0, 300), value = c(-40, 0)),
  temperature = 0.001,
  addSilence = 50) # NB: always have some silence before and after!!!
# playme(sound, 16000)
a = analyze(sound, samplingRate = 16000, plot = TRUE)

## Not run:
# For maximum processing speed (just basic spectral descriptives):
a = analyze(sound, samplingRate = 16000,
  plot = FALSE, # no plotting
  pitchMethods = NULL, # no pitch tracking
  SPL_measured = 0, # no loudness analysis
  nFormants = 0 # no formant analysis
)

sound1 = soundgen(syllen = 900, pitch = list(
  time = c(0, .3, .9, 1), value = c(300, 900, 400, 2300)),
  noise = list(time = c(0, 300), value = c(-40, 0)),
  temperature = 0.001)
# improve the quality of postprocessing:
a1 = analyze(sound1, samplingRate = 16000, priorSD = 24,
  plot = TRUE, pathfinding = 'slow')
median(a1$pitch, na.rm = TRUE)
# (can vary, since postprocessing is stochastic)
# compare to the true value:
median(getSmoothContour(anchors = list(time = c(0, .3, .8, 1),
  value = c(300, 900, 400, 2300)), len = 1000))

```

```

# the same pitch contour, but harder to analyze b/c of
subharmonics and jitter
sound2 = soundgen(syllLen = 900, pitch = list(
  time = c(0, .3, .8, 1), value = c(300, 900, 400, 2300)),
  noise = list(time = c(0, 900), value = c(-40, 0)),
  subDep = 100, jitterDep = 0.5, nonlinBalance = 100, temperature = 0.001)
# playme(sound2, 16000)
a2 = analyze(sound2, samplingRate = 16000, priorSD = 24,
  plot = TRUE, pathfinding = 'slow')
# many candidates are off, but the overall contour should be mostly accurate

# Fancy plotting options:
a = analyze(sound2, samplingRate = 16000, plot = TRUE,
  xlab = 'Time, ms', colorTheme = 'seewave',
  contrast = .5, ylim = c(0, 4),
  pitchMethods = c('dom', 'autocor', 'spec'),
  candPlot = list(
    col = c('gray70', 'yellow', 'purple'), # same order as pitchMethods
    pch = c(1, 3, 5),
    cex = 3),
  pitchPlot = list(col = 'black', lty = 3, lwd = 3),
  osc_dB = TRUE, heights = c(2, 1))

# Different formatting options for output
a = analyze(sound2, samplingRate = 16000, summary = FALSE) # frame-by-frame
a = analyze(sound2, samplingRate = 16000, summary = TRUE,
  summaryFun = c('mean', 'range')) # one row per sound
# ...with custom summaryFun
difRan = function(x) diff(range(x))
a = analyze(sound2, samplingRate = 16000, summary = TRUE,
  summaryFun = c('mean', 'difRan'))

# Save the plot
a = analyze(sound, samplingRate = 16000,
  savePath = '~/Downloads/',
  width = 20, height = 15, units = 'cm', res = 300)

## Amplitude and loudness: analyze() should give the same results as
dedicated functions getRMS() / getLoudness()
# Create 1 kHz tone
samplingRate = 16000; dur_ms = 50
sound1 = sin(2*pi*1000/samplingRate*(1:(dur_ms/1000*samplingRate)))
a1 = analyze(sound1, samplingRate = samplingRate, windowLength = 25,
  overlap = 50, SPL_measured = 40, scale = 1,
  pitchMethods = NULL, plot = FALSE)
a1$loudness # loudness per STFT frame (1 sone by definition)
getLoudness(sound1, samplingRate = samplingRate, windowLength = 25,
  overlap = 50, SPL_measured = 40, scale = 1)$loudness
a1$amp1 # RMS amplitude per STFT frame
getRMS(sound1, samplingRate = samplingRate, windowLength = 25,
  overlap = 50, scale = 1)
# or even simply: sqrt(mean(sound1 ^ 2))

```

```

# The same sound as above, but with half the amplitude
a_half = analyze(sound1/2, samplingRate = samplingRate, windowLength = 25,
  overlap = 50, SPL_measured = 40, scale = 1,
  pitchMethods = NULL, plot = FALSE)
a1$ampl / a_half$ampl # rms amplitude halved
a1$loudness/ a_half$loudness # loudness is not a linear function of amplitude

# Amplitude & loudness of an existing audio file
sound2 = '~/Downloads/temp/032_ut_anger_30-m-roar-curse.wav'
a2 = analyze(sound2, windowLength = 25, overlap = 50, SPL_measured = 40,
  pitchMethods = NULL, plot = FALSE)
apply(a2[, c('loudness', 'ampl')], 2, median, na.rm = TRUE)
median(getLoudness(sound2, windowLength = 25, overlap = 50,
  SPL_measured = 40)$loudness)
median(getRMS(sound2, windowLength = 25, overlap = 50, scale = 1))

## End(Not run)

```

analyzeFolder

Analyze folder

Description

Acoustic analysis of all wav/mp3 files in a folder. See [analyze](#) and `vignette('acoustic_analysis', package = 'soundgen')` for further details.

Usage

```

analyzeFolder(myfolder, htmlPlots = TRUE, verbose = TRUE,
  samplingRate = NULL, dynamicRange = 80, silence = 0.04,
  SPL_measured = 70, Pref = 2e-05, windowLength = 50, step = NULL,
  overlap = 50, wn = "gaussian", zp = 0, cutFreq = 6000,
  nFormants = 3, pitchMethods = c("autocor", "spec", "dom"),
  entropyThres = 0.6, pitchFloor = 75, pitchCeiling = 3500,
  priorMean = 300, priorSD = 6, priorPlot = FALSE, nCands = 1,
  minVoicedCands = NULL, domThres = 0.1, domSmooth = 220,
  autocorThres = 0.7, autocorSmooth = NULL, cepThres = 0.3,
  cepSmooth = NULL, cepZp = 0, specThres = 0.3, specPeak = 0.35,
  specSinglePeakCert = 0.4, specHNRSlope = 0.8, specSmooth = 150,
  specMerge = 1, shortestSyl = 20, shortestPause = 60,
  interpolWin = 75, interpolTol = 0.3, interpolCert = 0.3,
  pathfinding = c("none", "fast", "slow")[2], annealPars = list(maxit =
  5000, temp = 1000), certWeight = 0.5, snakeStep = 0.05,
  snakePlot = FALSE, smooth = 1, smoothVars = c("pitch", "dom"),
  summary = TRUE, summaryFun = c("mean", "median", "sd"),
  plot = FALSE, showLegend = TRUE, savePlots = FALSE,
  plotSpec = "deprecated", pitchPlot = list(col = rgb(0, 0, 1, 0.75),

```

```
lwd = 3), candPlot = list(levels = c("autocor", "spec", "dom", "cep"),
  col = c("green", "red", "orange", "violet"), pch = c(16, 2, 3, 7), cex =
  2), ylim = NULL, xlab = "Time, ms", ylab = "kHz", main = NULL,
  width = 900, height = 500, units = "px", res = NA, ...)
```

Arguments

myfolder	full path to target folder
htmlPlots	if TRUE, saves an html file with clickable plots
verbose	if TRUE, reports progress and estimated time left
samplingRate	sampling rate of x (only needed if x is a numeric vector, rather than an audio file)
dynamicRange	dynamic range, dB. All values more than one dynamicRange under maximum are treated as zero
silence	(0 to 1) frames with RMS amplitude below silence threshold are not analyzed at all. NB: this number is dynamically updated: the actual silence threshold may be higher depending on the quietest frame, but it will never be lower than this specified number.
SPL_measured	sound pressure level at which the sound is presented, dB (set to 0 to skip analyzing subjective loudness)
Pref	reference pressure, Pa
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
wn	window type: gaussian, hanning, hamming, bartlett, rectangular, blackman, flat-top
zp	window length after zero padding, points
cutFreq	(2 * pitchCeiling to Nyquist, Hz) repeat the calculation of spectral descriptives after discarding all info above cutFreq. Recommended if the original sampling rate varies across different analyzed audio files. Note that "entropyThres" applies only to this frequency range, which also affects which frames will not be analyzed with pitchAutocor.
nFormants	the number of formants to extract per STFT frame (0 = no formant analysis). Calls findformants with default settings
pitchMethods	methods of pitch estimation to consider for determining pitch contour: 'autocor' = autocorrelation (~PRAAT), 'cep' = cepstral, 'spec' = spectral (~BaNa), 'dom' = lowest dominant frequency band ("" or NULL = no pitch analysis)
entropyThres	pitch tracking is not performed for frames with Weiner entropy above entropyThres, but other spectral descriptives are still calculated
pitchFloor	absolute bounds for pitch candidates (Hz)
pitchCeiling	absolute bounds for pitch candidates (Hz)

priorMean	specifies the mean (Hz) and standard deviation (semitones) of gamma distribution describing our prior knowledge about the most likely pitch values for this file. For ex., <code>priorMean = 300</code> , <code>priorSD = 6</code> gives a prior with mean = 300 Hz and SD = 6 semitones (half an octave)
priorSD	specifies the mean (Hz) and standard deviation (semitones) of gamma distribution describing our prior knowledge about the most likely pitch values for this file. For ex., <code>priorMean = 300</code> , <code>priorSD = 6</code> gives a prior with mean = 300 Hz and SD = 6 semitones (half an octave)
priorPlot	deprecated; use <code>getPrior</code> to visualize the prior
nCands	maximum number of pitch candidates per method (except for <code>dom</code> , which returns at most one candidate per frame), normally 1...4
minVoicedCands	minimum number of pitch candidates that have to be defined to consider a frame voiced (if NULL, defaults to 2 if <code>dom</code> is among other candidates and 1 otherwise)
domThres	(0 to 1) to find the lowest dominant frequency band, we do short-term FFT and take the lowest frequency with amplitude at least <code>domThres</code>
domSmooth	the width of smoothing interval (Hz) for finding <code>dom</code>
autocorThres	(0 to 1) separate voicing thresholds for detecting pitch candidates with three different methods: autocorrelation, cepstrum, and BaNa algorithm (see Details). Note that HNR is calculated even for unvoiced frames.
autocorSmooth	the width of smoothing interval (in bins) for finding peaks in the autocorrelation function. Defaults to 7 for sampling rate 44100 and smaller odd numbers for lower values of sampling rate
cepThres	(0 to 1) separate voicing thresholds for detecting pitch candidates with three different methods: autocorrelation, cepstrum, and BaNa algorithm (see Details). Note that HNR is calculated even for unvoiced frames.
cepSmooth	the width of smoothing interval (Hz) for finding peaks in the cepstrum
cepZp	zero-padding of the spectrum used for cepstral pitch detection (final length of spectrum after zero-padding in points, e.g. 2^{13})
specThres	(0 to 1) separate voicing thresholds for detecting pitch candidates with three different methods: autocorrelation, cepstrum, and BaNa algorithm (see Details). Note that HNR is calculated even for unvoiced frames.
specPeak	when looking for putative harmonics in the spectrum, the threshold for peak detection is calculated as $\text{specPeak} * (1 - \text{HNR} * \text{specHNRSlope})$
specSinglePeakCert	(0 to 1) if F0 is calculated based on a single harmonic ratio (as opposed to several ratios converging on the same candidate), its certainty is taken to be <code>specSinglePeakCert</code>
specHNRSlope	when looking for putative harmonics in the spectrum, the threshold for peak detection is calculated as $\text{specPeak} * (1 - \text{HNR} * \text{specHNRSlope})$
specSmooth	the width of window for detecting peaks in the spectrum, Hz
specMerge	pitch candidates within <code>specMerge</code> semitones are merged with boosted certainty
shortestSyl	the smallest length of a voiced segment (ms) that constitutes a voiced syllable (shorter segments will be replaced by NA, as if unvoiced)

shortestPause	the smallest gap between voiced syllables (ms) that means they shouldn't be merged into one voiced syllable
interpolWin	control the behavior of interpolation algorithm when postprocessing pitch candidates. To turn off interpolation, set <code>interpolWin = 0</code> . See <code>soundgen:::pathfinder</code> for details.
interpolTol	control the behavior of interpolation algorithm when postprocessing pitch candidates. To turn off interpolation, set <code>interpolWin = 0</code> . See <code>soundgen:::pathfinder</code> for details.
interpolCert	control the behavior of interpolation algorithm when postprocessing pitch candidates. To turn off interpolation, set <code>interpolWin = 0</code> . See <code>soundgen:::pathfinder</code> for details.
pathfinding	method of finding the optimal path through pitch candidates: 'none' = best candidate per frame, 'fast' = simple heuristic, 'slow' = annealing. See <code>soundgen:::pathfinder</code>
annealPars	a list of control parameters for postprocessing of pitch contour with SANN algorithm of <code>optim</code> . This is only relevant if <code>pathfinding = 'slow'</code>
certWeight	(0 to 1) in pitch postprocessing, specifies how much we prioritize the certainty of pitch candidates vs. pitch jumps / the internal tension of the resulting pitch curve
snakeStep	optimized path through pitch candidates is further processed to minimize the elastic force acting on pitch contour. To disable, set <code>snakeStep = 0</code>
snakePlot	if TRUE, plots the snake
smooth	if smooth is a positive number, outliers of the variables in <code>smoothVars</code> are adjusted with median smoothing. smooth of 1 corresponds to a window of ~100 ms and tolerated deviation of ~4 semitones. To disable, set <code>smooth = 0</code>
smoothVars	if smooth is a positive number, outliers of the variables in <code>smoothVars</code> are adjusted with median smoothing. smooth of 1 corresponds to a window of ~100 ms and tolerated deviation of ~4 semitones. To disable, set <code>smooth = 0</code>
summary	if TRUE, returns only a summary of the measured acoustic variables (mean, median and SD). If FALSE, returns a list containing frame-by-frame values
summaryFun	a vector of names of functions used to summarize each acoustic characteristic
plot	if TRUE, produces a spectrogram with pitch contour overlaid
showLegend	if TRUE, adds a legend with pitch tracking methods
savePlots	if TRUE, saves plots as .png files
plotSpec	deprecated
pitchPlot	a list of graphical parameters for displaying the final pitch contour. Set to NULL or NA to suppress
candPlot	a list of graphical parameters for displaying individual pitch candidates. Set to NULL or NA to suppress
ylim	frequency range to plot, kHz (defaults to 0 to Nyquist frequency)
xlab	plotting parameters
ylab	plotting parameters
main	plotting parameters

width	parameters passed to png if the plot is saved
height	parameters passed to png if the plot is saved
units	parameters passed to png if the plot is saved
res	parameters passed to png if the plot is saved
...	other graphical parameters passed to spectrogram

Value

If `summary` is TRUE, returns a dataframe with one row per audio file. If `summary` is FALSE, returns a list of detailed descriptives.

See Also

[analyze_pitch_app](#) [getLoudness](#) [segment](#) [getRMS](#)

Examples

```
## Not run:
# download 260 sounds from Anikin & Persson (2017)
# http://cogsci.se/publications/anikin-persson_2017_nonlinguistic-vocs/260sounds_wav.zip
# unzip them into a folder, say '~/Downloads/temp'
myfolder = '~/Downloads/temp' # 260 .wav files live here
s = analyzeFolder(myfolder, verbose = TRUE) # ~ 15-30 minutes!

# Save spectrograms with pitch contours plus an html file for easy access
a = analyzeFolder('~/Downloads/temp', savePlots = TRUE,
  showLegend = TRUE,
  width = 20, height = 12,
  units = 'cm', res = 300)

# Check accuracy: import manually verified pitch values (our "key")
key = pitchManual # a vector of 260 floats
trial = s$pitch_median
cor(key, trial, use = 'pairwise.complete.obs')
plot(log(key), log(trial))
abline(a=0, b=1, col='red')

## End(Not run)
```

beat

Generate beat

Description

Generates percussive sounds from clicks through drum-like beats to sliding tones. The principle is to create a sine wave with rapid frequency modulation and to add a fade-out. No extra harmonics or formants are added. For this specific purpose, this is vastly faster and easier than to tinker with [soundgen](#) settings, especially since percussive syllables tend to be very short.

Usage

```
beat(nSyl = 10, sylLen = 200, pauseLen = 50, pitch = c(200, 10),
     samplingRate = 16000, fadeOut = TRUE, play = FALSE)
```

Arguments

nSyl	the number of syllables to generate
sylLen	average duration of each syllable, ms
pauseLen	average duration of pauses between syllables, ms
pitch	fundamental frequency, Hz - a vector or data.frame(time = ..., value = ...)
samplingRate	sampling frequency, Hz
fadeOut	if TRUE, a linear fade-out is applied to the entire syllable
play	if TRUE, plays the synthesized sound using the default player on your system. If character, passed to <code>play</code> as the name of player to use, eg "aplay", "play", "vlc", etc. In case of errors, try setting another default player for <code>play</code>

Value

Returns a non-normalized waveform centered at zero.

See Also

[soundgen generateNoise fart](#)

Examples

```
playback = c(TRUE, FALSE)[2]
# a drum-like sound
s = beat(nSyl = 1, sylLen = 200,
        pitch = c(200, 100), play = playback)
# plot(s, type = 'l')

# a dry, muted drum
s = beat(nSyl = 1, sylLen = 200,
        pitch = c(200, 10), play = playback)

# sci-fi laser guns
s = beat(nSyl = 3, sylLen = 300,
        pitch = c(1000, 50), play = playback)

# machine guns
s = beat(nSyl = 10, sylLen = 10, pauseLen = 50,
        pitch = c(2300, 300), play = playback)
```

compareSounds	<i>Compare sounds (experimental)</i>
---------------	--------------------------------------

Description

Computes similarity between two sounds based on correlating mel-transformed spectra (auditory spectra). Called by [matchPars](#).

Usage

```
compareSounds(target, targetSpec = NULL, cand, samplingRate = NULL,
  method = c("cor", "cosine", "pixel", "dtw")[1:4], windowLength = 40,
  overlap = 50, step = NULL, padWith = NA,
  penalizeLengthDif = TRUE, dynamicRange = 80, maxFreq = NULL,
  summary = TRUE)
```

Arguments

target	the sound we want to reproduce using soundgen: path to a .wav file or numeric vector
targetSpec	if already calculated, the target auditory spectrum can be provided to speed things up
cand	the sound to be compared to target
samplingRate	sampling rate of target (only needed if target is a numeric vector, rather than a .wav file)
method	method of comparing mel-transformed spectra of two sounds: "cor" = average Pearson's correlation of mel-transformed spectra of individual FFT frames; "cosine" = same as "cor" but with cosine similarity instead of Pearson's correlation; "pixel" = absolute difference between each point in the two spectra; "dtw" = discrete time warp with dtw
windowLength	length of FFT window, ms
overlap	overlap between successive FFT frames, %
step	you can override overlap by specifying FFT step, ms
padWith	compared spectra are padded with either silence (padWith = 0) or with NA's (padWith = NA) to have the same number of columns. When the sounds are of different duration, padding with zeros rather than NA's improves the fit to target measured by method = 'pixel' and 'dtw', but it has no effect on 'cor' and 'cosine'.
penalizeLengthDif	if TRUE, sounds of different length are considered to be less similar; if FALSE, only the overlapping parts of two sounds are compared
dynamicRange	parts of the spectra quieter than -dynamicRange dB are not compared
maxFreq	parts of the spectra above maxFreq Hz are not compared
summary	if TRUE, returns the mean of similarity values calculated by all methods in method

Examples

```

## Not run:
target = soundgen(syllLen = 500, formants = 'a',
                  pitch = data.frame(time = c(0, 0.1, 0.9, 1),
                                      value = c(100, 150, 135, 100)),
                  temperature = 0.001)
targetSpec = soundgen::getMelSpec(target, samplingRate = 16000)
parsToTry = list(
  list(formants = 'i', # wrong
        pitch = data.frame(time = c(0, 1), # wrong
                            value = c(200, 300))),
  list(formants = 'i', # wrong
        pitch = data.frame(time = c(0, 0.1, 0.9, 1), # right
                            value = c(100, 150, 135, 100))),
  list(formants = 'a', # right
        pitch = data.frame(time = c(0,1), # wrong
                            value = c(200, 300))),
  list(formants = 'a',
        pitch = data.frame(time = c(0, 0.1, 0.9, 1), # right
                            value = c(100, 150, 135, 100))) # right
)

sounds = list()
for (s in 1:length(parsToTry)) {
  sounds[[length(sounds) + 1]] = do.call(soundgen,
    c(parsToTry[[s]], list(temperature = 0.001, syllLen = 500)))
}

method = c('cor', 'cosine', 'pixel', 'dtw')
df = matrix(NA, nrow = length(parsToTry), ncol = length(method))
colnames(df) = method
df = as.data.frame(df)
for (i in 1:nrow(df)) {
  df[i, ] = compareSounds(
    target = NULL, # can use target instead of targetSpec...
    targetSpec = targetSpec, # ...but faster to calculate targetSpec once
    cand = sounds[[i]],
    samplingRate = 16000,
    padWith = NA,
    penalizeLengthDif = TRUE,
    method = method,
    summary = FALSE
  )
}
df$av = rowMeans(df, na.rm = TRUE)
# row 1 = wrong pitch & formants, ..., row 4 = right pitch & formants
df$formants = c('wrong', 'wrong', 'right', 'right')
df$pitch = c('wrong', 'right', 'wrong', 'right')
df

## End(Not run)

```

`crossFade`*Join two waveforms by cross-fading*

Description

`crossFade` joins two input vectors (waveforms) by cross-fading. First it truncates both input vectors, so that `amp11` ends with a zero crossing and `amp12` starts with a zero crossing, both on an upward portion of the soundwave. Then it cross-fades both vectors linearly with an overlap of `crossLen` or `crossLenPoints`. If the input vectors are too short for the specified length of cross-faded region, the two vectors are concatenated at zero crossings instead of cross-fading. Soundgen uses `crossFade` for gluing together epochs with different regimes of pitch effects (see the vignette on sound generation), but it can also be useful for joining two separately generated sounds without audible artifacts.

Usage

```
crossFade(amp11, amp12, crossLenPoints = 240, crossLen = NULL,
  samplingRate = NULL, shape = c("lin", "exp", "log", "cos",
  "logistic")[1], steepness = 1)
```

Arguments

<code>amp11, amp12</code>	two numeric vectors (waveforms) to be joined
<code>crossLenPoints</code>	(optional) the length of overlap in points
<code>crossLen</code>	the length of overlap in ms (overrides <code>crossLenPoints</code>)
<code>samplingRate</code>	the sampling rate of input vectors, Hz (needed only if <code>crossLen</code> is given in ms rather than points)
<code>shape</code>	controls the type of fade function: 'lin' = linear, 'exp' = exponential, 'log' = logarithmic, 'cos' = cosine, 'logistic' = logistic S-curve
<code>steepness</code>	scaling factor regulating the steepness of fading curves if the shape is 'exp', 'log', or 'logistic' (0 = linear, >1 = steeper than default)

Value

Returns a numeric vector.

See Also

[fade](#)

Examples

```
sound1 = sin(1:100 / 9)
sound2 = sin(7:107 / 3)
plot(c(sound1, sound2), type = 'b')
# an ugly discontinuity at 100 that will make an audible click
```

```

sound = crossFade(sound1, sound2, crossLenPoints = 5)
plot(sound, type = 'b') # a nice, smooth transition
length(sound) # but note that cross-fading costs us ~60 points
# because of trimming to zero crossings and then overlapping

## Not run:
# Actual sounds, alternative shapes of fade-in/out
sound3 = soundgen(formants = 'a', pitch = 200,
                  addSilence = 0, attackLen = c(50, 0))
sound4 = soundgen(formants = 'u', pitch = 200,
                  addSilence = 0, attackLen = c(0, 50))

# simple concatenation (with a click)
playme(c(sound3, sound4), 16000)

# concatenation from zc to zc (no click, but a rough transition)
playme(crossFade(sound3, sound4, crossLen = 0), 16000)

# linear crossFade over 35 ms - brief, but smooth
playme(crossFade(sound3, sound4, crossLen = 35, samplingRate = 16000), 16000)

# s-shaped cross-fade over 300 ms (shortens the sound by ~300 ms)
playme(crossFade(sound3, sound4, samplingRate = 16000,
                  crossLen = 300, shape = 'cos'), 16000)

## End(Not run)

```

defaults

Shiny app defaults

Description

A list of default values for Shiny app `soundgen_app()` - mostly the same as the defaults for `soundgen()`. NB: if defaults change, this has to be updated!!!

Usage

```
defaults
```

Format

An object of class `list` of length 67.

defaults_analyze	<i>Defaults and ranges for analyze()</i>
------------------	--

Description

A dataset containing defaults and ranges of key variables for `analyze()` and `pitch_app()`. Adjust as needed.

Usage

```
defaults_analyze
```

Format

A matrix with 58 rows and 4 columns:

default default value

low lowest permitted value

high highest permitted value

step increment for adjustment ...

estimateVTL	<i>Estimate vocal tract length</i>
-------------	------------------------------------

Description

Estimates the length of vocal tract based on formant frequencies, assuming that the vocal tract can be modeled as a tube open at both ends.

Usage

```
estimateVTL(formants, method = c("meanFormant", "meanDispersion",
  "regression")[3], speedSound = 35400, checkFormat = TRUE)
```

Arguments

formants	a character string like "aau" referring to default presets for speaker "M1"; a vector of formant frequencies; or a list of formant times, frequencies, amplitudes, and bandwidths, with a single value of each for static or multiple values of each for moving formants
method	the method of estimating vocal tract length (see details)
speedSound	speed of sound in warm air, cm/s. Stevens (2000) "Acoustic phonetics", p. 138
checkFormat	if TRUE, expands shorthand format specifications into the canonical form of a list with four components: time, frequency, amplitude and bandwidth for each format (as returned by the internal function <code>reformatFormants</code>)

Details

If `method = 'meanFormant'`, vocal tract length (VTL) is calculated separately for each formant as $(2 * \text{formant}_{\text{number}} - 1) * \text{speedSound} / (4 * \text{formant}_{\text{frequency}})$, and then the resulting VTLs are averaged. If `method = 'meanDispersion'`, formant dispersion is calculated as the mean distance between formants, and then VTL is calculated as $\text{speedofsound} / 2 / \text{formantdispersion}$. If `method = 'regression'`, formant dispersion is estimated using the regression method described in Reby et al. (2005) "Red deer stags use formants as assessment cues during intrasexual agonistic interactions". For a review of these and other VTL-related summary measures of formant frequencies, refer to Pisanski et al. (2014) "Vocal indicators of body size in men and women: a meta-analysis". See also [schwa](#) for VTL estimation with additional information on formant frequencies.

Value

Returns the estimated vocal tract length in cm.

See Also

[schwa](#)

Examples

```
estimateVTL(NA)
estimateVTL(500)
estimateVTL(c(600, 1850, 3100))
estimateVTL(formants = list(f1 = 600, f2 = 1650, f3 = 2400))

# Missing values are OK
estimateVTL(c(600, 1850, 3100, NA, 5000))

# For moving formants, frequencies are averaged over time,
# i.e. this is identical to c(600, 1650, 2400)
estimateVTL(formants = list(f1 = c(500, 700), f2 = 1650, f3 = c(2200, 2600)))

# Note that VTL estimates based on the commonly reported 'meanDispersion'
# depend only on the first and last formant
estimateVTL(c(500, 1400, 2800, 4100), method = 'meanDispersion')
estimateVTL(c(500, 1100, 2300, 4100), method = 'meanDispersion') # identical
# ...but
estimateVTL(c(500, 1400, 2800, 4100), method = 'meanFormant')
estimateVTL(c(500, 1100, 2300, 4100), method = 'meanFormant') # much longer

## Not run:
# Compare the results produced by the three methods
nIter = 1000
out = data.frame(meanFormant = rep(NA, nIter), meanDispersion = NA, regression = NA)
for (i in 1:nIter) {
  # generate a random formant configuration
  f = runif(1, 300, 900) + (1:6) * rnorm(6, 1000, 200)
  out$meanFormant[i] = estimateVTL(f, method = 'meanFormant')
  out$meanDispersion[i] = estimateVTL(f, method = 'meanDispersion')
  out$regression[i] = estimateVTL(f, method = 'regression')
```



```

}
pairs(out)
cor(out)
# 'meanDispersion' is pretty different, while 'meanFormant' and 'regression'
# give broadly comparable results

## End(Not run)

```

fade

Fade

Description

Applies fade-in and/or fade-out of variable length, shape, and steepness. The resulting effect softens the attack and release of a waveform.

Usage

```

fade(x, fadeIn = 1000, fadeOut = 1000, samplingRate = NULL,
     shape = c("lin", "exp", "log", "cos", "logistic")[1], steepness = 1,
     plot = FALSE)

```

Arguments

x	zero-centered (!) numeric vector such as a waveform
fadeIn, fadeOut	length of segments for fading in and out, interpreted as points if samplingRate = NULL and as ms otherwise (0 = no fade)
samplingRate	sampling rate of the input vector, Hz
shape	controls the type of fade function: 'lin' = linear, 'exp' = exponential, 'log' = logarithmic, 'cos' = cosine, 'logistic' = logistic S-curve
steepness	scaling factor regulating the steepness of fading curves if the shape is 'exp', 'log', or 'logistic' (0 = linear, >1 = steeper than default)
plot	if TRUE, produces an oscillogram of the waveform after fading

Value

Returns a numeric vector of the same length as input

See Also

[crossFade](#)

Examples

```

#' # Fading a real sound: say we want fast attack and slow release
s = soundgen(attack = 0, windowLength = 10,
             sylLen = 500, addSilence = 0)

# playme(s)
# plot(s, type = 'l')
s1 = fade(s, fadeIn = 10, fadeOut = 350,
          samplingRate = 16000, shape = 'cos')
# playme(s1)
# plot(s1, type = 'l')

# Illustration of fade shapes
x = runif(5000, min = -1, max = 1) # make sure to zero-center input!!!
# plot(x, type = 'l')
y = fade(x, fadeIn = 1000, fadeOut = 0, plot = TRUE)
y = fade(x,
         fadeIn = 1000,
         fadeOut = 1500,
         shape = 'exp',
         plot = TRUE)
y = fade(x,
         fadeIn = 1500,
         fadeOut = 500,
         shape = 'log',
         plot = TRUE)
y = fade(x,
         fadeIn = 1500,
         fadeOut = 500,
         shape = 'log',
         steepness = 8,
         plot = TRUE)
y = fade(x,
         fadeIn = 1000,
         fadeOut = 1500,
         shape = 'cos',
         plot = TRUE)
y = fade(x,
         fadeIn = 1500,
         fadeOut = 500,
         shape = 'logistic',
         steepness = 4,
         plot = TRUE)

```

fart

Fart

Description

While the same sounds can be created with `soundgen()`, this facetious function produces the same effect more efficiently and with very few control parameters. With default settings, execution time

is ~ 10 ms per second of audio sampled at 16000 Hz. Principle: creates separate glottal cycles with harmonics, but no formants. See [soundgen](#) for more details.

Usage

```
fart(glottis = c(50, 200), pitch = 65, temperature = 0.25,
     syllLen = 600, rolloff = -10, samplingRate = 16000, play = FALSE,
     plot = FALSE)
```

Arguments

glottis	anchors for specifying the proportion of a glottal cycle with closed glottis, % (0 = no modification, 100 = closed phase as long as open phase); numeric vector or dataframe specifying time and value (anchor format)
pitch	a numeric vector of f0 values in Hz or a dataframe specifying the time (ms or 0 to 1) and value (Hz) of each anchor, hereafter "anchor format". These anchors are used to create a smooth contour of fundamental frequency f0 (pitch) within one syllable
temperature	hyperparameter for regulating the amount of stochasticity in sound generation
syllLen	syllable length, ms (not vectorized)
rolloff	rolloff of harmonics in source spectrum, dB/octave (not vectorized)
samplingRate	sampling frequency, Hz
play	if TRUE, plays the synthesized sound using the default player on your system. If character, passed to play as the name of player to use, eg "aplay", "play", "vlc", etc. In case of errors, try setting another default player for play
plot	if TRUE, plots the waveform

Value

Returns a normalized waveform.

See Also

[soundgen](#) [generateNoise](#) [beat](#)

Examples

```
f = fart()
# playme(f)

## Not run:
while (TRUE) {
  fart(syllLen = 300, temperature = .5, play = TRUE)
  Sys.sleep(rexp(1, rate = 1))
}

## End(Not run)
```

flatEnv	<i>Flat envelope</i>
---------	----------------------

Description

Flattens the amplitude envelope of a waveform. This is achieved by dividing the waveform by some function of its smoothed amplitude envelope (Hilbert, peak or root mean square).

Usage

```
flatEnv(sound, windowLength = 200, samplingRate = 16000,
        method = c("hil", "rms", "peak")[1], windowLength_points = NULL,
        killDC = FALSE, dynamicRange = 80, plot = FALSE)
```

Arguments

sound	input vector oscillating about zero
windowLength	the length of smoothing window, ms
samplingRate	the sampling rate, Hz. Only needed if the length of smoothing window is specified in ms rather than points
method	'hil' for Hilbert envelope, 'rms' for root mean square amplitude, 'peak' for peak amplitude per window
windowLength_points	the length of smoothing window, points. If specified, overrides both windowLength and samplingRate
killDC	if TRUE, dynamically removes DC offset or similar deviations of average waveform from zero
dynamicRange	parts of sound quieter than -dynamicRange dB will not be amplified
plot	if TRUE, plots the original sound, smoothed envelope, and flattened sound

Examples

```
a = rnorm(500) * seq(1, 0, length.out = 500)
b = flatEnv(a, plot = TRUE, windowLength_points = 5) # too short
c = flatEnv(a, plot = TRUE, windowLength_points = 250) # too long
d = flatEnv(a, plot = TRUE, windowLength_points = 50) # about right

## Not run:
s = soundgen(syllLen = 1000, ampl = c(0, -40, 0), plot = TRUE, osc = TRUE)
# playme(s)
s_flat1 = flatEnv(s, plot = TRUE, windowLength = 50, method = 'hil')
s_flat2 = flatEnv(s, plot = TRUE, windowLength = 10, method = 'rms')
# playme(s_flat2)

# Remove DC offset
s1 = c(rep(0, 50), runif(1000, -1, 1), rep(0, 50)) +
```

```
seq(.3, 1, length.out = 1100)
s2 = flatEnv(s1, plot = TRUE, windowLength_points = 50, killDC = FALSE)
s3 = flatEnv(s1, plot = TRUE, windowLength_points = 50, killDC = TRUE)

## End(Not run)
```

flatSpectrum *Flat spectrum*

Description

Flattens the spectrum of a sound by smoothing in the frequency domain. Can be used for removing formants without modifying pitch contour or voice quality (the balance of harmonic and noise components), followed by the addition of a new spectral envelope (cf. [transplantFormants](#)). Algorithm: makes a spectrogram, flattens the real part of the smoothed spectrum of each STFT frame, and transforms back into time domain with inverse STFT (see also [addFormants](#)).

Usage

```
flatSpectrum(x, freqWindow = NULL, samplingRate = NULL,
             dynamicRange = 80, windowLength = 50, step = NULL, overlap = 90,
             wn = "gaussian", zp = 0)
```

Arguments

x	path to a .wav or .mp3 file or a vector of amplitudes with specified samplingRate
freqWindow	the width of smoothing window, Hz. Defaults to median pitch estimated by analyze
samplingRate	sampling rate of x (only needed if x is a numeric vector, rather than an audio file)
dynamicRange	dynamic range, dB. All values more than one dynamicRange under maximum are treated as zero
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
wn	window type: gaussian, hanning, hamming, bartlett, rectangular, blackman, flat-top
zp	window length after zero padding, points

Value

Returns a numeric vector with the same sampling rate as the input.

See Also

[addFormants](#) [transplantFormants](#)

Examples

```

sound_ain = soundgen(formants = 'ain')
# playme(sound_ain, 16000)
seewave::meanspec(sound_ain, f = 16000, dB = 'max0')

sound_flat = flatSpectrum(sound_ain, freqWindow = 150, samplingRate = 16000)
# playme(sound_flat, 16000)
seewave::meanspec(sound_flat, f = 16000, dB = 'max0')
# harmonics are still there, but formants are gone and can be replaced

## Not run:
# Now let's make a sheep say "ain"
data(sheep, package = 'seewave') # import a recording from seewave
sheep_orig = as.numeric(scale(sheep@left))
samplingRate = sheep@samp.rate
playme(sheep_orig, samplingRate)
# spectrogram(sheep_orig, samplingRate)
# seewave::spec(sheep_orig, f = samplingRate, dB = 'max0')

sheep_flat = flatSpectrum(sheep_orig, freqWindow = 150, # freqWindow ~f0
  samplingRate = samplingRate)
# playme(sheep_flat, samplingRate)
# spectrogram(sheep_flat, samplingRate)
# seewave::spec(sheep_flat, f = samplingRate, dB = 'max0')

# So far we have a sheep bleating with a flat spectrum;
# now let's add new formants
sheep_ain = addFormants(sheep_flat,
  samplingRate = samplingRate,
  formants = 'ain',
  lipRad = -3) # negative lipRad to counter unnatural flat source
playme(sheep_ain, samplingRate)
# spectrogram(sheep_ain, samplingRate)
# seewave::spec(sheep_ain, f = samplingRate, dB = 'max0')

## End(Not run)

```

gaussianSmooth2D

Gaussian smoothing in 2D

Description

Takes a matrix of numeric values and smoothes it by convolution with a symmetric Gaussian window function.

Usage

```

gaussianSmooth2D(m, kernelSize = 5, kernelSD = 0.5,
  plotKernel = FALSE)

```

Arguments

<code>m</code>	input matrix (numeric, on any scale, doesn't have to be square)
<code>kernelSize</code>	the size of the Gaussian kernel, in points
<code>kernelSD</code>	the SD of the Gaussian kernel relative to its size (.5 = the edge is two SD's away)
<code>plotKernel</code>	if TRUE, plots the kernel

Value

Returns a numeric matrix of the same dimensions as input.

See Also

[modulationSpectrum](#)

Examples

```
s = spectrogram(soundgen(), samplingRate = 16000,
  output = 'original', plot = FALSE)
# image(log(s))
s1 = gaussianSmooth2D(s, kernelSize = 11, plotKernel = TRUE)
# image(log(s1))
```

generateNoise

Generate noise

Description

Generates noise of length `len` and with spectrum defined by linear decay of `rolloffNoise` dB/kHz above `noiseFlatSpec` Hz OR by a specified filter `spectralEnvelope`. This function is called internally by [soundgen](#), but it may be more convenient to call it directly when synthesizing non-biological noises defined by specific spectral and amplitude envelopes rather than formants: the wind, whistles, impact noises, etc. See [fart](#) and [beat](#) for similarly simplified functions for tonal non-biological sounds.

Usage

```
generateNoise(len, rolloffNoise = 0, noiseFlatSpec = 1200,
  spectralEnvelope = NULL, noise = NULL, temperature = 0.1,
  attackLen = 10, windowLength_points = 1024, samplingRate = 16000,
  overlap = 75, dynamicRange = 80, play = FALSE)
```

Arguments

<code>len</code>	length of output
<code>rolloffNoise</code>	linear rolloff of the excitation source for the unvoiced component, dB/kHz (anchor format)
<code>noiseFlatSpec</code>	keeps noise spectrum flat to this frequency, Hz
<code>spectralEnvelope</code>	(optional): as an alternative to using <code>rolloffNoise</code> , we can provide the exact filter - a vector of non-negative numbers specifying the power in each frequency bin on a linear scale (interpolated to length equal to <code>windowLength_points/2</code>). A matrix specifying the filter for each STFT step is also accepted. The easiest way to create this matrix is to call <code>soundgen::getSpectralEnvelope</code> or to use the spectrum of a recorded sound
<code>noise</code>	loudness of turbulent noise (0 dB = as loud as voiced component, negative values = quieter) such as aspiration, hissing, etc (anchor format)
<code>temperature</code>	hyperparameter for regulating the amount of stochasticity in sound generation
<code>attackLen</code>	duration of fade-in / fade-out at each end of syllables and noise (ms): a vector of length 1 (symmetric) or 2 (separately for fade-in and fade-out)
<code>windowLength_points</code>	the length of fft window, points
<code>samplingRate</code>	sampling frequency, Hz
<code>overlap</code>	FFT window overlap, %. For allowed values, see istft
<code>dynamicRange</code>	dynamic range, dB. Harmonics and noise more than <code>dynamicRange</code> under maximum amplitude are discarded to save computational resources
<code>play</code>	if TRUE, plays the synthesized sound using the default player on your system. If character, passed to <code>play</code> as the name of player to use, eg "aplay", "play", "vlc", etc. In case of errors, try setting another default player for <code>play</code>

Details

Algorithm: paints a spectrogram with desired characteristics, sets phase to zero, and generates a time sequence via inverse FFT.

See Also

[soundgen fart beat](#)

Examples

```
# .5 s of white noise
samplingRate = 16000
noise1 = generateNoise(len = samplingRate * .5,
  samplingRate = samplingRate)
# playme(noise1, samplingRate)
# seewave::meanspec(noise1, f = samplingRate)

# Percussion (run a few times to notice stochasticity due to temperature = .25)
```



```

noise2 = generateNoise(len = samplingRate * .15, noise = c(0, -80),
  rolloffNoise = c(4, -6), attackLen = 5, temperature = .25)
noise3 = generateNoise(len = samplingRate * .25, noise = c(0, -40),
  rolloffNoise = c(4, -20), attackLen = 5, temperature = .25)
# playme(c(noise2, noise3), samplingRate)

## Not run:
playback = c(TRUE, FALSE, 'aplay', 'vlc')[2]
# 1.2 s of noise with rolloff changing from 0 to -12 dB above 2 kHz
noise = generateNoise(len = samplingRate * 1.2,
  rolloffNoise = c(0, -12), noiseFlatSpec = 2000,
  samplingRate = samplingRate, play = playback)
# spectrogram(noise, samplingRate, osc = TRUE)

# Similar, but using the dataframe format to specify a more complicated
# contour for rolloffNoise:
noise = generateNoise(len = samplingRate * 1.2,
  rolloffNoise = data.frame(time = c(0, .3, 1), value = c(-12, 0, -12)),
  noiseFlatSpec = 2000, samplingRate = samplingRate, play = playback)
# spectrogram(noise, samplingRate, osc = TRUE)

# To create a sibilant [s], specify a single strong, broad formant at ~7 kHz:
windowLength_points = 1024
spectralEnvelope = soundgen::getSpectralEnvelope(
  nr = windowLength_points / 2, nc = 1, samplingRate = samplingRate,
  formants = list('f1' = data.frame(time = 0, freq = 7000,
    amp = 50, width = 2000)))
noise = generateNoise(len = samplingRate,
  samplingRate = samplingRate, spectralEnvelope = as.numeric(spectralEnvelope),
  play = playback)
# plot(spectralEnvelope, type = 'l')

# Low-frequency, wind-like noise
spectralEnvelope = soundgen::getSpectralEnvelope(
  nr = windowLength_points / 2, nc = 1, lipRad = 0,
  samplingRate = samplingRate, formants = list('f1' = data.frame(
    time = 0, freq = 150, amp = 30, width = 90)))
noise = generateNoise(len = samplingRate,
  samplingRate = samplingRate, spectralEnvelope = as.numeric(spectralEnvelope),
  play = playback)

# Manual filter, e.g. for a kettle-like whistle (narrow-band noise)
spectralEnvelope = c(rep(0, 100), 120, rep(0, 100)) # any length is fine
# plot(spectralEnvelope, type = 'b') # notch filter at Nyquist / 2, here 4 kHz
noise = generateNoise(len = samplingRate, spectralEnvelope = spectralEnvelope,
  samplingRate = samplingRate, play = playback)

# Compare to a similar sound created with soundgen()
# (unvoiced only, a single formant at 4 kHz)
noise_s = soundgen(pitch = NULL,
  noise = data.frame(time = c(0, 1000), value = c(0, 0)),
  formants = list(f1 = data.frame(freq = 4000, amp = 80, width = 20)),
  play = playback)

```

```

# Use the spectral envelope of an existing recording (bleating of a sheep)
# (see also the same example with tonal source in ?addFormants)
data(sheep, package = 'seewave') # import a recording from seewave
sound_orig = as.numeric(sheep@left)
samplingRate = sheep@samp.rate
# playme(sound_orig, samplingRate)

# extract the original spectrogram
windowLength = c(5, 10, 50, 100)[1] # try both narrow-band (eg 100 ms)
# to get "harmonics" and wide-band (5 ms) to get only formants
spectralEnvelope = spectrogram(sound_orig, windowLength = windowLength,
  samplingRate = samplingRate, output = 'original', padWithSilence = FALSE)
sound_noise = generateNoise(len = length(sound_orig),
  spectralEnvelope = spectralEnvelope, rolloffNoise = 0,
  samplingRate = samplingRate, play = playback)
# playme(sound_noise, samplingRate)

# The spectral envelope is similar to the original recording. Compare:
par(mfrow = c(1, 2))
seewave::meanspec(sound_orig, f = samplingRate, dB = 'max0')
seewave::meanspec(sound_noise, f = samplingRate, dB = 'max0')
par(mfrow = c(1, 1))
# However, the excitation source is now white noise
# (which sounds like noise if windowLength is ~5-10 ms,
# but becomes more and more like the original at longer window lengths)

## End(Not run)

```

getEntropy

Entropy

Description

Returns Weiner or Shannon entropy of an input vector such as the spectrum of a sound. Non-positive input values are converted to a small positive number (convertNonPositive). If all elements are zero, returns NA.

Usage

```

getEntropy(x, type = c("weiner", "shannon")[1], normalize = FALSE,
  convertNonPositive = 1e-10)

```

Arguments

x	vector of positive floats
type	'shannon' for Shannon (information) entropy, 'weiner' for Weiner entropy

normalize if TRUE, Shannon entropy is normalized by the length of input vector to range from 0 to 1. It has no affect on Weiner entropy

convertNonPositive
 all non-positive values are converted to convertNonPositive

Examples

```
# Here are four simplified power spectra, each with 9 frequency bins:
s = list(
  c(rep(0, 4), 1, rep(0, 4)),      # a single peak in spectrum
  c(0, 0, 1, 0, 0, .75, 0, 0, .5), # perfectly periodic, with 3 harmonics
  rep(0, 9),                      # a silent frame
  rep(1, 9)                       # white noise
)

# Weiner entropy is ~0 for periodic, NA for silent, 1 for white noise
sapply(s, function(x) round(getEntropy(x), 2))

# Shannon entropy is ~0 for periodic with a single harmonic, moderate for
# periodic with multiple harmonics, NA for silent, highest for white noise
sapply(s, function(x) round(getEntropy(x, type = 'shannon'), 2))

# Normalized Shannon entropy - same but forced to be 0 to 1
sapply(s, function(x) round(getEntropy(x,
  type = 'shannon', normalize = TRUE), 2))
```

getIntegerRandomWalk *Discrete random walk*

Description

Takes a continuous random walk and converts it to continuous epochs of repeated values 0/1/2, each at least minLength points long. 0/1/2 correspond to different noise regimes: 0 = no noise, 1 = subharmonics, 2 = subharmonics and jitter/shimmer.

Usage

```
getIntegerRandomWalk(rw, nonlinBalance = 50, minLength = 50,
  q1 = NULL, q2 = NULL, plot = FALSE)
```

Arguments

rw a random walk generated by [getRandomWalk](#) (expected range 0 to 100)

nonlinBalance a number between 0 to 100: 0 = returns all zeros; 100 = returns all twos

minLength the minimum length of each epoch

q1, q2 cutoff points for transitioning from regime 0 to 1 (q1) or from regime 1 to 2 (q2). See [noiseThresholdsDict](#) for defaults

plot if TRUE, plots the random walk underlying nonlinear regimes

Value

Returns a vector of integers (0/1/2) of the same length as rw.

Examples

```
rw = getRandomWalk(len = 100, rw_range = 100, rw_smoothing = .2)
r = getIntegerRandomWalk(rw, nonlinBalance = 75,
    minLength = 10, plot = TRUE)
r = getIntegerRandomWalk(rw, nonlinBalance = 15,
    q1 = 30, q2 = 70,
    minLength = 10, plot = TRUE)
```

getLoudness

Get loudness

Description

Estimates subjective loudness per frame, in sone. Based on EMBSB speech quality measure, particularly the matlab code in Yang (1999) and Timoney et al. (2004). Note that there are many ways to estimate loudness and many other factors, ignored by this model, that could influence subjectively experienced loudness. Please treat the output with a healthy dose of skepticism! Also note that the absolute value of calculated loudness critically depends on the chosen "measured" sound pressure level (SPL). getLoudness estimates how loud a sound will be experienced if it is played back at an SPL of SPL_measured dB. The most meaningful way to use the output is to compare the loudness of several sounds analyzed with identical settings or of different segments within the same recording.

Usage

```
getLoudness(x, samplingRate = NULL, scale = NULL, windowLength = 50,
    step = NULL, overlap = 50, SPL_measured = 70, Pref = 2e-05,
    spreadSpectrum = TRUE, plot = TRUE, mar = c(5.1, 4.1, 4.1, 4.1),
    ...)
```

Arguments

x	path to a .wav or .mp3 file or a vector of amplitudes with specified samplingRate
samplingRate	sampling rate of x (only needed if x is a numeric vector, rather than an audio file), must be > 2000 Hz
scale	the maximum possible value of x (only needed if x is a numeric vector, rather than an audio file); defaults to observed max(abs(x)) if it is greater than 1 and to 1 otherwise
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %

SPL_measured	sound pressure level at which the sound is presented, dB
Pref	reference pressure, Pa
spreadSpectrum	if TRUE, applies a spreading function to account for frequency masking
plot	should a spectrogram be plotted? TRUE / FALSE
mar	margins of the spectrogram
...	other plotting parameters passed to spectrogram

Details

Algorithm: calibrates the sound to the desired SPL (Timoney et al., 2004), extracts a [spectrogram](#), converts to bark scale ([audspec](#)), spreads the spectrum to account for frequency masking across the critical bands (Yang, 1999), converts dB to phon by using standard equal loudness curves (ISO 226), converts phon to sone (Timoney et al., 2004), sums across all critical bands, and applies a correction coefficient to standardize output. Calibrated so as to return a loudness of 1 sone for a 1 kHz pure tone with SPL of 40 dB.

Value

Returns a list of length two:

specSone spectrum in sone: a matrix with frequency on the bark scale in rows and time (STFT frames) in columns

loudness a vector of loudness per STFT frame (sone)

References

- ISO 226 as implemented by Jeff Tackett (2005) on <https://www.mathworks.com/matlabcentral/fileexchange/7028-iso-226-equal-loudness-level-contour-signal>
- Timoney, J., Lysaght, T., Schoenwiesner, M., & MacManus, L. (2004). Implementing loudness models in matlab.
- Yang, W. (1999). Enhanced Modified Bark Spectral Distortion (EMBSD): An Objective Speech Quality Measure Based on Audible Distortion and Cognitive Model. Temple University.

See Also

[getLoudnessFolder](#) [getRMS](#) [analyze](#)

Examples

```
sounds = list(
  white_noise = runif(8000, -1, 1),
  white_noise2 = runif(8000, -1, 1) / 2, # ~6 dB quieter
  pure_tone_1kHz = sin(2*pi*1000/16000*(1:8000)) # pure tone at 1 kHz
)
loud = rep(0, length(sounds)); names(loud) = names(sounds)
for (i in 1:length(sounds)) {
  # playme(sounds[[i]], 16000)
```

```

l = getLoudness(
  x = sounds[[i]], samplingRate = 16000, scale = 1,
  windowLength = 20, step = NULL,
  overlap = 50, SPL_measured = 40,
  Pref = 2e-5, plot = FALSE)
loud[i] = mean(l$loudness)
}
loud
# white noise (sound 1) is twice as loud as pure tone at 1 KHz (sound 3),
# and note that the same white noise with lower amplitude has lower loudness
# (provided that "scale" is specified)
# compare: lapply(sounds, range)

## Not run:
s = soundgen()
l = getLoudness(s, SPL_measured = 70,
  samplingRate = 16000, plot = TRUE, osc = TRUE)
# The estimated loudness in some depends on target SPL
l = getLoudness(s, SPL_measured = 40,
  samplingRate = 16000, plot = TRUE)

# ...but not (much) on windowLength and samplingRate
l = getLoudness(soundgen(), SPL_measured = 40, windowLength = 50,
  samplingRate = 16000, plot = TRUE)

# input can be an audio file
getLoudness('~Downloads/temp/032_ut_anger_30-m-roar-curse.wav')

## End(Not run)

```

getLoudnessFolder *Loudness per folder*

Description

A wrapper around [getLoudness](#) that goes through all wav/mp3 files in a folder and returns either a list with loudness values per STFT frame from each file or, if `summary = TRUE`, a dataframe with a single summary value of loudness per file. This summary value can be mean, max and so on, as per `summaryFun`.

Usage

```

getLoudnessFolder(myfolder, windowLength = 50, step = NULL,
  overlap = 50, SPL_measured = 70, Pref = 2e-05,
  spreadSpectrum = TRUE, summary = TRUE, summaryFun = "mean",
  verbose = TRUE)

```

Arguments

myfolder	path to folder containing wav/mp3 files
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
SPL_measured	sound pressure level at which the sound is presented, dB
Pref	reference pressure, Pa
spreadSpectrum	if TRUE, applies a spreading function to account for frequency masking
summary	if TRUE, returns only a single value of loudness per file
summaryFun	the function used to summarize loudness values across all STFT frames (if summary = TRUE)
verbose	if TRUE, reports estimated time left

See Also

[getLoudness](#) [getRMS](#) [analyze](#)

Examples

```
## Not run:
getLoudnessFolder('~Downloads/temp')
# Compare:
analyzeFolder('~Downloads/temp', pitchMethods = NULL,
              plot = FALSE)$loudness_mean
# (per STFT frame; should be very similar, but not identical, because
# analyze() discards frames considered silent or too noisy)

# custom summaryFun
difRan = function(x) diff(range(x))
getLoudnessFolder('~Downloads/temp', summaryFun = c('mean', 'difRan'))

# save loudness values per frame without summarizing
l = getLoudnessFolder('~Downloads/temp', summary = FALSE)

## End(Not run)
```

getPrior

Get prior for pitch candidates

Description

Prior for adjusting the estimated pitch certainties in [analyze](#). For ex., if primarily working with speech, we could prioritize pitch candidates in the expected pitch range (100-1000 Hz) and dampen candidates with very high or very low frequency as unlikely but still remotely possible in everyday vocalizing contexts (think a soft pitch ceiling). Algorithm: the multiplier for each pitch candidate is the density of gamma distribution with mean = priorMean (Hz) and sd = priorSD (semitones) normalized so max = 1 over [pitchFloor, pitchCeiling]. Useful for previewing the prior given to [analyze](#).

Usage

```
getPrior(priorMean, priorSD, pitchFloor = 75, pitchCeiling = 3000,
         len = 100, plot = TRUE, pitchCands = NULL, ...)
```

Arguments

priorMean	specifies the mean (Hz) and standard deviation (semitones) of gamma distribution describing our prior knowledge about the most likely pitch values for this file. For ex., priorMean = 300, priorSD = 6 gives a prior with mean = 300 Hz and SD = 6 semitones (half an octave)
priorSD	specifies the mean (Hz) and standard deviation (semitones) of gamma distribution describing our prior knowledge about the most likely pitch values for this file. For ex., priorMean = 300, priorSD = 6 gives a prior with mean = 300 Hz and SD = 6 semitones (half an octave)
pitchFloor	absolute bounds for pitch candidates (Hz)
pitchCeiling	absolute bounds for pitch candidates (Hz)
len	the required length of output vector (resolution)
plot	if TRUE, plots the prior
pitchCands	a matrix of pitch candidate frequencies (for internal soundgen use)
...	additional graphical parameters passed on to plot()

Value

Returns a numeric vector of certainties of length len if pitchCands is NULL and a numeric matrix of the same dimensions as pitchCands otherwise.

See Also

[analyze_pitch_app](#)

Examples

```
soundgen:::getPrior(priorMean = 150, # Hz
                   priorSD = 2)     # semitones
soundgen:::getPrior(150, 6)
s = soundgen:::getPrior(450, 24, pitchCeiling = 6000)
plot(s)
```

getRMS *RMS amplitude per frame*

Description

Calculates root mean square (RMS) amplitude in overlapping frames, providing an envelope of RMS amplitude as a measure of sound intensity. Longer windows provide smoother, more robust estimates; shorter windows and more overlap improve temporal resolution, but they also increase processing time and make the contour less smooth.

Usage

```
getRMS(x, samplingRate = NULL, windowLength = 50, step = NULL,
       overlap = 75, killDC = FALSE, scale = NULL, normalize = TRUE,
       windowDC = 200, plot = TRUE, xlab = "Time, ms", ylab = "",
       type = "b", col = "blue", lwd = 2, ...)
```

Arguments

x	path to a .wav or .mp3 file or a vector of amplitudes with specified samplingRate
samplingRate	sampling rate of x (only needed if x is a numeric vector, rather than an audio file)
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
killDC	if TRUE, removed DC offset (see also flatEnv)
scale	maximum possible amplitude of input used for normalization (not needed for audio files)
normalize	if TRUE, RMS amplitude is normalized to [0, 1]
windowDC	the window for calculating DC offset, ms
plot	should a spectrogram be plotted? TRUE / FALSE
xlab, ylab	general graphical parameters
type, col, lwd	graphical parameters pertaining to the RMS envelope
...	other graphical parameters

Details

Note that you can also get similar estimates per frame from [analyze](#) on a normalized scale of 0 to 1, but `getRMS` is much faster, operates on the original scale, and plots the amplitude contour. If you need RMS for the entire sound instead of per frame, you can simply calculate it as $\sqrt{\text{mean}(x^2)}$, where x is your waveform. Having RMS estimates per frame gives more flexibility: RMS per sound can be calculated as the mean / median / max of RMS values per frame.

Value

Returns a numeric vector of RMS amplitudes per frame on the scale of input. Names give time stamps for the center of each frame, in ms.

See Also

[getRMSFolder](#) [analyzegetLoudness](#)

Examples

```
s = soundgen() + .1 # with added DC offset
plot(s, type = 'l')
r = getRMS(s, samplingRate = 16000,
  windowLength = 40, overlap = 50, killDC = TRUE,
  col = 'green', lty = 2, main = 'RMS envelope')
# short window = jagged envelope
r = getRMS(s, samplingRate = 16000,
  windowLength = 5, overlap = 0, killDC = TRUE,
  col = 'green', lty = 2, main = 'RMS envelope')
## Not run:
r = getRMS('~Downloads/temp/032_ut_anger_30-m-roar-curse.wav')

## End(Not run)
```

getRMSFolder

RMS amplitude per folder

Description

A wrapper around [getRMS](#) that goes through all wav/mp3 files in a folder and returns either a list with RMS values per frame from each file or, if `summary = TRUE`, a dataframe with a single summary value of RMS per file. This summary value can be mean, max and so on, as per `summaryFun`.

Usage

```
getRMSFolder(myfolder, windowLength = 50, step = NULL, overlap = 70,
  normalize = TRUE, killDC = FALSE, windowDC = 200, summary = TRUE,
  summaryFun = "mean", verbose = TRUE)
```

Arguments

myfolder	path to folder containing wav/mp3 files
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
normalize	if TRUE, RMS amplitude is normalized to [0, 1]
killDC	if TRUE, removed DC offset (see also flatEnv)

windowDC the window for calculating DC offset, ms
 summary if TRUE, returns only a single value of RMS per file
 summaryFun the function used to summarize RMS values across all frames (if summary = TRUE)
 verbose if TRUE, reports estimated time left

See Also

[getRMS](#) [analyzegetLoudness](#)

Examples

```

## Not run:
getRMSFolder('~Downloads/temp')
# Compare:
analyzeFolder('~Downloads/temp', pitchMethods = NULL,
              plot = FALSE)$ampl_mean
# (per STFT frame, but should be very similar)

User-defined summary functions:
difRan = function(x) diff(range(x))
getRMSFolder('~Downloads/temp', summaryFun = c('mean', 'difRan'))

meanSD = function(x) {
  paste0('mean = ', round(mean(x), 2), '; sd = ', round(sd(x), 2))
}
getRMSFolder('~Downloads/temp', summaryFun = 'meanSD')

## End(Not run)

```

getRolloff

Control rolloff of harmonics

Description

Harmonics are generated as separate sine waves. But we don't want each harmonic to be equally strong, so we normally specify some rolloff function that describes the loss of energy in upper harmonics relative to the fundamental frequency (f_0). [getRolloff](#) provides flexible control over this rolloff function, going beyond simple exponential decay ([rolloff](#)). Use quadratic terms to modify the behavior of a few lower harmonics, [rolloffOct](#) to adjust the rate of decay per octave, and [rolloffKHz](#) for rolloff correction depending on f_0 . Plot the output with different parameter values and see examples below and the vignette to get a feel for how to use [getRolloff](#) effectively.

Usage

```

getRolloff(pitch_per_gc = c(440), nHarmonics = NULL, rolloff = -6,
           rolloffOct = 0, rolloffParab = 0, rolloffParabHarm = 3,
           rolloffParabCeiling = NULL, rolloffKHz = 0, baseline = 200,
           dynamicRange = 80, samplingRate = 16000, plot = FALSE)

```

Arguments

pitch_per_gc	a vector of f0 per glottal cycle, Hz
nHarmonics	maximum number of harmonics to generate (very weak harmonics with amplitude < -dynamicRange will be discarded)
rolloff	basic rolloff from lower to upper harmonics, db/octave (exponential decay). All rolloff parameters are in anchor format. See getRolloff for more details
rolloffOct	basic rolloff changes from lower to upper harmonics (regardless of f0) by rolloffOct dB/oct. For example, we can get steeper rolloff in the upper part of the spectrum
rolloffParab	an optional quadratic term affecting only the first rolloffParabHarm harmonics. The middle harmonic of the first rolloffParabHarm harmonics is amplified or dampened by rolloffParab dB relative to the basic exponential decay
rolloffParabHarm	the number of harmonics affected by rolloffParab
rolloffParabCeiling	quadratic adjustment is applied only up to rolloffParabCeiling, Hz. If not NULL, it overrides rolloffParabHarm
rolloffKHz	rolloff changes linearly with f0 by rolloffKHz dB/kHz. For ex., -6 dB/kHz gives a 6 dB steeper basic rolloff as f0 goes up by 1000 Hz
baseline	The "neutral" f0, at which no adjustment of rolloff takes place regardless of rolloffKHz
dynamicRange	dynamic range, dB. Harmonics and noise more than dynamicRange under maximum amplitude are discarded to save computational resources
samplingRate	sampling rate (needed to stop at Nyquist frequency and for plotting purposes)
plot	if TRUE, produces a plot

Value

Returns a matrix of amplitude multiplication factors for adjusting the amplitude of harmonics relative to f0 (1 = no adjustment, 0 = silent). Each row of output contains one harmonic, and each column contains one glottal cycle.

See Also

[soundgen](#)

Examples

```
# steady exponential rolloff of -12 dB per octave
rolloff = getRolloff(pitch_per_gc = 150, rolloff = -12,
  rolloffOct = 0, rolloffKHz = 0, plot = TRUE)
# the rate of rolloff slows down by 1 dB each octave
rolloff = getRolloff(pitch_per_gc = 150, rolloff = -12,
  rolloffOct = 1, rolloffKHz = 0, plot = TRUE)

# rolloff can be made to depend on f0 using rolloffKHz
rolloff = getRolloff(pitch_per_gc = c(150, 400, 800),
```

```

    rolloffOct = 0, rolloffKHz = -3, plot = TRUE)
# without the correction for f0 (rolloffKHz),
# high-pitched sounds have the same rolloff as low-pitched sounds,
# producing unnaturally strong high-frequency harmonics
rolloff = getRolloff(pitch_per_gc = c(150, 400, 800),
    rolloffOct = 0, rolloffKHz = 0, plot = TRUE)

# parabolic adjustment of lower harmonics
rolloff = getRolloff(pitch_per_gc = 350, rolloffParab = 0,
    rolloffParabHarm = 2, plot = TRUE)
# rolloffParabHarm = 1 affects only f0
rolloff = getRolloff(pitch_per_gc = 150, rolloffParab = 30,
    rolloffParabHarm = 1, plot = TRUE)
# rolloffParabHarm=2 or 3 affects only h1
rolloff = getRolloff(pitch_per_gc = 150, rolloffParab = 30,
    rolloffParabHarm = 2, plot = TRUE)
# rolloffParabHarm = 4 affects h1 and h2, etc
rolloff = getRolloff(pitch_per_gc = 150, rolloffParab = 30,
    rolloffParabHarm = 4, plot = TRUE)
# negative rolloffParab weakens lower harmonics
rolloff = getRolloff(pitch_per_gc = 150, rolloffParab = -20,
    rolloffParabHarm = 7, plot = TRUE)
# only harmonics below 2000 Hz are affected
rolloff = getRolloff(pitch_per_gc = c(150, 600),
    rolloffParab = -20, rolloffParabCeiling = 2000,
    plot = TRUE)

# dynamic rolloff (varies over time)
rolloff = getRolloff(pitch_per_gc = c(150, 250),
    rolloff = c(-12, -18, -24), plot = TRUE)
rolloff = getRolloff(pitch_per_gc = c(150, 250), rolloffParab = 40,
    rolloffParabHarm = 1:5, plot = TRUE)

## Not run:
# Note: getRolloff() is called internally by soundgen()
# using the data.frame format for all vectorized parameters
# Compare:
s1 = soundgen(syllLen = 1000, pitch = 250,
    rolloff = c(-24, -2, -18), plot = TRUE)
s2 = soundgen(syllLen = 1000, pitch = 250,
    rolloff = data.frame(time = c(0, .2, 1),
        value = c(-24, -2, -18)),
    plot = TRUE)

# Also works for rolloffOct, rolloffParab, etc:
s3 = soundgen(syllLen = 1000, pitch = 250,
    rolloffParab = 20, rolloffParabHarm = 1:15, plot = TRUE)

## End(Not run)

```

Description

Returns a smooth contour based on an arbitrary number of anchors. Used by `soundgen` for generating intonation contour, mouth opening, etc. Note that pitch contours are treated as a special case: values are log-transformed prior to smoothing, so that with 2 anchors we get a linear transition on a log scale (as if we were operating with musical notes rather than frequencies in Hz). Pitch plots have two Y axes: one showing Hz and the other showing musical notation.

Usage

```
getSmoothContour(anchors = data.frame(time = c(0, 1), value = c(0, 1)),
  len = NULL, thisIsPitch = FALSE, normalizeTime = TRUE,
  interpol = c("approx", "spline", "loess")[3], discontThres = 0.05,
  jumpThres = 0.01, valueFloor = NULL, valueCeiling = NULL,
  plot = FALSE, main = "", xlim = NULL, ylim = NULL,
  samplingRate = 16000, voiced = NULL, contourLabel = NULL, ...)
```

Arguments

<code>anchors</code>	a numeric vector of values or a list/dataframe with one column (<code>value</code>) or two columns (<code>time</code> and <code>value</code>). <code>anchors\$time</code> can be in ms (with <code>len=NULL</code>) or in arbitrary units, eg 0 to 1 (with duration determined by <code>len</code> , which must then be provided in ms). So <code>anchors\$time</code> is assumed to be in ms if <code>len=NULL</code> and relative if <code>len</code> is specified. <code>anchors\$value</code> can be on any scale.
<code>len</code>	the required length of the output contour. If <code>NULL</code> , it will be calculated based on the maximum time value (in ms) and <code>samplingRate</code>
<code>thisIsPitch</code>	(boolean) is this a pitch contour? If true, log-transforms before smoothing and plots in both Hz and musical notation
<code>normalizeTime</code>	if <code>TRUE</code> , normalizes <code>anchors\$time</code> values to range from 0 to 1
<code>interpol</code>	the method of smoothing envelopes based on provided anchors: <code>'approx'</code> = linear interpolation, <code>'spline'</code> = cubic spline, <code>'loess'</code> (default) = polynomial local smoothing function. NB: this does not affect contours for "noise", "glottal", and the smoothing of formants
<code>discontThres</code>	if two anchors are closer in time than <code>discontThres</code> , the contour is broken into segments with a linear transition between these anchors; if anchors are closer than <code>jumpThres</code> , a new section starts with no transition at all (e.g. for adding pitch jumps)
<code>jumpThres</code>	if two anchors are closer in time than <code>discontThres</code> , the contour is broken into segments with a linear transition between these anchors; if anchors are closer than <code>jumpThres</code> , a new section starts with no transition at all (e.g. for adding pitch jumps)
<code>valueFloor, valueCeiling</code>	lower/upper bounds for the contour
<code>plot</code>	(boolean) produce a plot?
<code>main, xlim, ylim</code>	plotting options
<code>samplingRate</code>	sampling rate used to convert time values to points (Hz)

```
voiced, contourLabel
      graphical pars for plotting breathing contours (see examples below)
...      other plotting options passed to plot()
```

Value

Returns a numeric vector.

Examples

```
# long format: anchors are a dataframe
a = getSmoothContour(anchors = data.frame(
  time = c(50, 137, 300), value = c(0.03, 0.78, 0.5)),
  normalizeTime = FALSE,
  voiced = 200, valueFloor = 0, plot = TRUE, main = '',
  samplingRate = 16000) # breathing

# short format: anchors are a vector (equal time steps assumed)
a = getSmoothContour(anchors = c(350, 800, 600),
  len = 5500, thisIsPitch = TRUE, plot = TRUE,
  samplingRate = 3500) # pitch

# a single anchor gives constant value
a = getSmoothContour(anchors = 800,
  len = 500, thisIsPitch = TRUE, plot = TRUE, samplingRate = 500)

# two pitch anchors give loglinear F0 change
a = getSmoothContour(anchors = c(220, 440),
  len = 500, thisIsPitch = TRUE, plot = TRUE, samplingRate = 500)

## Two closely spaced anchors produce a pitch jump
# one loess for the entire contour
a1 = getSmoothContour(anchors = list(time = c(0, .15, .2, .7, 1),
  value = c(360, 116, 550, 700, 610)), len = 500, thisIsPitch = TRUE,
  plot = TRUE, samplingRate = 500)
# two segments with a linear transition
a2 = getSmoothContour(anchors = list(time = c(0, .15, .17, .7, 1),
  value = c(360, 116, 550, 700, 610)), len = 500, thisIsPitch = TRUE,
  plot = TRUE, samplingRate = 500)
# two segments with an abrupt jump
a3 = getSmoothContour(anchors = list(time = c(0, .15, .155, .7, 1),
  value = c(360, 116, 550, 700, 610)), len = 500, thisIsPitch = TRUE,
  plot = TRUE, samplingRate = 500)
# compare:
plot(a2)
plot(a3) # NB: the segment before the jump is upsampled to compensate
```


Description

Prepares a spectral envelope for filtering a sound to add formants, lip radiation, and some stochastic component regulated by temperature. Formants are specified as a list containing time, frequency, amplitude, and width values for each formant (see examples). See vignette('sound_generation', package = 'soundgen') for more information.

Usage

```
getSpectralEnvelope(nr, nc, formants = NA, formantDep = 1,
  formantWidth = 1, lipRad = 6, noseRad = 4, mouth = NA,
  interpol = c("approx", "spline", "loess")[3], mouthOpenThres = 0.2,
  openMouthBoost = 0, vocalTract = NULL, temperature = 0.05,
  formDrift = 0.3, formDisp = 0.2, formantDepStoch = 20,
  smoothLinearFactor = 1, samplingRate = 16000, speedSound = 35400,
  plot = FALSE, duration = NULL, colorTheme = c("bw", "seewave",
  "...")[1], nCols = 100, xlab = "Time", ylab = "Frequency, kHz",
  ...)
```

Arguments

nr	the number of frequency bins = $\text{windowLength_points}/2$, where $\text{windowLength_points}$ is the size of window for Fourier transform
nc	the number of time steps for Fourier transform
formants	a character string like "aau" referring to default presets for speaker "M1"; a vector of formant frequencies; or a list of formant times, frequencies, amplitudes, and bandwidths, with a single value of each for static or multiple values of each for moving formants. <code>formants = NA</code> defaults to schwa. Time stamps for formants and <code>mouthOpening</code> can be specified in ms or an any other arbitrary scale.
formantDep	scale factor of formant amplitude (1 = no change relative to amplitudes in formants)
formantWidth	= scale factor of formant bandwidth (1 = no change)
lipRad	the effect of lip radiation on source spectrum, dB/oct (the default of +6 dB/oct produces a high-frequency boost when the mouth is open)
noseRad	the effect of radiation through the nose on source spectrum, dB/oct (the alternative to <code>lipRad</code> when the mouth is closed)
mouth	mouth opening (0 to 1, 0.5 = neutral, i.e. no modification) (anchor format)
interpol	the method of smoothing envelopes based on provided mouth anchors: 'approx' = linear interpolation, 'spline' = cubic spline, 'loess' (default) = polynomial local smoothing function. NB: this does NOT affect the smoothing of formant anchors
mouthOpenThres	open the lips (switch from nose radiation to lip radiation) when the mouth is open > <code>mouthOpenThres</code> , 0 to 1
openMouthBoost	amplify the voice when the mouth is open by <code>openMouthBoost</code> dB
vocalTract	the length of vocal tract, cm. Used for calculating formant dispersion (for adding extra formants) and formant transitions as the mouth opens and closes. If NULL or NA, the length is estimated based on specified formant frequencies (if any)

temperature	hyperparameter for regulating the amount of stochasticity in sound generation
formDrift	scale factor regulating the effect of temperature on the depth of random drift of all formants (user-defined and stochastic): the higher, the more formants drift at a given temperature
formDisp	scale factor regulating the effect of temperature on the irregularity of the dispersion of stochastic formants: the higher, the more unevenly stochastic formants are spaced at a given temperature
formantDepStoch	the amplitude of additional formants added above the highest specified formant (only if temperature > 0)
smoothLinearFactor	regulates smoothing of formant anchors (0 to +Inf) as they are upsampled to the number of fft steps nc. This is necessary because the input formants normally contains fewer sets of formant values than the number of fft steps. smoothLinearFactor = 0: close to default spline; >3: approaches linear extrapolation
samplingRate	sampling frequency, Hz
speedSound	speed of sound in warm air, cm/s. Stevens (2000) "Acoustic phonetics", p. 138
plot	if TRUE, produces a plot of the spectral envelope
duration	duration of the sound, ms (for plotting purposes only)
colorTheme	black and white ('bw'), as in seewave package ('seewave'), or another color theme (e.g. 'heat.colors')
nCols	number of colors in the palette
xlab, ylab	labels of axes
...	other graphical parameters passed on to image()

Value

Returns a spectral filter (matrix nr x nc, where nr is the number of frequency bins and nc is the number of time steps). Accordingly, rownames of the output give central frequency of each bin (in kHz), while colnames give time values (in ms if duration is specified, otherwise 0 to 1).

Examples

```
# [a] with F1-F3 visible
e = getSpectralEnvelope(nr = 512, nc = 50, duration = 300,
  formants = soundgen:::convertStringToFormants('a'),
  temperature = 0, plot = TRUE)
# image(t(e)) # to plot the output on a linear scale instead of dB

# some "wiggling" of specified formants plus extra formants on top
e = getSpectralEnvelope(nr = 512, nc = 50,
  formants = soundgen:::convertStringToFormants('a'),
  temperature = 0.1, formantDepStoch = 20, plot = TRUE)

# a schwa based on the length of vocal tract = 15.5 cm
e = getSpectralEnvelope(nr = 512, nc = 50, formants = NA,
  temperature = .1, vocalTract = 15.5, plot = TRUE)
```

```

# no formants at all, only lip radiation
e = getSpectralEnvelope(nr = 512, nc = 50,
  formants = NA, temperature = 0, plot = TRUE)

# mouth opening
e = getSpectralEnvelope(nr = 512, nc = 50,
  vocalTract = 16, plot = TRUE, lipRad = 6, noseRad = 4,
  mouth = data.frame(time = c(0, .5, 1), value = c(0, 0, .5)))

# scale formant amplitude and/or bandwidth
e = getSpectralEnvelope(nr = 512, nc = 50,
  formants = soundgen::convertStringToFormants('a'),
  formantWidth = 2, formantDep = .5,
  temperature = 0, plot = TRUE)

# manual specification of formants
e = getSpectralEnvelope(nr = 512, nc = 50, plot = TRUE, samplingRate = 16000,
  formants = list(f1 = data.frame(time = c(0, 1), freq = c(900, 500),
    amp = 20, width = c(80, 50)),
    f2 = data.frame(time = c(0, 1), freq = c(1200, 2500),
    amp = 20, width = 100),
    f3 = data.frame(time = 0, freq = 2900,
    amp = 20, width = 120)))

```

 HzToSemitones

Convert Hz to semitones

Description

Converts from Hz to semitones above C-5 (~0.5109875 Hz). This may not seem very useful, but note that this gives us a nice logarithmic scale for generating natural pitch transitions with the added benefit of getting musical notation for free from notesDict (see examples).

Usage

```
HzToSemitones(h, ref = 0.5109875)
```

Arguments

h	vector or matrix of frequencies (Hz)
ref	frequency of the reference value (defaults to C-5, 0.51 Hz)

See Also

[semitonesToHz](#)

Examples

```
s = HzToSemitones(c(440, 293, 115))
# to convert to musical notation
notesDict$note[1 + round(s)]
# note the "1 +": semitones ABOVE C-5, i.e. notesDict[1, ] is C-5
```

matchPars	<i>Match soundgen pars (experimental)</i>
-----------	---

Description

Attempts to find settings for [soundgen](#) that will reproduce an existing sound. The principle is to mutate control parameters, trying to improve fit to target. The currently implemented optimization algorithm is simple hill climbing. Disclaimer: this function is experimental and may or may not work for particular tasks. It is intended as a supplement to - not replacement of - manual optimization. See `vignette("sound_generation", package = "soundgen")` for more information.

Usage

```
matchPars(target, samplingRate = NULL, pars = NULL, init = NULL,
  method = c("cor", "cosine", "pixel", "dtw"), probMutation = 0.25,
  stepVariance = 0.1, maxIter = 50, minExpectedDelta = 0.001,
  windowLength = 40, overlap = 50, step = NULL, verbose = TRUE,
  padWith = NA, penalizeLengthDif = TRUE, dynamicRange = 80,
  maxFreq = NULL)
```

Arguments

target	the sound we want to reproduce using soundgen: path to a .wav file or numeric vector
samplingRate	sampling rate of target (only needed if target is a numeric vector, rather than a .wav file)
pars	arguments to soundgen that we are attempting to optimize
init	a list of initial values for the optimized parameters pars and the values of other arguments to soundgen that are fixed at non-default values (if any)
method	method of comparing mel-transformed spectra of two sounds: "cor" = average Pearson's correlation of mel-transformed spectra of individual FFT frames; "cosine" = same as "cor" but with cosine similarity instead of Pearson's correlation; "pixel" = absolute difference between each point in the two spectra; "dtw" = discrete time warp with dtw
probMutation	the probability of a parameter mutating per iteration
stepVariance	scale factor for calculating the size of mutations
maxIter	maximum number of mutated sounds produced without improving the fit to target

minExpectedDelta	minimum improvement in fit to target required to accept the new sound candidate
windowLength	length of FFT window, ms
overlap	overlap between successive FFT frames, %
step	you can override overlap by specifying FFT step, ms
verbose	if TRUE, plays back the accepted candidate at each iteration and reports the outcome
padWith	compared spectra are padded with either silence (padWith = 0) or with NA's (padWith = NA) to have the same number of columns. When the sounds are of different duration, padding with zeros rather than NA's improves the fit to target measured by method = 'pixel' and 'dtw', but it has no effect on 'cor' and 'cosine'.
penalizeLengthDif	if TRUE, sounds of different length are considered to be less similar; if FALSE, only the overlapping parts of two sounds are compared
dynamicRange	parts of the spectra quieter than -dynamicRange dB are not compared
maxFreq	parts of the spectra above maxFreq Hz are not compared

Value

Returns a list of length 2: \$history contains the tried parameter values together with their fit to target (\$history\$sim), and \$pars contains a list of the final - hopefully the best - parameter settings.

Examples

```

playback = c(TRUE, FALSE)[2] # set to TRUE to play back the audio from examples

target = soundgen(repeatBout = 3, sylLen = 120, pauseLen = 70,
  pitch = c(300, 200), rolloff = -5, play = playback)
# we hope to reproduce this sound

## Not run:
# Match pars based on acoustic analysis alone, without any optimization.
# This *MAY* match temporal structure, pitch, and stationary formants
m1 = matchPars(target = target,
  samplingRate = 16000,
  maxIter = 0, # no optimization, only acoustic analysis
  verbose = playback)
cand1 = do.call(soundgen, c(m1$pars, list(play = playback, temperature = 0.001)))

# Try to improve the match by optimizing rolloff
# (this may take a few minutes to run, and the results may vary)
m2 = matchPars(target = target,
  samplingRate = 16000,
  pars = 'rolloff',
  maxIter = 100,
  verbose = playback)

```

```
# rolloff should be moving from default (-9) to target (-5):
sapply(m2$history, function(x) x$pars$rolloff)
cand2 = do.call(soundgen, c(m2$pars, list(play = playback, temperature = 0.001)))

## End(Not run)
```

modulationSpectrum *Modulation spectrum*

Description

Produces a modulation spectrum of waveform(s) or audio file(s), with temporal modulation along the X axis (Hz) and spectral modulation (1/KHz) along the Y axis. A good visual analogy is decomposing the spectrogram into a sum of ripples of various frequencies and directions. Algorithm: prepare a [spectrogram](#), take its logarithm (if `logSpec = TRUE`), center, perform a 2D Fourier transform (see also `spec.fft()` in the "spectral" package), take the upper half of the resulting symmetric matrix, and raise it to `power = 2`. The result is returned as `$original`. Roughness is calculated as the proportion of energy / amplitude of the modulation spectrum within `roughRange` of temporal modulation frequencies. By default, the modulation matrix is then smoothed with Gaussian blur (see [gaussianSmooth2D](#)) and log-warped (if `logWarp` is a positive number) prior to plotting. This processed modulation spectrum is returned as `$processed`. For multiple inputs, such as a list of waveforms or path to a folder with audio files, the ensemble of modulation spectra is interpolated to the same spectral and temporal resolution and averaged. This is different from the behavior of [modulationSpectrumFolder](#), which produces a separate modulation spectrum per file, without averaging.

Usage

```
modulationSpectrum(x, samplingRate = NULL, maxDur = 5,
  logSpec = FALSE, windowLength = 25, step = NULL, overlap = 80,
  wn = "gaussian", zp = 0, power = 1, roughRange = c(30, 150),
  plot = TRUE, savePath = NA, logWarp = 2, quantiles = c(0.5, 0.8,
  0.9), kernelSize = 5, kernelSD = 0.5, colorTheme = c("bw",
  "seewave", "heat.colors", "...")[1], xlab = "Hz", ylab = "1/KHz",
  main = NULL, width = 900, height = 500, units = "px", res = NA,
  ...)
```

Arguments

<code>x</code>	folder, path to a wav/mp3 file, a numeric vector representing a waveform, or a list of numeric vectors
<code>samplingRate</code>	sampling rate of <code>x</code> (only needed if <code>x</code> is a numeric vector, rather than an audio file). For a list of sounds, give either one <code>samplingRate</code> (the same for all) or as many values as there are input files
<code>maxDur</code>	maximum allowed duration of a single sound, <code>s</code> (longer sounds are split)
<code>logSpec</code>	if <code>TRUE</code> , the spectrogram is log-transformed prior to taking 2D FFT

windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
wn	window type: gaussian, hanning, hamming, bartlett, rectangular, blackman, flat-top
zp	window length after zero padding, points
power	raise modulation spectrum to this power (eg power = 2 for ^2, or "power spectrum")
roughRange	the range of temporal modulation frequencies that constitute the "roughness" zone, Hz
plot	if TRUE, plots the modulation spectrum
savePath	if a valid path is specified, a plot is saved in this folder (defaults to NA)
logWarp	the base of log for warping the modulation spectrum (ie log2 if logWarp = 2); set to NULL or NA if you don't want to log-warp
quantiles	labeled contour values, % (e.g., "50" marks regions that contain 50% of the sum total of the entire modulation spectrum)
kernelSize	the size of Gaussian kernel used for smoothing (1 = no smoothing)
kernelSD	the SD of Gaussian kernel used for smoothing, relative to its size
colorTheme	black and white ('bw'), as in seewave package ('seewave'), or any palette from palette such as 'heat.colors', 'cm.colors', etc
xlab, ylab, main	graphical parameters
width, height, units, res	parameters passed to png if the plot is saved
...	other graphical parameters passed on to filled.contour.mod and contour (see spectrogram)

Value

Returns a list with three components:

- \$original modulation spectrum prior to blurring and log-warping, but after squaring if power = TRUE, a matrix of nonnegative values. Rownames are temporal modulation frequencies (Hz), and colnames are spectral modulation frequencies (cycles/KHz).
- \$processed modulation spectrum after blurring and log-warping
- \$roughness proportion of energy / amplitude of the modulation spectrum within roughRange of temporal modulation frequencies, %

References

- Singh, N. C., & Theunissen, F. E. (2003). Modulation spectra of natural sounds and ethological theories of auditory processing. *The Journal of the Acoustical Society of America*, 114(6), 3394-3411.

See Also

[modulationSpectrumFolder spectrogram](#)

Examples

```
# white noise
ms = modulationSpectrum(runif(16000), samplingRate = 16000,
  logSpec = FALSE, power = TRUE, logWarp = NULL)

# harmonic sound
s = soundgen()
ms = modulationSpectrum(s, samplingRate = 16000,
  logSpec = FALSE, power = TRUE, logWarp = NULL)

# embellish
ms = modulationSpectrum(s, samplingRate = 16000,
  xlab = 'Temporal modulation, Hz', ylab = 'Spectral modulation, 1/KHz',
  colorTheme = 'heat.colors', main = 'Modulation spectrum', lty = 3)
## Not run:
# Input can also be a list of waveforms (numeric vectors)
ss = vector('list', 10)
for (i in 1:length(ss)) {
  ss[[i]] = soundgen(syllLen = runif(1, 100, 1000), temperature = .4,
    pitch = runif(3, 400, 600))
}
# lapply(ss, playme)
ms = modulationSpectrum(ss[[1]], samplingRate = 16000) # the first sound
ms = modulationSpectrum(ss, samplingRate = 16000) # all 10 sounds

# As with spectrograms, there is a tradeoff in time-frequency resolution
s = soundgen(pitch = 500, amFreq = 50, amDep = 100, samplingRate = 44100)
# playme(s, samplingRate = 44100)
ms = modulationSpectrum(s, samplingRate = 44100,
  windowLength = 50, overlap = 0) # poor temporal resolution
ms = modulationSpectrum(s, samplingRate = 44100,
  windowLength = 5, overlap = 80) # poor frequency resolution
ms = modulationSpectrum(s, samplingRate = 44100,
  windowLength = 15, overlap = 80) # a reasonable compromise

# customize the plot
ms = modulationSpectrum(s, samplingRate = 44100,
  kernelSize = 17, # more smoothing
  xlim = c(-20, 20), ylim = c(0, 4), # zoom in on the central region
  quantiles = c(.25, .5, .8), # customize contour lines
  colorTheme = 'heat.colors', # alternative palette
  logWarp = NULL, # don't log-warp the modulation spectrum
  power = 2) # ^2
# NB: xlim/ylim currently won't work properly with logWarp on

# Input can be a wav/mp3 file
ms = modulationSpectrum('~Downloads/temp/200_ut_fear-bungee_11.wav')
```



```

# Input can be path to folder with audio files (average modulation spectrum)
ms = modulationSpectrum('~Downloads/temp/', kernelSize = 11)
# NB: longer files will be split into fragments <maxDur in length

# "power = 2" returns squared modulation spectrum - note that this affects
the roughness measure!
# A sound with ~3 syllables per second and only downsweeps in F0 contour
s = soundgen(nSyl = 8, sylLen = 200, pauseLen = 100, pitch = c(300, 200))
# playme(s)
ms = modulationSpectrum(s, samplingRate = 16000, maxDur = .5,
  xlim = c(-25, 25), colorTheme = 'seewave', logWarp = NULL,
  power = 2)
# note the asymmetry b/c of downsweeps
ms$roughness
# compare:
modulationSpectrum(s, samplingRate = 16000, maxDur = .5,
  xlim = c(-25, 25), colorTheme = 'seewave', logWarp = NULL,
  power = 1)$roughness # much higher roughness

# Plotting with or without log-warping the modulation spectrum:
ms = modulationSpectrum(soundgen(), samplingRate = 16000,
  logWarp = NA, plot = T)
ms = modulationSpectrum(soundgen(), samplingRate = 16000,
  logWarp = 2, plot = T)
ms = modulationSpectrum(soundgen(), samplingRate = 16000,
  logWarp = 4.5, plot = T)

# logWarp and kernelSize have no effect on roughness
# because it is calculated before these transforms:
modulationSpectrum(s, samplingRate = 16000, logWarp = 5)$roughness
modulationSpectrum(s, samplingRate = 16000, logWarp = NA)$roughness
modulationSpectrum(s, samplingRate = 16000, kernelSize = 17)$roughness

# Log-transform the spectrogram prior to 2D FFT (affects roughness):
ms = modulationSpectrum(soundgen(), samplingRate = 16000, logSpec = FALSE)
ms = modulationSpectrum(soundgen(), samplingRate = 16000, logSpec = TRUE)

## End(Not run)

```

modulationSpectrumFolder

Modulation spectrum per folder

Description

Extracts modulation spectra of all wav/mp3 files in a folder - separately for each file, without averaging. Good for saving plots of the modulation spectra and/or measuring the roughness of multiple files. See [modulationSpectrum](#) for further details.

Usage

```
modulationSpectrumFolder(myfolder, summary = TRUE, htmlPlots = TRUE,
  verbose = TRUE, maxDur = 5, logSpec = FALSE, windowLength = 25,
  step = NULL, overlap = 80, wn = "gaussian", zp = 0, power = 1,
  roughRange = c(30, 150), plot = FALSE, savePlots = FALSE,
  logWarp = 2, quantiles = c(0.5, 0.8, 0.9), kernelSize = 5,
  kernelSD = 0.5, colorTheme = c("bw", "seewave", "...")[1],
  xlab = "Hz", ylab = "1/KHz", width = 900, height = 500,
  units = "px", res = NA, ...)
```

Arguments

myfolder	full path to target folder
summary	if TRUE, returns only a summary of the measured acoustic variables (mean, median and SD). If FALSE, returns a list containing frame-by-frame values
htmlPlots	if TRUE, saves an html file with clickable plots
verbose	if TRUE, reports progress and estimated time left
maxDur	maximum allowed duration of a single sound, s (longer sounds are split)
logSpec	if TRUE, the spectrogram is log-transformed prior to taking 2D FFT
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
wn	window type: gaussian, hanning, hamming, bartlett, rectangular, blackman, flat-top
zp	window length after zero padding, points
power	raise modulation spectrum to this power (eg power = 2 for ^2, or "power spectrum")
roughRange	the range of temporal modulation frequencies that constitute the "roughness" zone, Hz
plot	if TRUE, produces a spectrogram with pitch contour overlaid
savePlots	if TRUE, saves plots as .png files
logWarp	the base of log for warping the modulation spectrum (ie log2 if logWarp = 2); set to NULL or NA if you don't want to log-warp
quantiles	labeled contour values, % (e.g., "50" marks regions that contain 50% of the sum total of the entire modulation spectrum)
kernelSize	the size of Gaussian kernel used for smoothing (1 = no smoothing)
kernelSD	the SD of Gaussian kernel used for smoothing, relative to its size
colorTheme	black and white ('bw'), as in seewave package ('seewave'), or any palette from palette such as 'heat.colors', 'cm.colors', etc
xlab	plotting parameters
ylab	plotting parameters

width	parameters passed to png if the plot is saved
height	parameters passed to png if the plot is saved
units	parameters passed to png if the plot is saved
res	parameters passed to png if the plot is saved
...	other graphical parameters passed to spectrogram

Value

If `summary` is `TRUE`, returns a dataframe with just the roughness measure per audio file. If `summary` is `FALSE`, returns a list with the actual modulation spectra.

See Also

[modulationSpectrum](#)

Examples

```
## Not run:
ms = modulationSpectrumFolder('~Downloads/temp', savePlots = TRUE, kernelSize = 15)

## End(Not run)
```

morph	<i>Morph sounds</i>
-------	---------------------

Description

Takes two formulas for synthesizing two target sounds with [soundgen](#) and produces a number of intermediate forms (morphs), attempting to go from one target sound to the other in a specified number of equal steps. Normally you will want to set `temperature` very low; the `tempEffects` argument is not supported.

Usage

```
morph(formula1, formula2, nMorphs, playMorphs = TRUE, savePath = NA,
       samplingRate = 16000)
```

Arguments

<code>formula1, formula2</code>	lists of parameters for calling soundgen that produce the two target sounds between which morphing will occur. Character strings containing the full call to soundgen are also accepted (see examples)
<code>nMorphs</code>	the number of morphs to produce, including target sounds
<code>playMorphs</code>	if <code>TRUE</code> , the morphs will be played
<code>savePath</code>	if it is the path to an existing directory, morphs will be saved there as individual <code>.wav</code> files (defaults to <code>NA</code>)
<code>samplingRate</code>	sampling rate of output, Hz. NB: overrides the values in <code>formula1</code> and <code>formula2</code>

Value

A list of two sublists (`$formulas` and `$sounds`), each of length `nMorphs`. For ex., the formula for the second hybrid is `m$formulas[[2]]`, and the waveform is `m$sounds[[2]]`

See Also

[soundgen](#)

Examples

```
# write two formulas or copy-paste them from soundgen_app() or presets:
playback = c(TRUE, FALSE)[2]
# [a] to barking
m = morph(formula1 = list(repeatBout = 2),
          # equivalently: formula1 = 'soundgen(repeatBout = 2)',
          formula2 = presets$Misc$Dog_bark,
          nMorphs = 5, playMorphs = playback)
# use $formulas to access formulas for each morph, $sounds for waveforms
# m$formulas[[4]]
# playme(m$sounds[[3]])

## Not run:
# morph intonation and vowel quality
m = morph(
  'soundgen(pitch = c(300, 250, 400), formants = c(350, 2900, 3600, 4700))',
  'soundgen(pitch = c(300, 700, 500, 300), formants = c(800, 1250, 3100, 4500))',
  nMorphs = 5, playMorphs = playback
)

# from a grunt of disgust to a moan of pleasure
m = morph(
  formula1 = 'soundgen(syllLen = 180, pitch = c(160, 160, 120), rolloff = -12,
    nonlinBalance = 70, subFreq = 75, subDep = 35, jitterDep = 2,
    formants = c(550, 1200, 2100, 4300, 4700, 6500, 7300),
    noise = data.frame(time = c(0, 180, 270), value = c(-25, -25, -40)),
    rolloffNoise = 0)',
  formula2 = 'soundgen(syllLen = 320, pitch = c(340, 330, 300),
    rolloff = c(-18, -16, -30), ampl = c(0, -10), formants = c(950, 1700, 3700),
    noise = data.frame(time = c(0, 300, 440), value = c(-35, -25, -65)),
    mouth = c(.4, .5), rolloffNoise = -5, attackLen = 30)',
  nMorphs = 8, playMorphs = playback
)

# from scream_010 to moan_515b
# (see online demos at http://cogsci.se/soundgen/humans/humans.html)
m = morph(
  formula1 = "soundgen(
    syllLen = 490,
    pitch = list(time = c(0, 80, 250, 370, 490),
    value = c(1000, 2900, 3200, 2900, 1000)),
    rolloff = c(-5, 0, -25), rolloffKHz = 0,
    temperature = 0.001,
```

```

    nonlinBalance = 100, subDep = 0,
    jitterDep = c(.5, 1, 0), shimmerDep = c(5, 15, 0),
    formants = c(1100, 2300, 3100, 4000, 5300, 6200),
    mouth = c(.3, .5, .6, .5, .3))",
formula2 = "soundgen(syllLen = 520,
pitch = c(300, 310, 300),
ampl = c(0, -30),
temperature = 0.001, rolloff = c(-18, -25),
nonlinBalance = 100, jitterDep = .05, shimmerDep = 2, subDep = 0,
formants = list(f1 = c(700, 900),
    f2 = c(1600, 1400),
    f3 = c(3600, 3500), f4 = c(4300, 4200)),
mouth = c(.5, .3),
noise = data.frame(time = c(0, 400, 660),
value = c(-20, -10, -60)),
rolloffNoise = c(-5, -15))",
nMorphs = 5, playMorphs = playback
)

## End(Not run)

```

normalizeFolder	<i>Normalize folder</i>
-----------------	-------------------------

Description

Normalizes the amplitude of all wav/mp3 files in a folder based on their peak or RMS amplitude or subjective loudness. This is good for playback experiments, which require that all sounds should have similar intensity or loudness.

Usage

```

normalizeFolder(myfolder, type = c("peak", "rms", "loudness")[1],
maxAmp = 0, summaryFun = "mean", windowLength = 50, step = NULL,
overlap = 70, killDC = FALSE, windowDC = 200, savepath = NULL,
verbose = TRUE)

```

Arguments

myfolder	path to folder containing wav/mp3 files
type	normalize so the output files has the same peak amplitude ('peak'), root mean square amplitude ('rms'), or subjective loudness in sone ('loudness')
maxAmp	maximum amplitude in dB (0 = max possible, -10 = 10 dB below max possible, etc.)
summaryFun	should the output files have the same mean / median / max etc rms amplitude or loudness? (summaryFun has no effect if type = 'peak')
windowLength	length of FFT window, ms

step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
killDC	if TRUE, removed DC offset (see also flatEnv)
windowDC	the window for calculating DC offset, ms
savepath	full path to where the normalized files should be saved (defaults to '/normalized')
verbose	if TRUE, reports estimated time left

Details

Algorithm: first all files are rescaled to have the same peak amplitude of maxAmp dB. If type = 'peak', the process ends here. If type = 'rms', there are two additional steps. First the original RMS amplitude of all files is calculated per frame by [getRMS](#). The "quietest" sound with the lowest summary RMS value is not modified, so its peak amplitude remains maxAmp dB. All the remaining sounds are rescaled linearly, so that their summary RMS values becomes the same as that of the "quietest" sound, and their peak amplitudes become smaller, <maxAmp. Finally, if type = 'loudness', the subjective loudness of each sound is estimated by [getLoudness](#), which assumes frequency sensitivity typical of human hearing. The following normalization procedure is similar to that for type = 'rms'.

See Also

[getRMS](#) [analyze](#) [getLoudness](#)

Examples

```
## Not run:
# put a few short audio files in a folder, eg '~/Downloads/temp'
getRMSFolder '~/Downloads/temp', summaryFun = 'mean' # different
normalizeFolder '~/Downloads/temp', type = 'rms', summaryFun = 'mean',
  savepath = '~/Downloads/temp/normalized')
getRMSFolder '~/Downloads/temp/normalized', summaryFun = 'mean' # same
# If the saved audio files are treated as stereo with one channel missing,
# try reconverting with ffmpeg (saving is handled by tuneR::writeWave)

## End(Not run)
```

notesDict

Conversion table from Hz to musical notation

Description

A dataframe of 192 rows and 2 columns: "note" and "freq" (Hz). Range: C-5 (0.51 Hz) to B10 (31608.53 Hz)

Usage

notesDict

Format

An object of class `data.frame` with 192 rows and 2 columns.

optimizePars	<i>Optimize parameters for acoustic analysis</i>
--------------	--

Description

This customized wrapper for `optim` attempts to optimize the parameters of `segmentFolder` or `analyzeFolder` by comparing the results with a manually annotated "key". This optimization function uses a single measurement per audio file (e.g., median pitch or the number of syllables). For other purposes, you may want to adapt the optimization function so that the key specifies the exact timing of syllables, their median length, frame-by-frame pitch values, or any other characteristic that you want to optimize for. The general idea remains the same, however: we want to tune function parameters to fit our type of audio and research priorities. The default settings of `segmentFolder` and `analyzeFolder` have been optimized for human non-linguistic vocalizations.

Usage

```
optimizePars(myfolder, key, myfun, pars, bounds = NULL, fitnessPar,
  fitnessFun = function(x) 1 - cor(x, key, use =
    "pairwise.complete.obs"), nIter = 10, init = NULL, initSD = 0.2,
  control = list(maxit = 50, reltol = 0.01, trace = 0),
  otherPars = list(plot = FALSE, verbose = FALSE), mygrid = NULL,
  verbose = TRUE)
```

Arguments

myfolder	path to where the .wav files live
key	a vector containing the "correct" measurement that we are aiming to reproduce
myfun	the function being optimized: either 'segmentFolder' or 'analyzeFolder' (in quotes)
pars	names of arguments to myfun that should be optimized
bounds	a list setting the lower and upper boundaries for possible values of optimized parameters. For ex., if we optimize <code>smooth</code> and <code>smoothOverlap</code> , reasonable bounds might be <code>list(low = c(5, 0), high = c(500, 95))</code>
fitnessPar	the name of output variable that we are comparing with the key, e.g. 'nBursts' or 'pitch_median'
fitnessFun	the function used to evaluate how well the output of myfun fits the key. Defaults to <code>1 - Pearson's correlation</code> (i.e. 0 is perfect fit, 1 is awful fit). For pitch, log scale is more meaningful, so a good fitness criterion is <code>"function(x) 1 - cor(log(x), log(key), use = 'pairwise.complete.obs')"</code>
nIter	repeat the optimization several times to check convergence

<code>init</code>	initial values of optimized parameters (if NULL, the default values are taken from the definition of <code>myfun</code>)
<code>initSD</code>	each optimization begins with a random seed, and <code>initSD</code> specifies the SD of normal distribution used to generate random deviation of initial values from the defaults
<code>control</code>	a list of control parameters passed on to <code>optim</code> . The method used is "Nelder-Mead"
<code>otherPars</code>	a list of additional arguments to <code>myfun</code>
<code>mygrid</code>	a dataframe with one column per parameter to optimize, with each row specifying the values to try. If not NULL, <code>optimizePars</code> simply evaluates each combination of parameter values, without calling <code>optim</code> (see examples)
<code>verbose</code>	if TRUE, reports the values of parameters evaluated and fitness

Details

If your sounds are very different from human non-linguistic vocalizations, you may want to change the default values of other arguments to speed up convergence. Adapt the code to enforce suitable constraints, depending on your data.

Value

Returns a matrix with one row per iteration with fitness in the first column and the best values of each of the optimized parameters in the remaining columns.

Examples

```
## Not run:
# Download 260 sounds from the supplements in Anikin & Persson (2017)
# - see http://cogsci.se/publications.html
# Unzip them into a folder, say '~/Downloads/temp'
myfolder = '~/Downloads/temp' # 260 .wav files live here

# Optimization of SEGMENTATION
# Import manual counts of syllables in 260 sounds from
# Anikin & Persson (2017) (our "key")
key = segmentManual # a vector of 260 integers

# Run optimization loop several times with random initial values
# to check convergence
# NB: with 260 sounds and default settings, this might take ~20 min per iteration!
res = optimizePars(myfolder = myfolder, myfun = 'segmentFolder', key = key,
  pars = c('shortestSyl', 'shortestPause', 'sylThres'),
  fitnessPar = 'nBursts',
  nIter = 3, control = list(maxit = 50, reltol = .01, trace = 0))

# Examine the results
print(res)
for (c in 2:ncol(res)) {
  plot(res[, c], res[, 1], main = colnames(res)[c])
}
```



```

pars = as.list(res[1, 2:ncol(res)]) # top candidate (best pars)
s = do.call(segmentFolder, c(myfolder, pars)) # segment with best pars
cor(key, as.numeric(s[, fitnessPar]))
boxplot(as.numeric(s[, fitnessPar]) ~ as.integer(key), xlab='key')
abline(a=0, b=1, col='red')

# Try a grid with particular parameter values instead of formal optimization
res = optimizePars(myfolder = myfolder, myfun = 'segmentFolder', key = segment_manual,
  pars = c('shortestSyl', 'shortestPause'),
  fitnessPar = 'nBursts',
  mygrid = expand.grid(shortestSyl = c(30, 40),
    shortestPause = c(30, 40, 50)))
1 - res$fit # correlations with key

# Optimization of PITCH TRACKING (takes several hours!)
res = optimizePars(myfolder = myfolder,
  myfun = 'analyzeFolder',
  key = log(pitchManual), # log-scale better for pitch
  pars = c('specThres', 'specSmooth'),
  bounds = list(low = c(0, 0), high = c(1, Inf)),
  fitnessPar = 'pitch_median',
  nIter = 2,
  otherPars = list(plot = FALSE, verbose = FALSE, step = 50,
    pitchMethods = 'spec'),
  fitnessFun = function(x) {
    1 - cor(log(x), key, use = 'pairwise.complete.obs') *
    (1 - mean(is.na(x) & !is.na(key))) # penalize failing to detect F0
  })

## End(Not run)

```

osc_dB

Oscillogram dB

Description

Plots the oscillogram (waveform) of a sound on a logarithmic scale, in dB. Analogous to "Waveform (dB)" view in Audacity.

Usage

```

osc_dB(x, dynamicRange = 80, maxAmpl = NULL, samplingRate = NULL,
  returnWave = FALSE, plot = TRUE, xlab = NULL, ylab = "dB",
  bty = "n", midline = TRUE, ...)

```

Arguments

x	path to a .wav file or a vector of amplitudes with specified samplingRate
dynamicRange	dynamic range of the oscillogram, dB

maxAmpl	the maximum theoretically possible value indicating on which scale the sound is coded: 1 if the range is -1 to +1, 2 ¹⁵ for 16-bit wav files, etc
samplingRate	sampling rate of x (only needed if x is a numeric vector, rather than a .wav file)
returnWave	if TRUE, returns a log-transformed waveform as a numeric vector
plot	if TRUE, plots the oscillogram
xlab, ylab	axis labels
bty	box type (see '?par')
midline	if TRUE, draws a line at 0 dB
...	Other graphical parameters passed on to 'plot()'

Details

Algorithm: centers and normalizes the sound, then takes a logarithm of the positive part and a flipped negative part.

Value

Returns the input waveform on a dB scale: a vector with range from '-dynamicRange' to 'dynamicRange'.

Examples

```

sound = sin(1:2000/10) *
  getSmoothContour(anchors = c(1, .01, .5), len = 2000)

# Oscillogram on a linear scale
plot(sound, type = 'l')
# or, for fancy plotting options: seewave::oscillo(sound, f = 1000)

# Oscillogram on a dB scale
osc_dB(sound)

# Time in ms if samplingRate is specified
osc_dB(sound, samplingRate = 5000)

# Assuming that the waveform can range up to 50 instead of 1
osc_dB(sound, maxAmpl = 50)

# Embellish and customize the plot
o = osc_dB(sound, samplingRate = 1000, midline = FALSE,
  main = 'My waveform', col = 'blue')
abline(h = 0, col = 'orange', lty = 3)

```

permittedValues	<i>Defaults and ranges for soundgen()</i>
-----------------	---

Description

A dataset containing defaults and ranges of key variables for `soundgen()` and `soundgen_app()`. Adjust as needed.

Usage

```
permittedValues
```

Format

A matrix with 58 rows and 4 columns:

default default value

low lowest permitted value

high highest permitted value

step increment for adjustment ...

pitchManual	<i>Manual pitch estimation in 260 sounds</i>
-------------	--

Description

A vector of manually verified pitch values per sound in the corpus of 590 human non-linguistic emotional vocalizations from Anikin & Persson (2017). The corpus can be downloaded from <http://cogsci.se/publications.html>

Usage

```
pitchManual
```

Format

An object of class `numeric` of length 260.

pitch_app

Interactive pitch editor

Description

Starts a shiny app for manually editing pitch contours. Think of it as running [analyze](#) with manual pitch control. All pitch-dependent descriptives (percentage of voiced frames, energy in harmonics, `ampVoiced`, etc.) are calculated from the manually corrected pitch contour. Supported browsers: Firefox / Chrome. Note that the browser has to be able to play back WAV audio files, otherwise there will be no sound. The settings in the panels on the left correspond to arguments to [analyze](#) - see ‘?analyze’ and the vignette on acoustic analysis for help and examples. Loudness and formants are not analyzed to avoid delays; run [analyzeFolder](#) separately with no pitch tracking (`pitchMethods = NULL`) and merge the two datasets. Same for syllable segmentation: run [segmentFolder](#) separately since it doesn’t depend on accurate pitch tracking.

Usage

```
pitch_app()
```

Value

The app produces a .csv file with one row per audio file. Apart from the usual descriptives from `analyze()`, there are two additional columns: "time" with time stamps (the midpoint of each STFT frame, ms) and "pitch" with the manually corrected pitch values for each frame (Hz). To process pitch contours further in R, do something like:

```
a = read.csv('~Downloads/output.csv', stringsAsFactors = FALSE)
pitch = as.numeric(unlist(strsplit(a$pitch, ',')))
mean(pitch, na.rm = TRUE); sd(pitch, na.rm = TRUE)
```

Suggested workflow

Start by clicking "Load audio" to upload one or several audio files (wav/mp3). Long files will be very slow, so please cut your audio into manageable chunks (ideally <10 s). Adjust the settings as needed, edit the pitch contour in the first file to your satisfaction, then click "Next" to proceed to the next file, etc. Remember that setting a reasonable prior is often faster than adjusting the contour one anchor at a time. When done, click "Save results". If working with many files, you might want to save the results occasionally in case the app crashes (although you should still be able to recover your data if it does - see below).

How to edit pitch contours

Left-click to add a new anchor, double-click to remove it or unvoice the frame. Each time you make a change, the entire pitch contour is re-fit, so making a change in one frame can affect the path through candidates in adjacent frames. You can control this behavior by changing the settings in Out/Path and Out/Smoothing. If correctly configured, the app corrects the contour with only a few manual values - you shouldn’t need to manually edit every single frame. For longer files, you can zoom in/out and navigate within the file. You can also select a region to voice/unvoice or shift it as a whole or to set a prior based on selected frequency range.

Audio playback

The "Play" button / spacebar plays the currently plotted region, but it uses R for playback, which may or may not work - see [playme](#) for troubleshooting. As a fallback option, the html audio tag at the top plays the entire file.

Recovering lost data

Every time you click "next" or "last" to move in between files in the queue, the output you've got so far is saved in a backup file called "temp.csv". If the app crashes or is closed without saving the results, this backup file preserves your data. To recover it, access this file manually on disk or simply restart `pitch_app()` - a dialog box will pop up and ask whether you want to append the old data to the new one. Path to backup file: "[R_installation_folder]/soundgen/shiny/pitch_app/www/temp.csv", for example, "/home/allgoodguys/R/x86_64-pc-linux-gnu-library/3.6/soundgen/shiny/pitch_app/www/temp.csv"

Examples

```
## Not run:
pitch_app()
df1 = read.csv('output.csv') # saved output from pitch_app()
df2 = analyzeFolder('path_to_audio', pitchMethods = NULL, nFormants = 5)
df3 = segmentFolder('path_to_audio')
# merge in R or a spreadsheet editor to have all acoustic descriptives together

## End(Not run)
```

playme

Play audio

Description

Plays an audio file (wav or mp3) or a numeric vector. This is a simple wrapper for the functionality provided by [play](#). Recommended players on Linux: "play" from the "vox" library (default), "aplay".

Usage

```
playme(sound, samplingRate = 16000, player = NULL, from = NULL,
       to = NULL)
```

Arguments

sound	numeric vector or path to wav/mp3 file
samplingRate	sampling rate (only needed if sound is a vector)
player	the name of player to use, eg "aplay", "play", "vlc", etc. In case of errors, try setting another default player for play
from, to	play a selected time range (s)
...	additional parameters passed to play

Examples

```

# Play an audio file:
# playme('pathToMyAudio/audio.wav')

# Create and play a numeric vector:
f0_Hz = 440
sound = sin(2 * pi * f0_Hz * (1:16000) / 16000)
# playme(sound, 16000)
# playme(sound, 16000, from = .1, to = .5) # play from 100 to 500 ms

# In case of errors, look into tuneR::play(). For ex., you might need to
# specify which player to use:
# playme(sound, 16000, player = 'aplay')

# To avoid doing it all the time, set the default player:
tuneR::setWavPlayer('aplay')
# playme(sound, 16000) # should work without specifying the player

```

presets

Presets

Description

A library of presets for easy generation of a few nice sounds.

Usage

```
presets
```

Format

A list of length 4.

reportTime

Report time

Description

Provides a nicely formatted "estimated time left" in loops plus a summary upon completion.

Usage

```
reportTime(i, nIter, time_start, jobs = NULL, reportEvery = 1)
```

Arguments

<code>i</code>	current iteration
<code>nIter</code>	total number of iterations
<code>time_start</code>	time when the loop started running
<code>jobs</code>	vector of length <code>nIter</code> specifying the relative difficulty of each iteration. If not NULL, estimated time left takes into account whether the jobs ahead will take more or less time than the jobs already completed
<code>reportEvery</code>	report progress every <code>n</code> iterations

Examples

```

time_start = proc.time()
for (i in 1:20) {
  Sys.sleep(i ^ 2 / 10000)
  reportTime(i = i, nIter = 20, time_start = time_start,
    jobs = (1:20) ^ 2, reportEvery = 5)
}
## Not run:
# when analyzing a bunch of audio files, their size is a good estimate
# of how long each will take to process
time_start = proc.time()
filenames = list.files('~Downloads/temp', pattern = "*.wav|.mp3",
  full.names = TRUE)
filesizes = file.info(filenames)$size
for (i in 1:length(filenames)) {
  # ...do what you have to do with each file...
  reportTime(i = i, nIter = length(filenames),
    time_start = time_start, jobs = filesizes)
}

## End(Not run)

```

schwa

*Schwa-related formant conversion***Description**

This function performs several conceptually related types of conversion of formant frequencies in relation to the neutral schwa sound based on the one-tube model of the vocal tract. Case 1: if we know vocal tract length (VTL) but not formant frequencies, `schwa()` estimates formants corresponding to a neutral schwa sound in this vocal tract, assuming that it is perfectly cylindrical. Case 2: if we know the frequencies of a few lower formants, `schwa()` estimates the deviation of observed formant frequencies from the neutral values expected in a perfectly cylindrical vocal tract (based on the VTL as specified or as estimated from formant dispersion). Case 3: if we want to generate a sound with particular relative formant frequencies (e.g. high F1 and low F2 relative to the schwa for this vocal tract), `schwa()` calculates the corresponding formant frequencies in Hz. See examples below for an illustration of these three suggested uses.

Usage

```
schwa(formants = NULL, vocalTract = NULL, formants_relative = NULL,
      nForm = 8, speedSound = 35400)
```

Arguments

formants a numeric vector of observed (measured) formant frequencies, Hz

vocalTract the length of vocal tract, cm

formants_relative a numeric vector of target relative formant frequencies, % deviation from schwa (see examples)

nForm the number of formants to estimate (integer)

speedSound speed of sound in warm air, cm/s. Stevens (2000) "Acoustic phonetics", p. 138

Details

Algorithm: the expected formant dispersion is given by $speedSound / (2 * vocalTract)$, and F1 is expected at half the value of formant dispersion. See e.g. Stevens (2000) "Acoustic phonetics", p. 139. Basically, we estimate vocal tract length and see if each formant is higher or lower than expected for this vocal tract. For this to work, we have to know either the frequencies of enough formants (not just the first two) or the true length of the vocal tract. See also [estimateVTL](#) on the algorithm for estimating formant dispersion if VTL is not known (note that schwa calls [estimateVTL](#) with the option `method = 'regression'`).

Value

Returns a list with the following components:

vtl_measured VTL as provided by the user, cm

vocalTract_apparent VTL estimated based on formants frequencies provided by the user, cm

formantDispersion average distance between formants, Hz

ff_measured formant frequencies as provided by the user, Hz

ff_schwa formant frequencies corresponding to a neutral schwa sound in this vocal tract, Hz

ff_theoretical formant frequencies corresponding to the user-provided relative formant frequencies, Hz

ff_relative deviation of formant frequencies from those expected for a schwa, % (e.g. if the first `ff_relative` is -25, it means that F1 is 25% lower than expected for a schwa in this vocal tract)

ff_relative_semitones deviation of formant frequencies from those expected for a schwa, semitones

See Also

[estimateVTL](#)

Examples

```

## CASE 1: known VTL
# If vocal tract length is known, we calculate expected formant frequencies
schwa(vocalTract = 17.5)
schwa(vocalTract = 13, nForm = 5)

## CASE 2: known (observed) formant frequencies
# Let's take formant frequencies in three vocalizations
# (/a/, /i/, /roar/) by the same male speaker:
formants_a = c(860, 1430, 2900, 4200, 5200)
s_a = schwa(formants = formants_a)
s_a
# We get an estimate of VTL (s_a$vtl_apparent = 15.2 cm),
# same as with estimateVTL(formants_a)
# We also get theoretical schwa formants: s_a$ff_schwa
# And we get the difference (% and semitones) in observed vs expected
# formant frequencies: s_a[c('ff_relative', 'ff_relative_semitones')]
# [a]: F1 much higher than expected, F2 slightly lower

formants_i = c(300, 2700, 3400, 4400, 5300, 6400)
s_i = schwa(formants = formants_i)
s_i
# The apparent VTL is slightly smaller (14.5 cm)
# [i]: very low F1, very high F2

formants_roar = c(550, 1000, 1460, 2280, 3350,
                 4300, 4900, 5800, 6900, 7900)
s_roar = schwa(formants = formants_roar)
s_roar
# Note the enormous apparent VTL (22.5 cm!)
# (lowered larynx and rounded lips exaggerate the apparent size)
# s_roar$ff_relative: high F1 and low F2-F4

schwa(formants = formants_roar[1:4])
# based on F1-F4, apparent VTL is almost 28 cm!
# Since the lowest formants are the most salient,
# the apparent size is exaggerated even further

# If you know VTL, a few lower formants are enough to get
# a good estimate of the relative formant values:
schwa(formants = formants_roar[1:4], vocalTract = 19)
# NB: in this case theoretical and relative formants are calculated
# based on user-provided VTL (vtl_measured) rather than vtl_apparent

## CASE 3: from relative to absolute formant frequencies
# Say we want to generate a vowel sound with F1 20% below schwa
# and F2 40% above schwa, with VTL = 15 cm
s = schwa(formants_relative = c(-20, 40), vocalTract = 15)
# s$ff_schwa gives formant frequencies for a schwa, while
# s$ff_theoretical gives formant frequencies for a sound with
# target relative formant values (low F1, high F2)
schwa(formants = s$ff_theoretical)

```

segment

*Segment a sound***Description**

Finds syllables and bursts. Syllables are defined as continuous segments with amplitude above threshold. Bursts are defined as local maxima in amplitude envelope that are high enough both in absolute terms (relative to the global maximum) and with respect to the surrounding region (relative to local minima). See `vignette('acoustic_analysis', package = 'soundgen')` for details.

Usage

```
segment(x, samplingRate = NULL, windowLength = 40, overlap = 80,
        shortestSyl = 40, shortestPause = 40, sylThres = 0.9,
        interburst = NULL, interburstMult = 1, burstThres = 0.075,
        peakToTrough = 3, troughLeft = TRUE, troughRight = FALSE,
        summary = FALSE, plot = FALSE, savePath = NA, col = "green",
        xlab = "Time, ms", ylab = "Amplitude", main = NULL, width = 900,
        height = 500, units = "px", res = NA, sylPlot = list(lty = 1, lwd
        = 2, col = "blue"), burstPlot = list(pch = 8, cex = 3, col = "red"),
        ...)
```

Arguments

<code>x</code>	path to a .wav or .mp3 file or a vector of amplitudes with specified <code>samplingRate</code>
<code>samplingRate</code>	sampling rate of <code>x</code> (only needed if <code>x</code> is a numeric vector, rather than an audio file)
<code>windowLength, overlap</code>	length (ms) and overlap (window used to produce the amplitude envelope, see env)
<code>shortestSyl</code>	minimum acceptable length of syllables, ms
<code>shortestPause</code>	minimum acceptable break between syllables, ms. Syllables separated by less time are merged. To avoid merging, specify <code>shortestPause = NA</code>
<code>sylThres</code>	amplitude threshold for syllable detection (as a proportion of global mean amplitude of smoothed envelope)
<code>interburst</code>	minimum time between two consecutive bursts (ms). If specified, it overrides <code>interburstMult</code>
<code>interburstMult</code>	multiplier of the default minimum interburst interval (median syllable length or, if no syllables are detected, the same number as <code>shortestSyl</code>). Only used if <code>interburst</code> is not specified. Larger values improve detection of unusually broad shallow peaks, while smaller values improve the detection of sharp narrow peaks
<code>burstThres</code>	to qualify as a burst, a local maximum has to be at least <code>burstThres</code> times the height of the global maximum of amplitude envelope

peakToTrough	to qualify as a burst, a local maximum has to be at least peakToTrough times the local minimum on the LEFT over analysis window (which is controlled by interburst or interburstMult)
troughLeft, troughRight	should local maxima be compared to the trough on the left and/or right of it? Default to TRUE and FALSE, respectively
summary	if TRUE, returns only a summary of the number and spacing of syllables and vocal bursts. If FALSE, returns a list containing full stats on each syllable and bursts (location, duration, amplitude, ...)
plot	if TRUE, produces a segmentation plot
savePath	full path to the folder in which to save the plots. Defaults to NA
col, xlab, ylab, main	main plotting parameters
width, height, units, res	parameters passed to png if the plot is saved
sylPlot	a list of graphical parameters for displaying the syllables
burstPlot	a list of graphical parameters for displaying the bursts
...	other graphical parameters passed to plot

Details

The algorithm is very flexible, but the parameters may be hard to optimize by hand. If you have an annotated sample of the sort of audio you are planning to analyze, with syllables and/or bursts counted manually, you can use it for automatic optimization of control parameters (see [optimizePars](#)). The defaults are the results of just such optimization against 260 human vocalizations in Anikin, A. & Persson, T. (2017). Non-linguistic vocalizations from online amateur videos for emotion research: a validated corpus. *Behavior Research Methods*, 49(2): 758-771.

Value

If `summary = TRUE`, returns only a summary of the number and spacing of syllables and vocal bursts. If `summary = FALSE`, returns a list containing full stats on each syllable and bursts (location, duration, amplitude, ...).

See Also

[segmentFolder](#) [analyze ssm](#)

Examples

```
sound = soundgen(nSyl = 8, sylLen = 50, pauseLen = 70,
  pitch = c(368, 284), temperature = 0.1,
  noise = list(time = c(0, 67, 86, 186), value = c(-45, -47, -89, -120)),
  rolloff_noise = -8, amplAnchorsGlobal = c(0, -20))
spectrogram(sound, samplingRate = 16000, osc = TRUE)
# playme(sound, samplingRate = 16000)

s = segment(sound, samplingRate = 16000, plot = TRUE)
```

```

# accept quicker and quieter syllables
s = segment(sound, samplingRate = 16000, plot = TRUE,
  shortestSyl = 25, shortestPause = 25, sylThres = .2, burstThres = .05)

# just a summary
segment(sound, samplingRate = 16000, summary = TRUE)

# customizing the plot
s = segment(sound, samplingRate = 16000, plot = TRUE,
  shortestSyl = 25, shortestPause = 25,
  sylThres = .2, burstThres = .05,
  col = 'black', lwd = .5,
  sylPlot = list(lty = 2, col = 'gray20'),
  burstPlot = list(pch = 16, col = 'gray80'),
  xlab = 'ms', cex.lab = 1.2, main = 'My awesome plot')

## Not run:
# customize the resolution of saved plot
s = segment(sound, samplingRate = 16000, savePath = '~/Downloads/',
  width = 1920, height = 1080, units = 'px')

## End(Not run)

```

segmentFolder

Segment all files in a folder

Description

Finds syllables and bursts in all .wav files in a folder.

Usage

```

segmentFolder(myfolder, htmlPlots = TRUE, shortestSyl = 40,
  shortestPause = 40, sylThres = 0.9, interburst = NULL,
  interburstMult = 1, burstThres = 0.075, peakToTrough = 3,
  troughLeft = TRUE, troughRight = FALSE, windowLength = 40,
  overlap = 80, summary = TRUE, plot = FALSE, savePlots = FALSE,
  savePath = NA, verbose = TRUE, reportEvery = 10, col = "green",
  xlab = "Time, ms", ylab = "Amplitude", main = NULL, width = 900,
  height = 500, units = "px", res = NA, sylPlot = list(lty = 1, lwd
  = 2, col = "blue"), burstPlot = list(pch = 8, cex = 3, col = "red"),
  ...)

```

Arguments

myfolder	full path to target folder
htmlPlots	if TRUE, saves an html file with clickable plots
shortestSyl	minimum acceptable length of syllables, ms

shortestPause	minimum acceptable break between syllables, ms. Syllables separated by less time are merged. To avoid merging, specify <code>shortestPause = NA</code>
sylThres	amplitude threshold for syllable detection (as a proportion of global mean amplitude of smoothed envelope)
interburst	minimum time between two consecutive bursts (ms). If specified, it overrides <code>interburstMult</code>
interburstMult	multiplier of the default minimum interburst interval (median syllable length or, if no syllables are detected, the same number as <code>shortestSyl</code>). Only used if <code>interburst</code> is not specified. Larger values improve detection of unusually broad shallow peaks, while smaller values improve the detection of sharp narrow peaks
burstThres	to qualify as a burst, a local maximum has to be at least <code>burstThres</code> times the height of the global maximum of amplitude envelope
peakToTrough	to qualify as a burst, a local maximum has to be at least <code>peakToTrough</code> times the local minimum on the LEFT over analysis window (which is controlled by <code>interburst</code> or <code>interburstMult</code>)
troughLeft	should local maxima be compared to the trough on the left and/or right of it? Default to TRUE and FALSE, respectively
troughRight	should local maxima be compared to the trough on the left and/or right of it? Default to TRUE and FALSE, respectively
windowLength	length (ms) and overlap (window used to produce the amplitude envelope, see env)
overlap	length (ms) and overlap (window used to produce the amplitude envelope, see env)
summary	if TRUE, returns only a summary of the number and spacing of syllables and vocal bursts. If FALSE, returns a list containing full stats on each syllable and bursts (location, duration, amplitude, ...)
plot	if TRUE, produces a segmentation plot
savePlots	if TRUE, saves plots as .png files
savePath	full path to the folder in which to save the plots. Defaults to NA
verbose, reportEvery	if TRUE, reports progress every <code>reportEvery</code> files and estimated time left
col	main plotting parameters
xlab	main plotting parameters
ylab	main plotting parameters
main	main plotting parameters
width	parameters passed to png if the plot is saved
height	parameters passed to png if the plot is saved
units	parameters passed to png if the plot is saved
res	parameters passed to png if the plot is saved
sylPlot	a list of graphical parameters for displaying the syllables
burstPlot	a list of graphical parameters for displaying the bursts
...	other graphical parameters passed to plot

Details

This is just a convenient wrapper for `segment` intended for analyzing the syllables and bursts in a large number of audio files at a time. In verbose mode, it also reports ETA every ten iterations. With default settings, running time should be about a second per minute of audio.

Value

If `summary` is `TRUE`, returns a dataframe with one row per audio file. If `summary` is `FALSE`, returns a list of detailed descriptives.

See Also

[segment](#)

Examples

```
## Not run:
# Download 260 sounds from the supplements to Anikin & Persson (2017) at
# http://cogsci.se/publications.html
# unzip them into a folder, say '~/Downloads/temp'
myfolder = '~/Downloads/temp' # 260 .wav files live here
s = segmentFolder(myfolder, verbose = TRUE, savePlot = TRUE)

# Check accuracy: import a manual count of syllables (our "key")
key = segmentManual # a vector of 260 integers
trial = as.numeric(s$nBursts)
cor(key, trial, use = 'pairwise.complete.obs')
boxplot(trial ~ as.integer(key), xlab='key')
abline(a=0, b=1, col='red')

## End(Not run)
```

segmentManual

Manual counts of syllables in 260 sounds

Description

A vector of the number of syllables in the corpus of 260 human non-linguistic emotional vocalizations from Anikin & Persson (2017). The corpus can be downloaded from <http://cogsci.se/publications.html>

Usage

```
segmentManual
```

Format

An object of class `numeric` of length 260.

semitonesToHz	<i>Convert semitones to Hz</i>
---------------	--------------------------------

Description

Converts from semitones above C-5 (-0.5109875 Hz) to Hz. See [HzToSemitones](#)

Usage

```
semitonesToHz(s, ref = 0.5109875)
```

Arguments

s	vector or matrix of frequencies (semitones above C0)
ref	frequency of the reference value (defaults to C-5, 0.51 Hz)

See Also

[HzToSemitones](#)

soundgen	<i>Generate a sound</i>
----------	-------------------------

Description

Generates a bout of one or more syllables with pauses between them. Two basic components are synthesized: the harmonic component (the sum of sine waves with frequencies that are multiples of the fundamental frequency) and the noise component. Both components can be filtered with independently specified formants. Intonation and amplitude contours can be applied both within each syllable and across multiple syllables. Suggested application: synthesis of animal or human non-linguistic vocalizations. For more information, see <http://cogsci.se/soundgen.html> and `vignette('sound_generation', package = 'soundgen')`.

Usage

```
soundgen(repeatBout = 1, nSyl = 1, sylLen = 300, pauseLen = 200,
  pitch = data.frame(time = c(0, 0.1, 0.9, 1), value = c(100, 150, 135,
  100)), pitchGlobal = NA, glottis = 0, temperature = 0.025,
  tempEffects = list(), maleFemale = 0, creakyBreathy = 0,
  nonlinBalance = 0, nonlinDep = 50, nonlinRandomWalk = NULL,
  jitterLen = 1, jitterDep = 1, vibratoFreq = 5, vibratoDep = 0,
  shimmerDep = 0, shimmerLen = 1, attackLen = 50, rolloff = -9,
  rolloffOct = 0, rolloffKHz = -3, rolloffParab = 0,
  rolloffParabHarm = 3, rolloffExact = NULL, lipRad = 6,
  noseRad = 4, mouthOpenThres = 0, formants = c(860, 1430, 2900),
```



```

formantDep = 1, formantDepStoch = 20, formantWidth = 1,
vocalTract = NA, subFreq = 100, subDep = 100,
shortestEpoch = 300, amDep = 0, amFreq = 30, amShape = 0,
noise = NULL, formantsNoise = NA, rolloffNoise = -4,
noiseFlatSpec = 1200, noiseAmpRef = c("f0", "source", "filtered")[3],
mouth = data.frame(time = c(0, 1), value = c(0.5, 0.5)), ampl = NA,
amplGlobal = NA, interpol = c("approx", "spline", "loess")[3],
discontThres = 0.05, jumpThres = 0.01, samplingRate = 16000,
windowLength = 50, overlap = 75, addSilence = 100,
pitchFloor = 1, pitchCeiling = 3500, pitchSamplingRate = 3500,
dynamicRange = 80, invalidArgAction = c("adjust", "abort",
"ignore")[1], plot = FALSE, play = FALSE, savePath = NA, ...)

```

Arguments

repeatBout	number of times the whole bout should be repeated
nSyl	number of syllables in the bout. 'pitchGlobal', 'amplGlobal', and 'formants' span multiple syllables, but not multiple bouts
syllLen	average duration of each syllable, ms (vectorized)
pauseLen	average duration of pauses between syllables, ms (can be negative between bouts: force with invalidArgAction = 'ignore') (vectorized)
pitch	a numeric vector of f0 values in Hz or a dataframe specifying the time (ms or 0 to 1) and value (Hz) of each anchor, hereafter "anchor format". These anchors are used to create a smooth contour of fundamental frequency f0 (pitch) within one syllable
pitchGlobal	unlike pitch, these anchors are used to create a smooth contour of average f0 across multiple syllables. The values are in semitones relative to the existing pitch, i.e. 0 = no change (anchor format)
glottis	anchors for specifying the proportion of a glottal cycle with closed glottis, % (0 = no modification, 100 = closed phase as long as open phase); numeric vector or dataframe specifying time and value (anchor format)
temperature	hyperparameter for regulating the amount of stochasticity in sound generation
tempEffects	a list of scaling coefficients regulating the effect of temperature on particular parameters. To change, specify just those pars that you want to modify (default is 1 for all of them). syllLenDep: duration of syllables and pauses; formDrift: formant frequencies; formDisp: dispersion of stochastic formants; pitchDriftDep: amount of slow random drift of f0; pitchDriftFreq: frequency of slow random drift of f0; amplDriftDep: drift of amplitude mirroring pitch drift; subDriftDep: drift of subharmonic frequency and bandwidth mirroring pitch drift; rolloffDriftDep: drift of rolloff mirroring pitch drift; pitchDep, noiseDep, amplDep: random fluctuations of user-specified pitch / noise / amplitude anchors; glottisDep: proportion of glottal cycle with closed glottis; specDep: rolloff, rolloffNoise, nonlinear effects, attack
maleFemale	hyperparameter for shifting f0 contour, formants, and vocalTract to make the speaker appear more male (-1...0) or more female (0...+1); 0 = no change

creakyBreathy	hyperparameter for a rough adjustment of voice quality from creaky (-1) to breathy (+1); 0 = no change
nonlinBalance	hyperparameter for regulating the (approximate) proportion of sound with different regimes of pitch effects (none / subharmonics only / subharmonics and jitter). 0% = no noise; 100% = the entire sound has jitter + subharmonics. Ignored if temperature = 0
nonlinDep	hyperparameter for regulating the intensity of subharmonics and jitter, 0 to 100% (50% = jitter and subharmonics are as specified, <50% weaker, >50% stronger). Ignored if temperature = 0
nonlinRandomWalk	a numeric vector specifying the timing of nonlinear regimes: 0 = none, 1 = subharmonics, 2 = subharmonics + jitter + shimmer
jitterLen	duration of stable periods between pitch jumps, ms. Use a low value for harsh noise, a high value for irregular vibrato or shaky voice (anchor format)
jitterDep	cycle-to-cycle random pitch variation, semitones (anchor format)
vibratoFreq	the rate of regular pitch modulation, or vibrato, Hz (anchor format)
vibratoDep	the depth of vibrato, semitones (anchor format)
shimmerDep	random variation in amplitude between individual glottal cycles (0 to 100% of original amplitude of each cycle) (anchor format)
shimmerLen	duration of stable periods between amplitude jumps, ms. Use a low value for harsh noise, a high value for shaky voice (anchor format)
attackLen	duration of fade-in / fade-out at each end of syllables and noise (ms): a vector of length 1 (symmetric) or 2 (separately for fade-in and fade-out)
rolloff	basic rolloff from lower to upper harmonics, db/octave (exponential decay). All rolloff parameters are in anchor format. See getRolloff for more details
rolloffOct	basic rolloff changes from lower to upper harmonics (regardless of f0) by rolloffOct dB/oct. For example, we can get steeper rolloff in the upper part of the spectrum
rolloffKHz	rolloff changes linearly with f0 by rolloffKHz dB/kHz. For ex., -6 dB/kHz gives a 6 dB steeper basic rolloff as f0 goes up by 1000 Hz
rolloffParab	an optional quadratic term affecting only the first rolloffParabHarm harmonics. The middle harmonic of the first rolloffParabHarm harmonics is amplified or dampened by rolloffParab dB relative to the basic exponential decay
rolloffParabHarm	the number of harmonics affected by rolloffParab
rolloffExact	user-specified exact strength of harmonics: a vector or matrix with one row per harmonic, scale 0 to 1 (overrides all other rolloff parameters)
lipRad	the effect of lip radiation on source spectrum, dB/oct (the default of +6 dB/oct produces a high-frequency boost when the mouth is open)
noseRad	the effect of radiation through the nose on source spectrum, dB/oct (the alternative to lipRad when the mouth is closed)
mouthOpenThres	open the lips (switch from nose radiation to lip radiation) when the mouth is open >mouthOpenThres, 0 to 1

formants	either a character string like "aui" referring to default presets for speaker "M1" or a list of formant times, frequencies, amplitudes, and bandwidths (see ex. below). formants = NA defaults to schwa. Time stamps for formants and mouthOpening can be specified in ms or an any other arbitrary scale. See getSpectralEnvelope for more details
formantDep	scale factor of formant amplitude (1 = no change relative to amplitudes in formants)
formantDepStoch	the amplitude of additional stochastic formants added above the highest specified formant, dB (only if temperature > 0)
formantWidth	= scale factor of formant bandwidth (1 = no change)
vocalTract	the length of vocal tract, cm. Used for calculating formant dispersion (for adding extra formants) and formant transitions as the mouth opens and closes. If NULL or NA, the length is estimated based on specified formant frequencies (if any)
subFreq	target frequency of subharmonics, Hz (lower than f0, adjusted dynamically so f0 is always a multiple of subFreq) (anchor format)
subDep	the width of subharmonic band, Hz. Regulates how quickly the strength of subharmonics fades as they move away from harmonics in f0 stack (anchor format)
shortestEpoch	minimum duration of each epoch with unchanging subharmonics regime, in ms
amDep	amplitude modulation depth, %. 0: no change; 100: amplitude modulation with amplitude range equal to the dynamic range of the sound (anchor format)
amFreq	amplitude modulation frequency, Hz (anchor format)
amShape	amplitude modulation shape (-1 to +1, defaults to 0) (anchor format)
noise	loudness of turbulent noise (0 dB = as loud as voiced component, negative values = quieter) such as aspiration, hissing, etc (anchor format)
formantsNoise	the same as formants, but for unvoiced instead of voiced component. If NA (default), the unvoiced component will be filtered through the same formants as the voiced component, approximating aspiration noise [h]
rolloffNoise	linear rolloff of the excitation source for the unvoiced component, dB/kHz (anchor format)
noiseFlatSpec	keeps noise spectrum flat to this frequency, Hz
noiseAmpRef	noise amplitude is defined relative to: "f0" = the amplitude of the first partial (fundamental frequency), "source" = the amplitude of the harmonic component prior to applying formants, "filtered" = the amplitude of the harmonic component after applying formants
mouth	mouth opening (0 to 1, 0.5 = neutral, i.e. no modification) (anchor format)
amp1	amplitude envelope (dB, 0 = max amplitude) (anchor format)
amp1Global	global amplitude envelope spanning multiple syllables (dB, 0 = no change) (anchor format)
interp1	the method of smoothing envelopes based on provided anchors: 'approx' = linear interpolation, 'spline' = cubic spline, 'loess' (default) = polynomial local smoothing function. NB: this does not affect contours for "noise", "glottal", and the smoothing of formants

discontThres, jumpThres	if two anchors are closer in time than <code>discontThres</code> , the contour is broken into segments with a linear transition between these anchors; if anchors are closer than <code>jumpThres</code> , a new section starts with no transition at all (e.g. for adding pitch jumps)
samplingRate	sampling frequency, Hz
windowLength	length of FFT window, ms
overlap	FFT window overlap, %. For allowed values, see istft
addSilence	silence before and after the bout, ms
pitchFloor, pitchCeiling	lower & upper bounds of f_0
pitchSamplingRate	sampling frequency of the pitch contour only, Hz. Low values reduce processing time. Set to <code>pitchCeiling</code> for optimal speed or to <code>samplingRate</code> for optimal quality
dynamicRange	dynamic range, dB. Harmonics and noise more than <code>dynamicRange</code> under maximum amplitude are discarded to save computational resources
invalidArgAction	what to do if an argument is invalid or outside the range in <code>permittedValues</code> : 'adjust' = reset to default value, 'abort' = stop execution, 'ignore' = throw a warning and continue (may crash)
plot	if TRUE, plots a spectrogram
play	if TRUE, plays the synthesized sound using the default player on your system. If character, passed to play as the name of player to use, eg "aplay", "play", "vlc", etc. In case of errors, try setting another default player for play
savePath	full path for saving the output, e.g. '~/Downloads/temp.wav'. If NA (default), doesn't save anything
...	other plotting parameters passed to spectrogram

Value

Returns the synthesized waveform as a numeric vector.

See Also

[generateNoise](#) [generateNoise](#) [fart](#) [beat](#)

Examples

```
# NB: GUI for soundgen is available as a Shiny app.
# Type "soundgen_app()" to open it in default browser

# Set "playback" to TRUE for default system player or the name of preferred
# player (eg "aplay") to play back the audio from examples
playback = c(TRUE, FALSE, 'aplay', 'vlc')[2]

sound = soundgen(play = playback)
```

```

# spectrogram(sound, 16000, osc = TRUE)
# playme(sound)

# Control of intonation, amplitude envelope, formants
s0 = soundgen(
  pitch = c(300, 390, 250),
  ampl = data.frame(time = c(0, 50, 300), value = c(-5, -10, 0)),
  attack = c(10, 50),
  formants = c(600, 900, 2200),
  play = playback
)

# Use the in-built collection of presets:
# names(presets) # speakers
# names(presets$Chimpanzee) # calls per speaker
s1 = eval(parse(text = presets$Chimpanzee$Scream_conflict)) # screaming chimp
# playme(s1)
s2 = eval(parse(text = presets$F1$Scream)) # screaming woman
# playme(s2)
## Not run:
# unless temperature is 0, the sound is different every time
for (i in 1:3) sound = soundgen(play = playback, temperature = .2)

# Bouts versus syllables. Compare:
sound = soundgen(formants = 'uai', repeatBout = 3, play = playback)
sound = soundgen(formants = 'uai', nSyl = 3, play = playback)

# Intonation contours per syllable and globally:
sound = soundgen(nSyl = 5, sylLen = 200, pauseLen = 140,
  play = playback, pitch = data.frame(
    time = c(0, 0.65, 1), value = c(977, 1540, 826)),
  pitchGlobal = data.frame(time = c(0, .5, 1), value = c(-6, 7, 0)))

# Subharmonics in sidebands (noisy scream)
sound = soundgen (nonlinBalance = 100, subFreq = 75, subDep = 130,
  pitch = data.frame(
    time = c(0, .3, .9, 1), value = c(1200, 1547, 1487, 1154)),
  sylLen = 800,
  play = playback, plot = TRUE)

# Jitter and mouth opening (bark, dog-like)
sound = soundgen(repeatBout = 2, sylLen = 160, pauseLen = 100,
  nonlinBalance = 100, subFreq = 100, subDep = 60, jitterDep = 1,
  pitch = c(559, 785, 557),
  mouth = c(0, 0.5, 0),
  vocalTract = 5, formants = NULL,
  play = playback, plot = TRUE)

# Use nonlinRandomWalk to crease reproducible examples of sounds with
nonlinear effects. For ex., to make a sound with no effect in the first
third, subharmonics in the second third, and jitter in the final third of the
total duration:
a = c(rep(0, 100), rep(1, 100), rep(2, 100))

```

```
s = soundgen(syllLen = 800, pitch = 300, temperature = 0.001,
             subFreq = 100, subDep = 70, jitterDep = 1,
             nonlinRandomWalk = a, plot = TRUE, ylim = c(0, 4))
# playme(s)

# See the vignette on sound generation for more examples and in-depth
# explanation of the arguments to soundgen()
# Examples of code for creating human and animal vocalizations are available
# on project's homepage: http://cogsci.se/soundgen.html

## End(Not run)
```

soundgen_app

Interactive sound synthesizer

Description

Starts a shiny app, which provides an interactive wrapper to [soundgen](#). Supported browsers: Firefox / Chrome. Note that the browser has to be able to playback WAV audio files, otherwise there will be no sound.

Usage

```
soundgen_app()
```

spectrogram

Spectrogram

Description

Produces the spectrogram of a sound using short-term Fourier transform. Inspired by [spectro](#), this function offers added routines for noise reduction, smoothing in time and frequency domains, manual control of contrast and brightness, plotting the oscillogram on a dB scale, grid, etc.

Usage

```
spectrogram(x, samplingRate = NULL, dynamicRange = 80,
            windowLength = 50, step = NULL, overlap = 70, wn = "gaussian",
            zp = 0, normalize = TRUE, scale = NULL, smoothFreq = 0,
            smoothTime = 0, qTime = 0, percentNoise = 10, noiseReduction = 0,
            contrast = 0.2, brightness = 0, method = c("spectrum",
            "spectralDerivative")[1], output = c("original", "processed",
            "complex")[1], ylim = NULL, yScale = c("linear", "log")[1],
            plot = TRUE, osc = FALSE, osc_dB = FALSE, heights = c(3, 1),
            padWithSilence = TRUE, colorTheme = c("bw", "seewave", "heat.colors",
            "...")[1], units = c("ms", "kHz"), xlab = paste("Time,", units[1]),
            ylab = paste("Frequency,", units[2]), mar = c(5.1, 4.1, 4.1, 2),
            main = "", grid = NULL, frameBank = NULL, duration = NULL,
            pitch = NULL, ...)
```

Arguments

x	path to a .wav or .mp3 file or a vector of amplitudes with specified samplingRate
samplingRate	sampling rate of x (only needed if x is a numeric vector, rather than an audio file)
dynamicRange	dynamic range, dB. All values more than one dynamicRange under maximum are treated as zero
windowLength	length of FFT window, ms
step	you can override overlap by specifying FFT step, ms
overlap	overlap between successive FFT frames, %
wn	window type: gaussian, hanning, hamming, bartlett, rectangular, blackman, flat-top
zp	window length after zero padding, points
normalize	if TRUE, scales input prior to FFT
scale	maximum possible amplitude of input used for normalization of input vector (not needed if input is an audio file)
smoothFreq, smoothTime	length of the window, in data points (0 to +inf), for calculating a rolling median. Applies median smoothing to spectrogram in frequency and time domains, respectively
qTime	the quantile to be subtracted for each frequency bin. For ex., if qTime = 0.5, the median of each frequency bin (over the entire sound duration) will be calculated and subtracted from each frame (see examples)
percentNoise	percentage of frames (0 to 100%) used for calculating noise spectrum
noiseReduction	how much noise to remove (0 to +inf, recommended 0 to 2). 0 = no noise reduction, 2 = strong noise reduction: $spectrum - (noiseReduction * noiseSpectrum)$, where noiseSpectrum is the average spectrum of frames with entropy exceeding the quantile set by percentNoise
contrast	spectrum is exponentiated by contrast (-inf to +inf, recommended -1 to +1). Contrast >0 increases sharpness, <0 decreases sharpness
brightness	how much to "lighten" the image (>0 = lighter, <0 = darker)
method	plot spectrum ('spectrum') or spectral derivative ('spectralDerivative')
output	specifies what to return: nothing ('none'), unmodified spectrogram ('original'), denoised and/or smoothed spectrogram ('processed'), or unmodified spectrogram with the imaginary part giving phase ('complex')
ylim	frequency range to plot, kHz (defaults to 0 to Nyquist frequency)
yScale	scale of the frequency axis: 'linear' = linear, 'log' = logarithmic
plot	should a spectrogram be plotted? TRUE / FALSE
osc, osc_dB	should an oscillogram be shown under the spectrogram? TRUE/ FALSE. If 'osc_dB', the oscillogram is displayed on a dB scale. See osc_dB for details
heights	a vector of length two specifying the relative height of the spectrogram and the oscillogram (including time axes labels)

<code>padWithSilence</code>	if TRUE, pads the sound with just enough silence to resolve the edges properly (only the original region is plotted, so apparent duration doesn't change)
<code>colorTheme</code>	black and white ('bw'), as in <code>seewave</code> package ('seewave'), or any palette from palette such as 'heat.colors', 'cm.colors', etc
<code>units</code>	c('ms', 'kHz') is the default, and anything else is interpreted as s (for time) and Hz (for frequency)
<code>xlab, ylab, main, mar</code>	graphical parameters
<code>grid</code>	if numeric, adds <code>n = grid</code> dotted lines per kHz
<code>frameBank, duration, pitch</code>	ignore (only used internally)
<code>...</code>	other graphical parameters

Details

Many `soundgen` functions call `spectrogram`, and you can pass along most of its graphical parameters from functions like [soundgen](#), [analyze](#), etc. However, in some cases this will not work (eg for "units") or may produce unexpected results. If in doubt, omit extra graphical parameters.

Value

Returns nothing (if `output = 'none'`), absolute - not power! - spectrum (if `output = 'original'`), denoised and/or smoothed spectrum (if `output = 'processed'`), or spectral derivatives (if `method = 'spectralDerivative'`) as a matrix of real numbers.

See Also

[modulationSpectrum ssm osc_dB](#)
[modulationSpectrum ssm](#)

Examples

```
# synthesize a sound 1 s long, with gradually increasing hissing noise
sound = soundgen(syllen = 1000, temperature = 0.001, noise = list(
  time = c(0, 1300), value = c(-40, 0)), formantsNoise = list(
  f1 = list(freq = 5000, width = 10000))
# playme(sound, samplingRate = 16000)

# basic spectrogram
spectrogram(sound, samplingRate = 16000)

# add bells and whistles
spectrogram(sound, samplingRate = 16000,
  osc = TRUE, # plot oscillogram under the spectrogram
  noiseReduction = 1.1, # subtract the spectrum of noisy parts
  brightness = -1, # reduce brightness
  colorTheme = 'heat.colors', # pick color theme
  cex.lab = .75, cex.axis = .75, # text size and other base graphics pars
  grid = 5, # lines per kHz; to customize, add manually with graphics::grid()
```



```

    units = c('s', 'Hz'), # plot in s or ms, Hz or kHz
    ylim = c(0, 5000), # in specified units (Hz)
    main = 'My spectrogram' # title
    # + axis labels, etc
)

## Not run:
# change dynamic range
spectrogram(sound, samplingRate = 16000, dynamicRange = 40)
spectrogram(sound, samplingRate = 16000, dynamicRange = 120)

# add an oscillogram
spectrogram(sound, samplingRate = 16000, osc = TRUE)

# oscillogram on a dB scale, same height as spectrogram
spectrogram(sound, samplingRate = 16000,
             osc_dB = TRUE, heights = c(1, 1))

# frequencies on a logarithmic scale
spectrogram(sound, samplingRate = 16000,
             yScale = 'log', ylim = c(.05, 8))

# broad-band instead of narrow-band
spectrogram(sound, samplingRate = 16000, windowLength = 5)

# focus only on values in the upper 5% for each frequency bin
spectrogram(sound, samplingRate = 16000, qTime = 0.95)

# detect 10% of the noisiest frames based on entropy and remove the pattern
# found in those frames (in this cases, breathing)
spectrogram(sound, samplingRate = 16000, noiseReduction = 1.1,
             brightness = -2) # white noise attenuated

# apply median smoothing in both time and frequency domains
spectrogram(sound, samplingRate = 16000, smoothFreq = 5,
             smoothTime = 5)

# increase contrast, reduce brightness
spectrogram(sound, samplingRate = 16000, contrast = 1, brightness = -1)

# specify location of tick marks etc - see ?par() for base graphics
spectrogram(sound, samplingRate = 16000,
             ylim = c(0, 3), yaxp = c(0, 3, 5), xaxp = c(0, 1400, 4))

## End(Not run)

```

Description

Creates spectrograms of all wav/mp3 files in a folder and saves them as .png files in the same folder. This is a lot faster than running [analyzeFolder](#) if you don't need pitch tracking. By default it also creates an html file with a list of audio files and their spectrograms in the same folder. If you open it in a browser that supports playing .wav and/or .mp3 files (e.g. Firefox or Chrome), you can view the spectrograms and click on them to play each sound. Unlike [analyzeFolder](#), `spectrogramFolder` supports plotting both a spectrogram and an oscillogram if `osc = TRUE`.

Usage

```
spectrogramFolder(myfolder, htmlPlots = TRUE, verbose = TRUE,
  windowLength = 50, step = NULL, overlap = 50, wn = "gaussian",
  zp = 0, ylim = NULL, osc = TRUE, xlab = "Time, ms",
  ylab = "kHz", width = 900, height = 500, units = "px",
  res = NA, ...)
```

Arguments

<code>myfolder</code>	full path to the folder containing wav/mp3 files
<code>htmlPlots</code>	if TRUE, saves an html file with clickable plots
<code>verbose</code>	if TRUE, reports progress and estimated time left
<code>windowLength</code>	length of FFT window, ms
<code>step</code>	you can override <code>overlap</code> by specifying FFT step, ms
<code>overlap</code>	overlap between successive FFT frames, %
<code>wn</code>	window type: gaussian, hanning, hamming, bartlett, rectangular, blackman, flat-top
<code>zp</code>	window length after zero padding, points
<code>ylim</code>	frequency range to plot, kHz (defaults to 0 to Nyquist frequency)
<code>osc</code>	should an oscillogram be shown under the spectrogram? TRUE/ FALSE. If 'osc_dB', the oscillogram is displayed on a dB scale. See osc_dB for details
<code>xlab</code>	graphical parameters
<code>ylab</code>	graphical parameters
<code>width</code>	parameters passed to png if the plot is saved
<code>height</code>	parameters passed to png if the plot is saved
<code>units</code>	<code>c('ms', 'kHz')</code> is the default, and anything else is interpreted as s (for time) and Hz (for frequency)
<code>res</code>	parameters passed to png if the plot is saved
<code>...</code>	other parameters passed to spectrogram

Examples

```
## Not run:
spectrogramFolder(
  '~/Downloads/temp',
  windowLength = 40, overlap = 75, # spectrogram pars
  width = 1500, height = 900,      # passed to png()
  osc = TRUE, osc_dB = TRUE, heights = c(1, 1)
)
# note that the folder now also contains an html file with clickable plots

## End(Not run)
```

 ssm

Self-similarity matrix

Description

Calculates the self-similarity matrix and novelty vector of a sound.

Usage

```
ssm(x, samplingRate = NULL, windowLength = 40, overlap = 75,
    step = NULL, ssmWin = 40, maxFreq = NULL, nBands = NULL,
    MFCC = 2:13, input = c("mfcc", "audiogram", "spectrum")[1],
    norm = FALSE, simil = c("cosine", "cor")[1],
    returnSSM = "deprecated", kernelLen = 200, kernelSD = 0.2,
    padWith = 0, plot = TRUE, heights = c(2, 1),
    specPars = list(levels = seq(0, 1, length = 30), colorTheme = c("bw",
    "seewave", "heat.colors", "...")[2], xlab = "Time, s", ylab = "kHz", ylim
    = c(0, maxFreq/1000)), ssmPars = list(levels = seq(0, 1, length = 30),
    colorTheme = c("bw", "seewave", "heat.colors", "...")[2], xlab =
    "Time, s", ylab = "Time, s", main = "Self-similarity matrix"),
    noveltyPars = list(type = "b", pch = 16, col = "black", lwd = 3))
```

Arguments

x	path to a .wav file or a vector of amplitudes with specified samplingRate
samplingRate	sampling rate of x (only needed if x is a numeric vector, rather than a .wav file)
windowLength	length of FFT window, ms
overlap	overlap between successive FFT frames, %
step	you can override overlap by specifying FFT step, ms
ssmWin	window for averaging SSM, ms
maxFreq	highest band edge of mel filters, Hz. Defaults to samplingRate / 2. See melfcc
nBands	number of warped spectral bands to use. Defaults to 100 * windowLength / 20. See melfcc

MFCC	which mel-frequency cepstral coefficients to use; defaults to 2:13
input	either MFCCs ("cepstrum") or mel-filtered spectrum ("audiogram")
norm	if TRUE, the spectrum of each STFT frame is normalized
simil	method for comparing frames: "cosine" = cosine similarity, "cor" = Pearson's correlation
returnSSM	if TRUE, returns the SSM
kernelLen	length of checkerboard kernel for calculating novelty, ms (larger values favor global vs. local novelty)
kernelSD	SD of checkerboard kernel for calculating novelty
padWith	how to treat edges when calculating novelty: NA = treat sound before and after the recording as unknown, 0 = treat it as silence
plot	if TRUE, plots the SSM
heights	relative sizes of the SSM and spectrogram/novelty plot
specPars	graphical parameters passed to <code>filled.contour.mod</code> and affecting the spectrogram
ssmPars	graphical parameters passed to <code>filled.contour.mod</code> and affecting the plot of SSM
noveltyPars	graphical parameters passed to lines and affecting the novelty contour

Value

If `returnSSM` is TRUE, returns a list of two components: `$ssm` contains the self-similarity matrix, and `$novelty` contains the novelty vector.

References

- El Badawy, D., Marmaroli, P., & Lissek, H. (2013). Audio Novelty-Based Segmentation of Music Concerts. In *Acoustics 2013* (No. EPFL-CONF-190844)
- Foote, J. (1999, October). Visualizing music and audio using self-similarity. In *Proceedings of the seventh ACM international conference on Multimedia (Part 1)* (pp. 77-80). ACM.
- Foote, J. (2000). Automatic audio segmentation using a measure of audio novelty. In *Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International Conference on* (Vol. 1, pp. 452-455). IEEE.

See Also

[spectrogram modulationSpectrum segment](#)
[spectrogram modulationSpectrum](#)

Examples

```
sound = c(soundgen(), soundgen(nSyl = 4, sylLen = 50, pauseLen = 70,
                               formants = NA, pitch = c(500, 330)))
# playme(sound)
ssm(sound, samplingRate = 16000,
     input = 'audiogram', simil = 'cor', norm = FALSE,
```

```

        ssmWin = 10, kernellLen = 150) # detailed, local features
## Not run:
m = ssm(sound, samplingRate = 16000,
        input = 'mfcc', simil = 'cosine', norm = TRUE,
        ssmWin = 50, kernellLen = 600, # global features
        specPars = list(colorTheme = 'heat.colors'),
        ssmPars = list(colorTheme = 'bw'),
        noveltyPars = list(type = 'l', lty = 3, lwd = 2))
# plot(m$novelty, type='b') # use for peak detection, etc

## End(Not run)

```

transplantFormants *Transplant formants*

Description

Takes the general spectral envelope of one sound (donor) and "transplants" it onto another sound (recipient). For biological sounds like speech or animal vocalizations, this has the effect of replacing the formants in the recipient sound while preserving the original intonation and (to some extent) voice quality. Note that `freqWindow_donor` and `freqWindow_recipient` are crucial parameters that regulate the amount of spectral smoothing in both sounds. The default is to set them to the estimated median pitch, but this is time-consuming and error-prone, so set them to reasonable values manually if possible.

Usage

```

transplantFormants(donor, freqWindow_donor = NULL, recipient,
  freqWindow_recipient = NULL, samplingRate = NULL,
  dynamicRange = 80, windowLength = 50, step = NULL, overlap = 90,
  wn = "gaussian", zp = 0)

```

Arguments

<code>donor</code>	the sound that provides the formants
<code>freqWindow_donor</code> , <code>freqWindow_recipient</code>	the width of smoothing window. Defaults to median pitch of each respective sound estimated by analyze
<code>recipient</code>	the sound that receives the formants
<code>samplingRate</code>	sampling rate of x (only needed if x is a numeric vector, rather than an audio file)
<code>dynamicRange</code>	dynamic range, dB. All values more than one dynamicRange under maximum are treated as zero
<code>windowLength</code>	length of FFT window, ms
<code>step</code>	you can override <code>overlap</code> by specifying FFT step, ms
<code>overlap</code>	overlap between successive FFT frames, %

wn window type: gaussian, hanning, hamming, bartlett, rectangular, blackman, flat-top

zp window length after zero padding, points

Details

Algorithm: makes spectrograms of both sounds, interpolates and smoothes the donor spectrogram, flattens the recipient spectrogram, multiplies the spectrograms, and transforms back into time domain with inverse STFT.

See Also

[getSpectralEnvelope](#) [addFormants](#) [soundgen](#)

Examples

```
## Not run:
# Objective: take formants from the bleating of a sheep and apply them to a
# synthetic sound with any arbitrary duration, intonation, nonlinearities etc
data(sheep, package = 'seewave') # import a recording from seewave
donor = as.numeric(scale(sheep@left)) # source of formants
samplingRate = sheep@samp.rate
playme(donor, samplingRate)
spectrogram(donor, samplingRate, osc = TRUE)
seewave::meanspec(donor, f = samplingRate, dB = 'max0')

s1 = transplantFormants(
  donor = donor,
  recipient = soundgen(syllLen = 1200,
    pitch = c(100, 300, 250, 200),
    vibratoFreq = 9, vibratoDep = 1,
    samplingRate = samplingRate),
  samplingRate = samplingRate)
playme(s1, samplingRate)
spectrogram(s1, samplingRate, osc = TRUE)
seewave::meanspec(s1, f = samplingRate, dB = 'max0')

s2 = transplantFormants(
  donor = donor,
  recipient = soundgen(syllLen = 1500,
    pitch = c(150, 200, 120),
    nonlinBalance = 50,
    subFreq = 80, subDep = 50, jitterDep = 0,
    noise = -20,
    samplingRate = samplingRate),
  samplingRate = samplingRate)
playme(s2, samplingRate)
spectrogram(s2, samplingRate, osc = TRUE)
seewave::meanspec(s2, f = samplingRate, dB = 'max0')

## End(Not run)
```

Index

*Topic **datasets**

- defaults, [22](#)
 - defaults_analyze, [23](#)
 - notesDict, [62](#)
 - permittedValues, [67](#)
 - pitchManual, [67](#)
 - presets, [71](#)
 - segmentManual, [79](#)
- addFormants, [3](#), [29](#), [94](#)
- addVectors, [6](#)
- analyze, [7](#), [13](#), [17](#), [29](#), [37](#), [39](#), [40](#), [42–44](#), [62](#),
[68](#), [69](#), [76](#), [88](#), [93](#)
- analyzeFolder, [11](#), [13](#), [63](#), [69](#), [90](#)
- approx, [41](#)
- audspec, [37](#)
- beat, [17](#), [27](#), [31](#), [32](#), [84](#)
- compareSounds, [19](#)
- contour, [55](#)
- crossFade, [21](#), [25](#)
- defaults, [22](#)
- defaults_analyze, [23](#)
- dtw, [19](#), [52](#)
- env, [75](#), [78](#)
- estimateVTL, [23](#), [73](#)
- fade, [21](#), [25](#)
- fart, [18](#), [26](#), [31](#), [32](#), [84](#)
- findformants, [8](#), [14](#)
- flatEnv, [28](#), [42](#), [43](#), [62](#)
- flatSpectrum, [29](#)
- gaussianSmooth2D, [30](#), [54](#)
- generateNoise, [18](#), [27](#), [31](#), [84](#)
- getEntropy, [34](#)
- getIntegerRandomWalk, [35](#)
- getLoudness, [7](#), [10](#), [11](#), [17](#), [36](#), [38](#), [39](#), [43](#), [44](#),
[62](#)
- getLoudnessFolder, [37](#), [38](#)
- getPrior, [8](#), [15](#), [39](#)
- getRandomWalk, [35](#), [41](#)
- getRMS, [11](#), [17](#), [37](#), [39](#), [42](#), [43](#), [44](#), [62](#)
- getRMSFolder, [43](#), [43](#)
- getRolloff, [44](#), [44](#), [45](#), [82](#)
- getSmoothContour, [46](#)
- getSpectralEnvelope, [3](#), [4](#), [48](#), [83](#), [94](#)
- HzToSemitones, [51](#), [80](#)
- istft, [4](#), [32](#), [84](#)
- lines, [92](#)
- matchPars, [19](#), [52](#)
- melfcc, [91](#)
- modulationSpectrum, [11](#), [31](#), [54](#), [57](#), [59](#), [88](#),
[92](#)
- modulationSpectrumFolder, [54](#), [56](#), [57](#)
- morph, [59](#)
- normalizeFolder, [61](#)
- notesDict, [62](#)
- optim, [9](#), [16](#), [63](#), [64](#)
- optimizePars, [63](#), [76](#)
- osc_dB, [10](#), [65](#), [87](#), [88](#), [90](#)
- palette, [55](#), [58](#), [88](#)
- permittedValues, [67](#)
- pitch_app, [11](#), [17](#), [40](#), [69](#)
- pitchManual, [67](#)
- pitchSmoothPraat, [68](#)
- play, [18](#), [27](#), [32](#), [70](#), [84](#)
- playme, [70](#), [70](#)
- plot, [76](#), [78](#)
- png, [10](#), [17](#), [55](#), [59](#), [76](#), [78](#), [90](#)
- presets, [71](#)

reportTime, 71
rnorm, 41

schwa, 24, 72
segment, 11, 17, 75, 79, 92
segmentFolder, 63, 69, 76, 77
segmentManual, 79
semitonesToHz, 51, 80
soundgen, 3, 4, 6, 17, 18, 27, 31, 32, 45, 47,
52, 59, 60, 80, 86, 88, 94
soundgen_app, 86
spectro, 86
spectrogram, 10, 17, 37, 54–56, 59, 84, 86,
90, 92
spectrogramFolder, 89
spline, 41
ssm, 11, 76, 88, 91

transplantFormants, 4, 29, 93