

Package ‘texPreview’

October 29, 2019

Type Package

Title Compile and Preview Snippets of 'LaTeX' in 'RStudio'

Version 1.4.1

Date 2019-10-27

Maintainer Jonathan Sidi <yonis@metrumrg.com>

Description Compile and preview snippets of 'LaTeX'. Can be used directly from the R console, from 'RStudio', in Shiny apps and R Markdown documents. Must have 'pdflatex' or 'xelatex' or 'lualatex' in 'PATH'.

License GPL-2 | GPL-3

URL <https://github.com/metrumresearchgroup/texPreview>

BugReports <https://github.com/metrumresearchgroup/texPreview/issues>

Depends R (>= 3.3.0)

Imports base64enc,
 details,
 fs,
 htmltools,
 knitr,
 lifecycle,
 magick,
 magrittr,
 rematch2,
 rstudioapi,
 svgPanZoom,
 utils,
 whisker,
 xml2

Suggests covr,
 kableExtra,
 nlme,
 rmarkdown,
 shiny,
 slickR,
 testthat,
 texreg,
 xtable

VignetteBuilder knitr
RdMacros details,
 lifecycle
LazyData false
NeedsCompilation no
Roxygen list(markdown = TRUE)
RoxygenNote 6.1.1

R topics documented:

as.kable	2
buildUsepackage	3
build_usepackage	4
getTexPackages	5
get_texpackages	5
texPreview	6
tex_opts	7
tex_preview	8
%>%	10
Index	11

as.kable	<i>Try to coerce an object into a knitr_kable object</i>
----------	--

Description

coerce objects into a knitr_kable class object with a latex format

Usage

```
as.kable(x)
```

Arguments

x object

Value

an object of class knitr_kable

Examples

```
tex <- '\\begin{tabular}{llr}
\\hline
\\multicolumn{2}{c}{Item} \\ \\ \\
\\cline{1-2}
Animal    & Description & Price (\\$) \\ \\ \\
\\hline
Gnat      & per gram    & 13.65      \\ \\ \\
```

```

& each      & 0.01      \\\
Gnu         & stuffed   & 92.50      \\\
Emu         & stuffed   & 33.33      \\\
Armadillo & frozen     & 8.99       \\\
\\hline
\\end{tabular}'

ktex <- as.kable(tex)

class(ktex)

attributes(ktex)

ktex

# using an input call

x <- tex_preview(tex,returnType = 'input')

x

ktex_input <- as.kable(x)

class(ktex_input)

attributes(ktex_input)

ktex_input

# file path

x <- tex_preview(tex,returnType = 'input')

ktex_path <- as.kable(file.path(tempdir(),'tex_temp.tex'))

class(ktex_path)

attributes(ktex_path)

ktex_path

```

buildUsepackage

Build usepackage command for TeX document **Deprecated**

Description

This function has been deprecated, use [build_usepackage](#) instead.

Usage

```

buildUsepackage(pkg, options = NULL, uselibrary = NULL,
  chk.inst = FALSE)

```

Arguments

pkg	character, name of TeX package
options	character, name(s) of options to use in the package
uselibrary	character, part of document preamble to specify a uselibrary call related to package
chk.inst	logical, invokes a check to see if pkg is currently installed on system (default FALSE)

build_usepackage	<i>Build usepackage command for TeX document</i>
------------------	--

Description

input TeX package name and optional package functions to create usepackage call

Usage

```
build_usepackage(pkg, options = NULL, uselibrary = NULL,
  chk.inst = FALSE)
```

Arguments

pkg	character, name of TeX package
options	character, name(s) of options to use in the package
uselibrary	character, part of document preamble to specify a uselibrary call related to package
chk.inst	logical, invokes a check to see if pkg is currently installed on system (default FALSE)

Details

if options and uselibrary are NULL (default) then only the call for the package is returned. See the TeX wikibook for more information https://en.wikibooks.org/wiki/LaTeX/Document_Structure#Packages on the usepackage command. If chk.inst finds that the package is not installed on system function returns NULL.

Value

character

Examples

```
build_usepackage(pkg = 'xcolor')
build_usepackage(pkg = 'xcolor', options = 'usenames')

#build many at once using mapply

geom.opts=c('paperwidth=35cm', 'paperheight=35cm', 'left=2.5cm', 'top=2.5cm')
use.opts="\usetikzlibrary{mindmap,backgrounds}"
```

```
unlist(mapply(build_usepackage,  
  pkg = list('times','geometry','tikz'),  
  options= list(NULL ,geom.opts ,NULL),  
  uselibrary = list(NULL ,NULL ,use.opts)  
))
```

getTexPackages	<i>Get list of TeX packages installed on System</i> Deprecated
----------------	---

Description

This function has been deprecated, use [get_texpackages](#) instead.

Usage

```
getTexPackages()
```

get_texpackages	<i>Get list of TeX packages installed on System</i>
-----------------	---

Description

Fetch all TeX packages currently installed on system

Usage

```
get_texpackages()
```

Details

If OS is Windows function checks against MikTeX else function checks against TeXLive.

Value

character

Examples

```
## Not run: head(get_texpackages())
```

texPreview

Render and Preview snippets of TeX in R Viewer **Deprecated****Description**

This function has been deprecated, use [tex_preview](#) instead.

Usage

```
texPreview(obj, tex_lines = NULL, stem = "tex_temp",
  overwrite = TRUE, keep_pdf = FALSE, tex_message = FALSE,
  fileDir = tex_opts$get("fileDir"), margin = tex_opts$get("margin"),
  imgFormat = tex_opts$get("imgFormat"),
  returnType = tex_opts$get("returnType"),
  resizebox = tex_opts$get("resizebox"),
  usrPackages = tex_opts$get("usrPackages"),
  engine = tex_opts$get("engine"), cleanup = tex_opts$get("cleanup"),
  density = tex_opts$get("density"), svg_max = tex_opts$get("svg_max"),
  print.xtable.opts = tex_opts$get("print.xtable.opts"),
  opts.html = tex_opts$get("opts.html"), markers = interactive(), ...)
```

Arguments

obj	object to convert to TeX script
tex_lines	vector of character, in case of special needs, instead of asking texPreview to build up, you may choose to pass in the contents of the complete LaTeX file directly. It should be a vector of character with each element as a line of raw TeX code.
stem	character, name to use in output files, Default: "tex_temp"
overwrite	logical, controls if overwriting of output stem* files given their existences, Default: TRUE
keep_pdf	logical, controls if the rendered pdf file should be kept or deleted, Default: FALSE
tex_message	logical, controls if latex executing messages are displayed in console. Default: FALSE
fileDir	character, output destination. If NULL a temp.dir() will be used and no output will be saved, Default: tex_opts\$get('fileDir')
margin	table margin for pdflatex call, Default: tex_opts\$get('margin')
imgFormat	character, defines the type of image the PDF is converted to Default: tex_opts\$get('imgFormat')
returnType	character, one of "viewer", "html", or "tex" determining appropriate return type for the rendering process, Default: tex_opts\$get('returnType')
resizebox	logical, forces a tabular tex object to be constrained on the margins of the document, Default: tex_opts\$get('resizebox')
usrPackages	character, vector of usepackage commands, see details for string format
engine	character, specifies which latex to pdf engine to use ('pdflatex', 'xelatex', 'lualatex'), Default: tex_opts\$get('engine')
cleanup	character, vector of file extensions to clean up after building pdf, Default: tex_opts\$get('cleanup')

density	numeric, controls the density of the image. Default is 150: <code>tex_opts\$get('density')</code>
svg_max	numeric, maximum svg file size allowable to preview, Default: <code>tex_opts\$get('svg_max')</code>
print.xtable.opts	list, contains arguments to pass to <code>print.table</code> , relevant only if <code>xtable</code> is used as the input, Default: <code>tex_opts\$get('print.xtable.opts')</code>
opts.html	list, html options, Default: <code>tex_opts\$get('opts.html')</code>
markers	logical, if TRUE then RStudio markers will be invoked to create links for the log file on rendering errors, Default: <code>interactive()</code>
...	passed to system2

tex_opts	<i>Default and current tex options</i>
----------	--

Description

Options for functions in the `texPreview` package. When running R code, the object `tex_opts` (default options) is not modified by chunk headers (local chunk options are merged with default options), whereas `tex_opts_current` (current options) changes with different chunk headers and it always reflects the options for the current chunk.

Usage

```
tex_opts
```

```
tex_opts_current
```

Format

An object of class `list` of length 5.

Details

Normally we set up the global options once in the first code chunk in a document using `tex_opts$set()`, so that all *latter* chunks will use these options. Note the global options set in one chunk will not affect the options in this chunk itself, and that is why we often need to set global options in a separate chunk.

Below is a list of default chunk options, retrieved via `tex_opts$get()`:

These options correspond to fields in the direct call to `tex_preview`, which are listed in explained in the help manual.

Note

`tex_opts_current` is read-only in the sense that it does nothing if you call `tex_opts_current$set()`; you can only query the options via `tex_opts_current$get()`.

Examples

```
tex_opts$get()
```

tex_preview

*Render and Preview snippets of TeX in R Viewer***Description**

input TeX script into the function and it renders a pdf and converts it an image which is sent to Viewer.

Usage

```
tex_preview(obj, tex_lines = NULL, stem = "tex_temp",
  overwrite = TRUE, keep_pdf = FALSE, tex_message = FALSE,
  fileDir = tex_opts$get("fileDir"), margin = tex_opts$get("margin"),
  imgFormat = tex_opts$get("imgFormat"),
  returnType = tex_opts$get("returnType"),
  resizebox = tex_opts$get("resizebox"),
  usrPackages = tex_opts$get("usrPackages"),
  engine = tex_opts$get("engine"), cleanup = tex_opts$get("cleanup"),
  density = tex_opts$get("density"), svg_max = tex_opts$get("svg_max"),
  print.xtable.opts = tex_opts$get("print.xtable.opts"),
  opts.html = tex_opts$get("opts.html"), markers = interactive(), ...)
```

Arguments

obj	object to convert to TeX script
tex_lines	vector of character, in case of special needs, instead of asking texPreview to build up, you may choose to pass in the contents of the complete LaTeX file directly. It should be a vector of character with each element as a line of raw TeX code.
stem	character, name to use in output files, Default: "tex_temp"
overwrite	logical, controls if overwriting of output stem* files given their existences, Default: TRUE
keep_pdf	logical, controls if the rendered pdf file should be kept or deleted, Default: FALSE
tex_message	logical, controls if latex executing messages are displayed in console. Default: FALSE
fileDir	character, output destination. If NULL a temp.dir() will be used and no output will be saved, Default: tex_opts\$get('fileDir')
margin	table margin for pdflatex call, Default: tex_opts\$get('margin')
imgFormat	character, defines the type of image the PDF is converted to Default: tex_opts\$get('imgFormat')
returnType	character, one of "viewer", "html", or "tex" determining appropriate return type for the rendering process, Default: tex_opts\$get('returnType')
resizebox	logical, forces a tabular tex object to be constrained on the margins of the document, Default: tex_opts\$get('resizebox')
usrPackages	character, vector of usepackage commands, see details for string format
engine	character, specifies which latex to pdf engine to use ('pdflatex', 'xelatex', 'lualatex'), Default: tex_opts\$get('engine')

cleanup	character, vector of file extensions to clean up after building pdf, Default: <code>tex_opts\$get('cleanup')</code>
density	numeric, controls the density of the image. Default is 150: <code>tex_opts\$get('density')</code>
svg_max	numeric, maximum svg file size allowable to preview, Default: <code>tex_opts\$get('svg_max')</code>
print.xtable.opts	list, contains arguments to pass to <code>print.table</code> , relevant only if <code>xtable</code> is used as the input, Default: <code>tex_opts\$get('print.xtable.opts')</code>
opts.html	list, html options, Default: <code>tex_opts\$get('opts.html')</code>
markers	logical, if TRUE then RStudio markers will be invoked to create links for the log file on rendering errors, Default: <code>interactive()</code>
...	passed to system2

Details

`tex_preview` is an S3 method that can be used to preview TeX output from different object classes.

Built-in support includes:

- character (tex lines)
- `knitr_kable` (`kable/kableExtra`)
- `xtable`
- `texreg`
- `equatomatic`

The function assumes the system has `pdflatex` installed and it is defined in the `PATH`.

To add packages to the tex file on render there are two options

- Use [build_usepackage](#) and use the input argument `usrPackages`.
- Append to the input object `\usepackage{...}` calls, they will be parsed and added to the rendering.
- An image file of the name stem with the extension specified in `imgFormat`.
- The default extension is `png`.
- The function writes two files to disk in the `fileDir`
 - Image file
 - TeX script
- The rendering files are removed up from the `fileDir`. This can be controlled using the `cleanup` argument or `tex_opts$get('cleanup')`

Value

The output of the function is dependent on the value of `returnType`:

- `viewer`: NULL
 - magick image is printed in the internal viewer
- `tex`:
 - character, TeX lines
 - printed 'asis' in RMarkdown
- `input`: character

- path to the file containing the tex wrapped in an input call
- printed 'asis' in RMarkdown
- html: magick image
 - Printed as an HTML document in the internal viewer
 - Printed as an image in RMarkdown

Examples

```
data('iris')
if(interactive()){

# Raw TeX

tex <- '\\begin{tabular}{llr}
\\hline
\\multicolumn{2}{c}{Item} \\ \\ \\
\\cline{1-2}
Animal & Description & Price (\\$) \\ \\ \\
\\hline
Gnat & per gram & 13.65 \\ \\ \\
& each & 0.01 \\ \\ \\
Gnu & stuffed & 92.50 \\ \\ \\
Emu & stuffed & 33.33 \\ \\ \\
Armadillo & frozen & 8.99 \\ \\ \\
\\hline
\\end{tabular}'

# knitr kable

mtcars%>%
  head()%>%
  knitr::kable("latex")%>%
  tex_preview()

# with svg output pan/zoom is enabled in the internal viewer

tex_preview(obj = tex,stem = 'eq',imgFormat = 'svg')

# use tex_lines parameter to pass full document

tikz_path <- system.file(
  'examples/tikz/credit_rationing.tex',
  package = 'texPreview'
)

tex_preview(tex_lines = readLines(tikz_path))

}
```

%>%

re-export magrittr pipe operators

Description

re-export magrittr pipe operators

Index

*Topic **datasets**

tex_opts, [7](#)

%>%, [10](#)

as.kable, [2](#)

build_usepackage, [3](#), [4](#), [9](#)

buildUsepackage, [3](#)

get_texpackages, [5](#), [5](#)

getTexPackages, [5](#)

system2, [7](#), [9](#)

tex_opts, [7](#)

tex_opts_current (tex_opts), [7](#)

tex_preview, [6](#), [7](#), [8](#)

texPreview, [6](#)