

Package ‘tidycomm’

September 22, 2019

Title Data Modification and Analysis for Communication Research

Version 0.1.0

Description Provides convenience functions for common data modification and analysis tasks in communication research. This includes functions for univariate and bivariate data analysis, index generation and reliability computation, and intercoder reliability tests. All functions follow the style and syntax of the tidyverse, and are construed to perform their computations on multiple variables at once. Functions for univariate and bivariate data analysis comprise summary statistics for continuous and categorical variables, as well as several tests of bivariate association including effect sizes. Functions for data modification comprise index generation and automated reliability analysis of index variables. Functions for intercoder reliability comprise tests of several intercoder reliability estimates, including simple and mean pairwise percent agreement, Krippendorff’s Alpha (Krippendorff 2004, ISBN: 9780761915454), and various Kappa coefficients (Brennan & Prediger 1981 <doi: 10.1177/001316448104100307>; Cohen 1960 <doi: 10.1177/001316446002000104>; Fleiss 1971 <doi: 10.1037/h0031619>).

License GPL-3

URL <https://github.com/joon-e/tidycomm>

BugReports <https://github.com/joon-e/tidycomm/issues>

Depends R (>= 2.10)

Imports broom, dplyr, forcats, glue, magrittr, MBESS, purrr, rlang, stringr, tibble, tidyr

Suggests covr, knitr, rmarkdown, testthat (>= 2.1.0), tidyselect

VignetteBuilder knitr

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

NeedsCompilation no

Author Julian Unkel [aut, cre] (<<https://orcid.org/0000-0001-9568-7041>>)

Maintainer Julian Unkel <julian.unkel@gmail.com>

Repository CRAN

Date/Publication 2019-09-22 16:30:02 UTC

R topics documented:

add_index	2
correlate	3
crosstab	4
describe	5
fbposts	5
get_reliability	6
tab_frequencies	7
test_icer	8
to_correlation_matrix	9
t_test	10
unianova	11
WoJ	11

Index	13
--------------	-----------

add_index	<i>Add index</i>
-----------	------------------

Description

Add a rowwise mean or sum index of specific variables to the dataset.

Usage

```
add_index(data, name, ..., type = "mean", na.rm = TRUE)
```

Arguments

data	a tibble
name	Name of the index column to compute.
...	Variables used for the index.
type	Type of index to compute. Either "mean" (default) or "sum".
na.rm	a logical value indicating whether NA values should be stripped before the computation proceeds. Defaults to TRUE.

Value

a [tibble](#)

See Also

[get_reliability\(\)](#) to compute reliability estimates of added index variables.

Examples

```
WoJ %>% add_index(ethical_flexibility, ethics_1, ethics_2, ethics_3, ethics_4)
WoJ %>% add_index(ethical_flexibility, ethics_1, ethics_2, ethics_3, ethics_4, type = "sum")
```

correlate	<i>Compute correlation coefficients</i>
-----------	---

Description

Computes correlation coefficients for all combinations of the specified variables. If no variables are specified, all numeric (integer or double) variables are used.

Usage

```
correlate(data, ..., method = "pearson")
```

Arguments

data	a tibble
...	Variables to compute correlations for (column names). Leave empty to compute for all numeric variables in data.
method	a character string indicating which correlation coefficient is to be computed. One of "pearson" (default), "kendall", or "spearman"

Value

a [tibble](#)

Examples

```
WoJ %>% correlate(ethics_1, ethics_2, ethics_3)
WoJ %>% correlate()
```

`crosstab`*Crosstab variables*

Description

Computes contingency table for one independent (column) variable and one or more dependent (row) variables.

Usage

```
crosstab(data, col_var, ..., add_total = FALSE, percentages = FALSE,  
         chi_square = FALSE)
```

Arguments

<code>data</code>	a tibble
<code>col_var</code>	Independent (column) variable.
<code>...</code>	Dependent (row) variables.
<code>add_total</code>	Logical indicating whether a 'Total' column should be computed. Defaults to FALSE.
<code>percentages</code>	Logical indicating whether to output column-wise percentages instead of absolute values. Defaults to FALSE.
<code>chi_square</code>	Logical indicating whether a Chi-square test should be computed. Test results will be reported via <code>message()</code> . Defaults to FALSE.

Value

a [tibble](#)

See Also

Other categorical: [tab_frequencies](#)

Examples

```
WoJ %>% crosstab(reach, employment)  
WoJ %>% crosstab(reach, employment, add_total = TRUE, percentages = TRUE, chi_square = TRUE)
```

describe	<i>Describe variables</i>
----------	---------------------------

Description

Describe variables by several measures of central tendency and variability. If no variables are specified, all numeric (integer or double) variables are described.

Usage

```
describe(data, ..., na.rm = TRUE)
```

Arguments

data	a tibble
...	Variables to describe (column names). Leave empty to describe all numeric variables in data.
na.rm	a logical value indicating whether NA values should be stripped before the computation proceeds. Defaults to TRUE.

Value

a [tibble](#)

Examples

```
iris %>% describe()  
mtcars %>% describe(mpg, am, cyl)
```

fbposts	<i>Facebook posts reliability test</i>
---------	--

Description

45 political facebook posts coded by 6 coders for an intercoder reliability test, focused on populist messages.

Usage

```
fbposts
```

Format

A data frame with 270 rows and 7 variables

post_id Numeric id of the coded Facebook post

coder_id Numeric id of the coder

type Type of Facebook post, one of "link", "photo", "status", or "video"

n_pictures Amount of pictures attached to the post, ranges from 0 to 6

pop_elite Populism indicator: Does the Facebook post attack elites?, 0 = "no attacks on elites", 1 = "attacks political actors", 2 = "attacks public administration actors", 3 = "attacks economical actors", 4 = "attacks media actors/journalists", 9 = "attacks other elites"

pop_people Populism indicator: Does the Facebook refer to 'the people'?, 0 = "does not refer to 'the people'", 1 = "refers to 'the people'"

pop_othering Populism indicator: Does the Facebook attack 'others'?, 0 = "no attacks on 'others'", 1 = "attacks other cultures", 2 = "attacks other political stances", 3 = "attacks other 'others'"

get_reliability

Get reliability estimates of index variables

Description

Get reliability estimates of index variables created with [add_index](#).

Usage

```
get_reliability(data, ..., type = "alpha", interval.type = NULL,
  bootstrap.samples = NULL, conf.level = NULL, progress = FALSE)
```

Arguments

data	a tibble
...	Index variables created with add_index . Leave empty to get reliability estimates for all index variables.
type	Type of reliability estimate. See ci.reliability
interval.type	Type of reliability estimate confidence interval. See ci.reliability
bootstrap.samples	Number of bootstrap samples for CI calculation. See ci.reliability
conf.level	Confidence level for estimate CI. See ci.reliability
progress	Show progress for reliability estimate computation. Useful if using computationally intense computations (e. g., many bootstrapping samples) and many index variables.

Value

a [tibble](#)

See Also

[add_index\(\)](#) to create index variables

Examples

```
WoJ %>%  
  add_index(ethical_flexibility, ethics_1, ethics_2, ethics_3, ethics_4) %>%  
  get_reliability()
```

tab_frequencies	<i>Tabulate frequencies</i>
-----------------	-----------------------------

Description

Tabulates frequencies for one or more categorical variable, including relative, and cumulative frequencies.

Usage

```
tab_frequencies(data, ...)
```

Arguments

data	a tibble
...	Variables to tabulate

Value

a [tibble](#)

See Also

Other categorical: [crosstab](#)

Examples

```
WoJ %>% tab_frequencies(employment)  
WoJ %>% tab_frequencies(employment, country)
```

test_ocr	<i>Perform an intercoder reliability test</i>
----------	---

Description

Performs an intercoder reliability test by computing various intercoder reliability estimates for the included variables

Usage

```
test_ocr(data, unit_var, coder_var, ..., levels = NULL,
         na.omit = FALSE, agreement = TRUE, holsti = TRUE,
         kripp_alpha = TRUE, cohens_kappa = FALSE, fleiss_kappa = FALSE,
         brennan_prediger = FALSE)
```

Arguments

data	a tibble
unit_var	Variable with unit identifiers
coder_var	Variable with coder identifiers
...	Variables to compute intercoder reliability estimates for. Leave empty to compute for all variables (excluding unit_var and 'coder_var') in data.
levels	Optional named vector with levels of test variables
na.omit	Logical indicating whether NA values should be stripped before computation. Defaults to FALSE.
agreement	Logical indicating whether simple percent agreement should be computed. Defaults to TRUE.
holsti	Logical indicating whether Holsti's reliability estimate (mean pairwise agreement) should be computed. Defaults to TRUE.
kripp_alpha	Logical indicating whether Krippendorff's Alpha should be computed. Defaults to TRUE.
cohens_kappa	Logical indicating whether Cohen's Kappa should be computed. Defaults to FALSE.
fleiss_kappa	Logical indicating whether Fleiss' Kappa should be computed. Defaults to FALSE.
brennan_prediger	Logical indicating whether Brennan & Prediger's Kappa should be computed (extension to 3+ coders as proposed by von Eye (2006)). Defaults to FALSE.

Value

a [tibble](#)

References

- Brennan, R. L., & Prediger, D. J. (1981). Coefficient Kappa: Some uses, misuses, and alternatives. *Educational and Psychological Measurement*, 41(3), 687-699. <https://doi.org/10.1177/001316448104100307>
- Cohen, J. (1960). A coefficient of agreement for nominal scales. *Educational and Psychological Measurement*, 20(1), 37-46. <https://doi.org/10.1177/001316446002000104>
- Fleiss, J. L. (1971). Measuring nominal scale agreement among many raters. *Psychological Bulletin*, 76(5), 378-382. <https://doi.org/10.1037/h0031619>
- Krippendorff, K. (2011). Computing Krippendorff's Alpha-Reliability. Retrieved from http://repository.upenn.edu/asc_paper
- von Eye, A. (2006). An Alternative to Cohen's Kappa. *European Psychologist*, 11(1), 12-24. <https://doi.org/10.1027/1016-9040.11.1.12>

Examples

```
fbposts %>% test_icr(post_id, coder_id, pop_elite, pop_othering)
fbposts %>% test_icr(post_id, coder_id, levels = c(n_pictures = "ordinal"), fleiss_kappa = TRUE)
```

to_correlation_matrix *Create correlation matrix*

Description

Turns the tibble exported from [correlate](#) into a correlation matrix.

Usage

```
to_correlation_matrix(data)
```

Arguments

data a [tibble](#) returned from [correlate](#)

Value

a [tibble](#)

Examples

```
WoJ %>% correlate() %>% to_correlation_matrix()
```

t_test	<i>Compute t-tests</i>
--------	------------------------

Description

Computes t-tests for one group variable and specified test variables. If no variables are specified, all numeric (integer or double) variables are used.

Usage

```
t_test(data, group_var, ..., var.equal = TRUE, paired = FALSE,
       pooled_sd = TRUE, levels = NULL, case_var = NULL)
```

Arguments

data	a tibble
group_var	group variable (column name)
...	test variables (column names). Leave empty to compute t-tests for all numeric variables in data.
var.equal	a logical variable indicating whether to treat the two variances as being equal. If TRUE then the pooled variance is used to estimate the variance otherwise the Welch (or Satterthwaite) approximation to the degrees of freedom is used. Defaults to TRUE.
paired	a logical indicating whether you want a paired t-test. Defaults to FALSE.
pooled_sd	a logical indicating whether to use the pooled standard deviation in the calculation of Cohen's d. Defaults to TRUE.
levels	optional: a vector of length two specifying the two levels of the group variable.
case_var	optional: case-identifying variable (column name). If you set paired = TRUE, specifying a case variable will ensure that data are properly sorted for a dependent t-test.

Value

a [tibble](#)

Examples

```
WoJ %>% t_test(temp_contract, autonomy_selection, autonomy_emphasis)
WoJ %>% t_test(temp_contract)
WoJ %>% t_test(employment, autonomy_selection, autonomy_emphasis,
              levels = c("Full-time", "Freelancer"))
```

unianova	<i>Compute one-way ANOVAs</i>
----------	-------------------------------

Description

Computes one-way ANOVAS for one group variable and specified test variables. If no variables are specified, all numeric (integer or double) variables are used.

Usage

```
unianova(data, group_var, ..., descriptives = FALSE, post_hoc = FALSE)
```

Arguments

data	a tibble
group_var	group variable (column name)
...	test variables (column names). Leave empty to compute ANOVAs for all numeric variables in data.
descriptives	a logical indicating whether descriptive statistics (mean & standard deviation) for all group levels should be added to the returned tibble. Defaults to FALSE.
post_hoc	a logical indicating whether post-hoc tests (Tukey's HSD) should be computed. Results of the post-hoc test will be added in a list column of result tibbles.

Value

a [tibble](#)

Examples

```
WoJ %>% unianova(employment, autonomy_selection, autonomy_emphasis)
WoJ %>% unianova(employment)
WoJ %>% unianova(employment, descriptives = TRUE, post_hoc = TRUE)
```

WoJ	<i>Worlds of Journalism sample data</i>
-----	---

Description

A subset of data from the [Worlds of Journalism](#) 2012-16 study containing survey data of 1,200 journalists from five European countries.

Usage

```
WoJ
```

Format

A data frame with 1200 rows and 15 variables:

country Country of residence

reach Reach of medium

employment Current employment situation

temp_contract Type of contract (if current employment situation is either full-time or part-time

autonomy_selection Autonomy in news story selection, scale from 1 (*no freedom at all*) to 5 (*complete freedom*)

autonomy_emphasis Autonomy in news story emphasis, scale from 1 (*no freedom at all*) to 5 (*complete freedom*)

ethics_1 Agreement with statement "Journalists should always adhere to codes of professional ethics, regardless of situation and context", scale from 1 (*strongly disagree*) to 5 (*strongly agree*) (*reverse-coded!*)

ethics_2 Agreement with statement "What is ethical in journalism depends on the specific situation.", scale from 1 (*strongly disagree*) to 5 (*strongly agree*)

ethics_3 Agreement with statement "What is ethical in journalism is a matter of personal judgment.", scale from 1 (*strongly disagree*) to 5 (*strongly agree*)

ethics_4 Agreement with statement "It is acceptable to set aside moral standards if extraordinary circumstances require it.", scale from 1 (*strongly disagree*) to 5 (*strongly agree*)

work_experience Work experience as a journalist in years

trust_parliament Trust placed in parliament, scale from 1 (*no trust at all*) to 5 (*complete trust*)

trust_government Trust placed in government, scale from 1 (*no trust at all*) to 5 (*complete trust*)

trust_parties Trust placed in parties, scale from 1 (*no trust at all*) to 5 (*complete trust*)

trust_politicians Trust placed in politicians in general, scale from 1 (*no trust at all*) to 5 (*complete trust*)

Source

<https://worldsofjournalism.org/data/data-and-key-tables-2012-2016>

Index

*Topic **datasets**

fbposts, [5](#)

WoJ, [11](#)

add_index, [2](#), [6](#)

add_index(), [7](#)

ci.reliability, [6](#)

correlate, [3](#), [9](#)

crosstab, [4](#), [7](#)

describe, [5](#)

fbposts, [5](#)

get_reliability, [6](#)

get_reliability(), [3](#)

t_test, [10](#)

tab_frequencies, [4](#), [7](#)

test_icr, [8](#)

tibble, [2-11](#)

to_correlation_matrix, [9](#)

unianova, [11](#)

WoJ, [11](#)