

Package ‘opalr’

December 10, 2019

Version 1.3.0

Title 'Opal' Data Repository Client and 'DataSHIELD' Utils

Depends R (>= 3.1), httr

Imports xml2, jsonlite, mime, progress

Suggests e1071, knitr, knitrBootstrap, rmarkdown, tibble, testthat

Description Data integration Web application for biobanks by 'OBiBa'. 'Opal' is the core database application for biobanks. Participant data, once collected from any data source, must be integrated and stored in a central data repository under a uniform model. 'Opal' is such a central repository. It can import, process, validate, query, analyze, report, and export data. 'Opal' is typically used in a research center to analyze the data acquired at assessment centres. Its ultimate purpose is to achieve seamless data-sharing among biobanks. This 'Opal' client allows to interact with 'Opal' web services and to perform operations on the R server side. 'DataSHIELD' administration tools are also provided.

License GPL-3

URL <https://www.obiba.org/> <https://www.obiba.org/pages/products/opal/>
<https://doi.org/10.1093/ije/dyx180> <http://www.datashield.ac.uk/>

BugReports <https://github.com/obiba/opalr>

RoxygenNote 7.0.1

VignetteBuilder knitr

Encoding UTF-8

NeedsCompilation no

Author Yannick Marcon [aut, cre] (<<https://orcid.org/0000-0003-0138-2023>>),
Amadou Gaye [ctb] (<<https://orcid.org/0000-0002-1180-2792>>),
OBiBa group [cph]

Maintainer Yannick Marcon <yannick.marcon@obiba.org>

Repository CRAN

Date/Publication 2019-12-10 21:10:07 UTC

R topics documented:

dsadmin.get_method	4
dsadmin.get_methods	4
dsadmin.get_options	5
dsadmin.installed_package	6
dsadmin.install_package	6
dsadmin.package_description	7
dsadmin.package_descriptions	8
dsadmin.remove_package	9
dsadmin.rm_method	10
dsadmin.rm_methods	10
dsadmin.rm_option	11
dsadmin.rm_package_methods	12
dsadmin.set_method	13
dsadmin.set_option	13
dsadmin.set_package_methods	14
harmony.annotate	15
harmony.annotate.status	16
harmony.annotations	17
harmony.dictionary_apply	17
harmony.dictionary_update	18
harmony.table_get	19
harmony.table_save	20
oadmin.installed_devtools	21
oadmin.installed_package	22
oadmin.installed_packages	22
oadmin.install_devtools	23
oadmin.install_github	24
oadmin.install_package	25
oadmin.package_description	26
oadmin.remove_package	26
opal.annotate	27
opal.annotations	28
opal.assign	29
opal.assign.data	30
opal.assign.script	31
opal.assign.table	32
opal.assign.table.tibble	33
opal.as_md_table	34
opal.attribute_values	35
opal.command	36
opal.commands	37
opal.commands_rm	37
opal.command_result	38
opal.command_rm	39
opal.datasource	39
opal.datasources	40

opal.delete	41
opal.execute	41
opal.file	42
opal.file_cp	43
opal.file_download	44
opal.file_ls	45
opal.file_mkdir	45
opal.file_mv	46
opal.file_read	47
opal.file_rm	47
opal.file_upload	48
opal.file_write	49
opal.get	50
opal.load_package	50
opal.login	51
opal.logout	52
opal.post	53
opal.project	54
opal.projects	54
opal.put	55
opal.report	56
opal.rm	57
opal.symbols	57
opal.symbol_import	58
opal.symbol_rm	59
opal.symbol_save	60
opal.table	60
opal.tables	61
opal.task	62
opal.tasks	62
opal.task_cancel	63
opal.task_wait	64
opal.taxonomies	64
opal.taxonomy	65
opal.terms	66
opal.unload_package	66
opal.valueset	67
opal.variable	68
opal.variables	68
opal.version_compare	69
opal.vocabularies	70
opal.vocabulary	70
opal.workspaces	71
opal.workspace_rm	72
opal.workspace_save	72

dsadmin.get_method *Get a DataSHIELD method*

Description

Get a DataSHIELD method

Usage

```
dsadmin.get_method(opal, name, type = "aggregate")
```

Arguments

opal	Opal object or list of opal objects.
name	Name of the method, as it is accessed by DataSHIELD users.
type	Type of the method: "aggregate" (default) or "assign"

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
dsadmin.get_method(o, 'class')
opal.logout(o)
```

dsadmin.get_methods *Get DataSHIELD methods*

Description

Get DataSHIELD methods

Usage

```
dsadmin.get_methods(opal, type = "aggregate")
```

Arguments

opal	Opal object or list of opal objects.
type	Type of the method: "aggregate" (default) or "assign"

See Also

Other DataSHIELD functions: [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
dsadmin.get_methods(o)
opal.logout(o)
```

dsadmin.get_options *Get the DataSHIELD options*

Description

Get the DataSHIELD options

Usage

```
dsadmin.get_options(opal)
```

Arguments

opal Opal object or list of opal objects.

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
dsadmin.get_options(o)
opal.logout(o)
```

dsadmin.installed_package

Check DataSHIELD package

Description

Check if a DataSHIELD package is installed.

Usage

```
dsadmin.installed_package(opal, pkg)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.

Value

TRUE if installed

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.installed_package(o, 'dsBase')
opal.logout(o)
```

dsadmin.install_package

Install a DataSHIELD package

Description

Install a package from DataSHIELD public package repository or (if Git reference and GitHub username is provided) from DataSHIELD source repository on GitHub.

Usage

```
dsadmin.install_package(opal, pkg, githubusername = NULL, ref = NULL)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.
githubusername	GitHub username of git repository. If NULL (default), try to install from DataSHIELD package repository.
ref	Desired git reference (could be a commit, tag, or branch name). If NULL (default), try to install from DataSHIELD package repository.

Value

TRUE if installed

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.install_package(o, 'dsBase')
opal.logout(o)
```

```
dsadmin.package_description
```

Get DataSHIELD package description

Description

Get DataSHIELD package description

Usage

```
dsadmin.package_description(opal, pkg, fields = NULL)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.
fields	A character vector giving the fields to extract from each package's DESCRIPTION file in addition to the default ones, or NULL (default). Unavailable fields result in NA values.

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.package_description(o, 'dsBase')
opal.logout(o)
```

```
dsadmin.package_descriptions
```

Get DataSHIELD package descriptions

Description

Get DataSHIELD package descriptions

Usage

```
dsadmin.package_descriptions(opal, fields = NULL, df = TRUE)
```

Arguments

opal	Opal object or list of opal objects.
fields	A character vector giving the fields to extract from each package's DESCRIPTION file in addition to the default ones, or NULL (default). Unavailable fields result in NA values.
df	Return a data.frame (default is TRUE)

Value

The DataSHIELD package descriptions as a data.frame or a list

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.package_descriptions(o)
opal.logout(o)
```

```
dsadmin.remove_package
Remove DataSHIELD package
```

Description

Remove a DataSHIELD package permanently.

Usage

```
dsadmin.remove_package(opal, pkg)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.remove_package(o, 'dsBase')
opal.logout(o)

## End(Not run)
```

dsadmin.rm_method *Remove DataSHIELD method*

Description

Remove DataSHIELD method

Usage

```
dsadmin.rm_method(opal, name, type = "aggregate")
```

Arguments

opal	Opal object or list of opal objects.
name	Name of the method, as it is accessed by DataSHIELD users.
type	Type of the method: "aggregate" (default) or "assign"

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.rm_method(o, 'foo')
opal.logout(o)
```

dsadmin.rm_methods *Remove DataSHIELD methods.*

Description

Remove DataSHIELD methods.

Usage

```
dsadmin.rm_methods(opal, type = NULL)
```

Arguments

opal	Opal object or list of opal objects.
type	Type of the method: "aggregate" or "assign". Default is NULL (=all type of methods).

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.rm_methods(o)
opal.logout(o)
```

dsadmin.rm_option	<i>Remove a DataSHIELD option</i>
-------------------	-----------------------------------

Description

Remove a DataSHIELD option

Usage

```
dsadmin.rm_option(opal, name)
```

Arguments

opal	Opal object or list of opal objects.
name	Name of the option

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
dsadmin.rm_option(o, 'foo')
opal.logout(o)
```

dsadmin.rm_package_methods

Remove DataSHIELD package methods

Description

Remove DataSHIELD aggregate and assign methods defined by the package.

Usage

```
dsadmin.rm_package_methods(opal, pkg, type = NULL)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.
type	Type of the method: "aggregate" or "assign". Default is NULL (=all type of methods).

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
dsadmin.rm_package_methods(o, 'dsBase')
opal.logout(o)
```

dsadmin.set_method *Set DataSHIELD method*

Description

Set DataSHIELD method

Usage

```
dsadmin.set_method(opal, name, func = NULL, path = NULL, type = "aggregate")
```

Arguments

opal	Opal object or list of opal objects.
name	Name of the method, as it will be accessed by DataSHIELD users.
func	Function name.
path	Path to the R file containing the script (mutually exclusive with func).
type	Type of the method: "aggregate" (default) or "assign"

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_option\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.set_method(o, 'foo', 'base::mean')
opal.logout(o)
```

dsadmin.set_option *Set DataSHIELD option*

Description

Set a DataSHIELD option (add or update).

Usage

```
dsadmin.set_option(opal, name, value)
```

Arguments

opal	Opal object or list of opal objects.
name	Name of the option
value	Value of the option

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_package_methods\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.set_option(o, 'foo', 'bar')
opal.logout(o)
```

```
dsadmin.set_package_methods
```

Set DataSHIELD package methods

Description

Declare DataSHIELD aggregate and assign methods as defined by the package.

Usage

```
dsadmin.set_package_methods(opal, pkg, type = NULL)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.
type	Type of the method: "aggregate" or "assign". Default is NULL (=all type of methods).

Value

TRUE if successfull

See Also

Other DataSHIELD functions: [dsadmin.get_methods\(\)](#), [dsadmin.get_method\(\)](#), [dsadmin.get_options\(\)](#), [dsadmin.install_package\(\)](#), [dsadmin.installed_package\(\)](#), [dsadmin.package_descriptions\(\)](#), [dsadmin.package_description\(\)](#), [dsadmin.remove_package\(\)](#), [dsadmin.rm_methods\(\)](#), [dsadmin.rm_method\(\)](#), [dsadmin.rm_option\(\)](#), [dsadmin.rm_package_methods\(\)](#), [dsadmin.set_method\(\)](#), [dsadmin.set_option\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
dsadmin.set_package_methods(o, 'dsBase')
opal.logout(o)
```

harmo.annotate	<i>Set variable annotation with a taxonomy term</i>
----------------	---

Description

Apply or remove an annotation from a set of variables.

Usage

```
harmo.annotate(
  tibble,
  variables = NULL,
  taxonomy = "Mlstr_area",
  vocabulary,
  term
)
```

Arguments

tibble	Tibble to be annotated.
variables	A character vector of variable names to be annotated. If NULL or empty, all the columns of the tibble will be annotated.
taxonomy	The taxonomy to which the vocabulary belongs. If NULL, the annotation is a simple attribute (i.e. without a taxonomy reference).
vocabulary	The vocabulary to which the term belongs.
term	The term to apply. If NULL, the annotation will be deleted.

Value

The annotated tibble

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
cqx <- harmo.table_get(o, "CPTP", "Cag_coreqx")
cqx <- harmo.annotate(cqx,
  variables = c("A_SDC_EDU_LEVEL", "A_SDC_EDU_LEVEL_AGE"),
  taxonomy = "Mlstr_area",
  vocabulary = "Sociodemographic_economic_characteristics",
  term = "Education")
opal.logout(o)
```

harmo.annotate.status *Set variable annotation with Harmonization Status term*

Description

Apply or remove an harmonization status annotation from a set of variables. The harmonization status is described by the "status" vocabulary in the "Mlstr_harmo" taxonomy.

Usage

```
harmo.annotate.status(tibble, variables = NULL, status)
```

Arguments

tibble	Tibble to be annotated.
variables	A character vector of variable names to be annotated. If NULL or empty, all the columns of the tibble will be annotated.
status	The harmonization status to apply: 'complete', 'undetermined' or 'impossible'. If NULL, the annotation will be deleted.

Value

The annotated tibble

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
cqx <- harmo.table_get(o, "CPTP", "Cag_coreqx")
cqx <- harmo.annotate.status(cqx,
  variables = c("A_SDC_EDU_LEVEL", "A_SDC_EDU_LEVEL_AGE"),
  status = "complete")
opal.logout(o)
```

harmo.annotations *List the annotations*

Description

List the annotations of each of the variables.

Usage

```
harmo.annotations(tibble, variables = NULL, taxonomy = NULL, vocabulary = NULL)
```

Arguments

tibble	Tibble to be annotated
variables	A character vector of variable names to be inspected. If NULL or empty, all the columns of the tibble will be inspected.
taxonomy	Filter by taxonomy name(s) (if provided).
vocabulary	Filter by vocabulary name(s) (if provided).

Value

A data frame in long format (one row per annotation).

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
cqx <- harmo.table_get(o, "CPTP", "Cag_coreqx")
annot <- harmo.annotations(cqx, taxonomy = "Mlstr_harmo", vocabulary = "status")
opal.logout(o)
```

harmo.dictionary_apply
Apply the dictionary to a tibble

Description

Apply the dictionary described in a Opal Excel format as attributes of the tibble's columns.

Usage

```
harmo.dictionary_apply(tibble, variables, categories = NULL)
```

Arguments

tibble	Tibble to be decorated.
variables	A data frame with one row per variable (column name) and then one column per property/attribute.
categories	A data frame with one row per category (columns variable and name) and then column per property/attribute.

Examples

```
data <- tibble::as_tibble(mtcars)
variables <- tibble::tribble(
  ~name, ~valueType, ~`label:en`, ~`Namespace::Name`, ~unit, ~repeatable, ~index,
  "mpg", "decimal", "Mpg label", "Value1", "years", 0, 1,
  "cyl", "decimal", "Cyl label", "Value2", "kg/m2", 0, 2,
  "disp", "decimal", "Disp label", NA, NA, 1, 3
)
categories <- tibble::tribble(
  ~variable, ~name, ~missing, ~`label:en`, ~`label:fr`,
  "cyl", "4", 0, "Four", "Quatre",
  "cyl", "6", 0, "Six", "Six",
  "cyl", "8", 1, "Height", "Huit"
)
data <- harmo.dictionary_apply(data, variables, categories)
```

harmo.dictionary_update

Update the dictionary of a Opal table

Description

Directly update the dictionary of a Opal table with the provided dictionary.

Usage

```
harmo.dictionary_update(opal, project, table, variables, categories = NULL)
```

Arguments

opal	Opal connection object.
project	Project name where the table will be located.
table	Destination table name.
variables	A data frame with one row per variable (column name) and then one column per property/attribute (Opal Excel format).
categories	A data frame with one row per category (columns variable and name) and then column per property/attribute (Opal Excel format). If there are no categories, this parameter is optional.

Examples

```

o <- opal.login('administrator','password','https://opal-demo.obiba.org')
variables <- tibble::tribble(
  ~name, ~valueType, ~`label:en`, ~`Namespace::Name`, ~unit, ~repeatable, ~index,
  "mpg", "decimal", "Mpg label", "Value1", "years", 0, 1,
  "cyl", "decimal", "Cyl label", "Value2", "kg/m2", 0, 2,
  "disp", "decimal", "Disp label", NA, NA, 1, 3
)
categories <- tibble::tribble(
  ~variable, ~name, ~missing, ~`label:en`, ~`label:fr`,
  "cyl", "4", 0, "Four", "Quatre",
  "cyl", "6", 0, "Six", "Six",
  "cyl", "8", 1, "Height", "Huit"
)
harmo.dictionary_update(data, "test", "mtcars", variables, categories)
opal.logout(o)

```

harmo.table_get	<i>Get a Opal table as a tibble</i>
-----------------	-------------------------------------

Description

Shortcut function to assign a Opal table to a tibble in the R server-side session and then retrieve it into the R client-side session. Requires to have the permission to see the individual values of the table and to perform R assignments.

Usage

```
harmo.table_get(opal, project, table, variables = NULL, missings = TRUE)
```

Arguments

opal	Opal connection object.
project	Project name where the table is located.
table	Table name from which the tibble should be extracted.
variables	List of variable names or Javascript expression that selects the variables of a table (ignored if value does not refer to a table). See javascript documentation: http://wiki.obiba.org/display/OPALDOC/Variable+Methods
missings	Include the missing values (default is TRUE).

Examples

```

o <- opal.login('administrator','password','https://opal-demo.obiba.org')
cqx <- harmo.table_get(o, "CPTP", "Cag_coreqx")
opal.logout(o)

```

harmo.table_save	<i>Save a local tibble as a Opal table</i>
------------------	--

Description

Upload a local tibble to the R server side through Opal, assign this tibble to the provided symbol name and import it as a table into a Opal project.

Usage

```
harmo.table_save(
  opal,
  tibble,
  project,
  table,
  overwrite = TRUE,
  force = FALSE,
  identifiers = NULL,
  policy = "required",
  id.name = "id",
  type = "Participant"
)
```

Arguments

opal	Opal connection object.
tibble	The tibble object to be imported.
project	Project name where the table will be located.
table	Destination table name.
overwrite	If the destination table already exists, it will be replaced (deleted and then imported). Otherwise the table will be updated (data dictionaries merge may conflict). Default is TRUE.
force	If the destination already exists, stop with an informative message if this flag is FALSE (default).
identifiers	Name of the identifiers mapping to use when assigning entities to Opal.
policy	Identifiers policy: 'required' (each identifiers must be mapped prior importation (default)), 'ignore' (ignore unknown identifiers) and 'generate' (generate a system identifier for each unknown identifier).
id.name	The name of the column representing the entity identifiers. Default is 'id'.
type	Entity type (what the data are about). Default is 'Participant'

Value

An invisible logical indicating whether the destination table exists.

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
cqx <- harmo.table_get(o, "CPTP", "Cag_coreqx")
# do some (meta)data transformations
harmo.table_get(o, cqx, "CPTP", "Cag_coreqx", overwrite = TRUE, force = TRUE)
opal.logout(o)
```

```
oadmin.installed_devtools
      Check devtools package
```

Description

Check if devtools package is installed.

Usage

```
oadmin.installed_devtools(opal)
```

Arguments

opal Opal object or list of opal objects.

See Also

Other administration functions: [oadmin.install_devtools\(\)](#), [oadmin.install_github\(\)](#), [oadmin.install_package\(\)](#), [oadmin.installed_packages\(\)](#), [oadmin.installed_package\(\)](#), [oadmin.package_description\(\)](#), [oadmin.remove_package\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
oadmin.installed_devtools(o)
opal.logout(o)
```

oadmin.installed_package
Check package is installed

Description

Check package is installed

Usage

```
oadmin.installed_package(opal, pkg)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.

Value

TRUE if installed

See Also

Other administration functions: [oadmin.install_devtools\(\)](#), [oadmin.install_github\(\)](#), [oadmin.install_package\(\)](#), [oadmin.installed_devtools\(\)](#), [oadmin.installed_packages\(\)](#), [oadmin.package_description\(\)](#), [oadmin.remove_package\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
oadmin.installed_package(o, 'xxx')
oadmin.installed_package(o, 'stats')
opal.logout(o)
```

oadmin.installed_packages
List installed packages

Description

List installed packages

Usage

```
oadmin.installed_packages(opal)
```

Arguments

opal Opal object or list of opal objects.

Value

The result of the installed.packages() call

See Also

Other administration functions: [oadmin.install_devtools\(\)](#), [oadmin.install_github\(\)](#), [oadmin.install_package\(\)](#), [oadmin.installed_devtools\(\)](#), [oadmin.installed_package\(\)](#), [oadmin.package_description\(\)](#), [oadmin.remove_package\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
oadmin.installed_packages(o)
opal.logout(o)
```

```
oadmin.install_devtools
                          Install devtools package
```

Description

Install devtools package if not already available.

Usage

```
oadmin.install_devtools(opal)
```

Arguments

opal Opal object or list of opal objects.

See Also

Other administration functions: [oadmin.install_github\(\)](#), [oadmin.install_package\(\)](#), [oadmin.installed_devtools\(\)](#), [oadmin.installed_packages\(\)](#), [oadmin.installed_package\(\)](#), [oadmin.package_description\(\)](#), [oadmin.remove_package\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
oadmin.install_devtools(o)
opal.logout(o)

## End(Not run)
```

oadmin.install_github *Install a package form GitHub*

Description

Install a package from a source repository on GitHub. Makes sure devtools package is available.

Usage

```
oadmin.install_github(
  opal,
  pkg,
  username = getOption("github.user"),
  ref = "master",
  auth_user = NULL,
  password = NULL
)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.
username	GitHub user name.
ref	Desired git reference. Could be a commit, tag, or branch name. Defaults to "master".
auth_user	Your github username if you're attempting to install a package hosted in a private repository (and your username is different to username).
password	Your github password

See Also

Other administration functions: [oadmin.install_devtools\(\)](#), [oadmin.install_package\(\)](#), [oadmin.installed_devtools\(\)](#), [oadmin.installed_packages\(\)](#), [oadmin.installed_package\(\)](#), [oadmin.package_description\(\)](#), [oadmin.remove_package\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
oadmin.install_github(o, 'opalr', 'obiba')
opal.logout(o)
```

```
oadmin.install_package
      Install package
```

Description

Install package if not already available in Opal(s). To install the latest version of a package, it has to be removed first.

Usage

```
oadmin.install_package(opal, pkg, repos = NULL)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.
repos	Character vector, the base URLs of the repositories to use.

Value

TRUE if successfully installed

See Also

Other administration functions: [oadmin.install_devtools\(\)](#), [oadmin.install_github\(\)](#), [oadmin.installed_devtools\(\)](#), [oadmin.installed_packages\(\)](#), [oadmin.installed_package\(\)](#), [oadmin.package_description\(\)](#), [oadmin.remove_package\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
oadmin.install_package(o, 'xxx')
opal.logout(o)

## End(Not run)
```

```
oadmin.package_description  
    Get package description
```

Description

Get package description

Usage

```
oadmin.package_description(opal, pkg, fields = NULL)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.
fields	A character vector giving the fields to extract from each package's DESCRIPTION file in addition to the default ones, or NULL (default). Unavailable fields result in NA values.

See Also

Other administration functions: [oadmin.install_devtools\(\)](#), [oadmin.install_github\(\)](#), [oadmin.install_package\(\)](#), [oadmin.installed_devtools\(\)](#), [oadmin.installed_packages\(\)](#), [oadmin.installed_package\(\)](#), [oadmin.remove_package\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')  
oadmin.package_description(o, 'stats')  
opal.logout(o)
```

```
oadmin.remove_package Remove package
```

Description

Remove package permanently.

Usage

```
oadmin.remove_package(opal, pkg)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.

See Also

Other administration functions: [oadmin.install_devtools\(\)](#), [oadmin.install_github\(\)](#), [oadmin.install_package\(\)](#), [oadmin.installed_devtools\(\)](#), [oadmin.installed_packages\(\)](#), [oadmin.installed_package\(\)](#), [oadmin.package_description\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
oadmin.remove_package(o, 'xxx')
opal.logout(o)
```

opal.annotate	<i>Apply the annotations to a Opal table</i>
---------------	--

Description

Set the provided annotations (as the one that can be retrieved from [opal.annotations](#)) to the table's data dictionary. Variables that do not exists in the table are ignored.

Usage

```
opal.annotate(opal, datasource, table, annotations)
```

Arguments

opal	Opal object.
datasource	Name of the datasource.
table	Name of the table in the datasource.
annotations	A data frame of annotations, with the expected columns: 'variable' (variable name), 'taxonomy' (the taxonomy name), 'vocabulary' (the vocabulary name) and 'term' (the term value, if NULL or NA the annotation is removed).

See Also

Other datasource functions: [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
annots <- opal.annotations(o, 'CPTP', 'Coreqx_final')
opal.annotate(o, 'CPTP', 'Cag_coreqx', annots)
opal.logout(o)
```

opal.annotations	<i>Get the annotations of a Opal table</i>
------------------	--

Description

Directly retrieves from the table's data dictionary the variable annotations (attributes with a namespace).

Usage

```
opal.annotations(opal, datasource, table)
```

Arguments

opal	Opal object.
datasource	Name of the datasource.
table	Name of the table in the datasource.

Value

A data frame in long format (one row per annotation).

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.annotations(o, 'CPTP', 'Coreqx_final')
opal.logout(o)
```

opal.assign	<i>Data or expression assignment</i>
-------------	--------------------------------------

Description

Assign a Opal table, or a R expression or a R object to a R symbol in the current R session.

Usage

```
opal.assign(
  opal,
  symbol,
  value,
  variables = NULL,
  missings = FALSE,
  identifiers = NULL,
  id.name = NULL,
  updated.name = NULL,
  async = FALSE
)
```

Arguments

opal	Opal object or list of opal objects.
symbol	Name of the R symbol.
value	The value to assign evaluated in the following order: a R expression, a function, a fully qualified name of a variable or a table in Opal or any other R object (data.frame, vector).
variables	List of variable names or Javascript expression that selects the variables of a table (ignored if value does not refer to a table). See javascript documentation: http://wiki.obiba.org/display/OPALDOC/Variable+Methods
missings	If TRUE, missing values will be pushed from Opal to R, default is FALSE. Ignored if value is an R expression.
identifiers	Name of the identifiers mapping to use when assigning entities to R (from Opal 2.0).
id.name	Add a vector with the given name representing the entity identifiers (from Opal 2.6). Default is NULL.
updated.name	Add a vector with the given name representing the creation and last update timestamps (from Opal 2.6). Default is NULL.
async	R script is executed asynchronously within the session (default is FALSE). If TRUE, the value returned is the ID of the command to look for (from Opal 2.1).

See Also

Other assignment functions: [opal.assign.data\(\)](#), [opal.assign.script\(\)](#), [opal.assign.table.tibble\(\)](#), [opal.assign.table\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
# assign a list of variables from table CNSIM1
opal.assign(o, symbol="D", value="datashield.CNSIM1", variables=list("GENDER","LAB_TSC"))
# assign all the variables matching 'LAB' from table HOP of opal object o
opal.assign(o, symbol="D", value="datashield.CNSIM1", variables="name().matches('LAB_')")
# assign a function and call it
opal.assign.script(o, 'hello', quote(function(x) { print(paste0('Hello ', x , '!'))}))
opal.execute(o, "hello('Mr Bean')")
# push an arbitrary data frame to the R server
#opal.assign(o, "D", mtcars)
# push an arbitrary vector to the R server
#opal.assign(o, "C", mtcars$cyl)
opal.logout(o)
```

opal.assign.data	<i>Data assignment</i>
------------------	------------------------

Description

Assign a R object to a R symbol in the current R session.

Usage

```
opal.assign.data(opal, symbol, value, async = FALSE)
```

Arguments

opal	Opal object or list of opal objects.
symbol	Name of the R symbol.
value	The R object to assign (data.frame, vector).
async	R script is executed asynchronously within the session (default is FALSE). If TRUE, the value returned is the ID of the command to look for (from Opal 2.1).

See Also

Other assignment functions: [opal.assign.script\(\)](#), [opal.assign.table.tibble\(\)](#), [opal.assign.table\(\)](#), [opal.assign\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
# push an arbitrary data frame to the R server
opal.assign.data(o, "D", mtcars)
# push an arbitrary vector to the R server
```

```
opal.assign.data(o, "C", mtcars$cyl)
# push a string
opal.assign.data(o, "S", "Hello!")
opal.logout(o)
```

opal.assign.script *R script assignment*

Description

Assign a R script or expression to a R symbol in the current R session.

Usage

```
opal.assign.script(opal, symbol, value, async = FALSE)
```

Arguments

opal	Opal object or list of opal objects.
symbol	Name of the R symbol.
value	The R expression to assign.
async	R script is executed asynchronously within the session (default is FALSE). If TRUE, the value returned is the ID of the command to look for (from Opal 2.1).

See Also

Other assignment functions: [opal.assign.data\(\)](#), [opal.assign.table.tibble\(\)](#), [opal.assign.table\(\)](#), [opal.assign\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
# assign a function and call it
opal.assign.script(o, 'hello', quote(function(x) { print(paste0('Hello ', x , '!'))}))
opal.execute(o, "hello('Mr Bean')")
opal.logout(o)
```

opal.assign.table *Data assignment to a data.frame*

Description

Assign a Opal table to a data.frame identified by a R symbol in the current R session.

Usage

```
opal.assign.table(
  opal,
  symbol,
  value,
  variables = NULL,
  missings = FALSE,
  identifiers = NULL,
  id.name = NULL,
  updated.name = NULL,
  class = "data.frame",
  async = FALSE
)
```

Arguments

opal	Opal object or list of opal objects.
symbol	Name of the R symbol.
value	The value to assign evaluated in the following order: a fully qualified name of a variable or a table in Opal.
variables	List of variable names or Javascript expression that selects the variables of a table (ignored if value does not refer to a table). See javascript documentation: http://wiki.obiba.org/display/OPALDOC/Variable+Methods
missings	If TRUE, missing values will be pushed from Opal to R, default is FALSE.
identifiers	Name of the identifiers mapping to use when assigning entities to R (from Opal 2.0).
id.name	Add a vector with the given name representing the entity identifiers (from Opal 2.6). Default is NULL.
updated.name	Deprecated. Add a vector with the given name representing the creation and last update timestamps (from Opal 2.6). Default is NULL.
class	The data frame class into which the table is written: can 'data.frame' (default) or 'tibble' (from Opal 2.6 to 2.13) or 'tibble.with.factors' (from Opal 2.14).
async	R script is executed asynchronously within the session (default is FALSE). If TRUE, the value returned is the ID of the command to look for (from Opal 2.1).

See Also

Other assignment functions: [opal.assign.data\(\)](#), [opal.assign.script\(\)](#), [opal.assign.table.tibble\(\)](#), [opal.assign\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
# assign a list of variables from table CNSIM1
opal.assign.table(o, symbol="D", value="datashield.CNSIM1", variables=list("GENDER", "LAB_TSC"))
opal.execute(o, "colnames(D)")
# assign a table CNSIM1 with a identifiers column
opal.assign.table(o, symbol="H", value="datashield.CNSIM1", id.name="id")
opal.execute(o, "colnames(H)")
# assign all the variables matching 'LAB' from table HOP of opal object o
opal.assign.table(o, symbol="D", value="datashield.CNSIM1", variables="name().matches('LAB_')")
opal.execute(o, "colnames(D)")
opal.logout(o)
```

opal.assign.table.tibble

Data assignment to a tibble

Description

Assign a Opal table to a tibble identified by a R symbol in the current R session.

Usage

```
opal.assign.table.tibble(  
  opal,  
  symbol,  
  value,  
  variables = NULL,  
  missings = FALSE,  
  identifiers = NULL,  
  id.name = "id",  
  with.factors = FALSE,  
  updated.name = NULL,  
  async = FALSE  
)
```

Arguments

opal	Opal object.
symbol	Name of the R symbol.

value	The fully qualified name of a table in Opal.
variables	List of variable names or Javascript expression that selects the variables of a table (ignored if value does not refer to a table). See javascript documentation: http://wiki.obiba.org/display/OPALDOC/Variable+Methods
missings	If TRUE, missing values will be pushed from Opal to R, default is FALSE.
identifiers	Name of the identifiers mapping to use when assigning entities to R (from Opal 2.0).
id.name	Add a vector with the given name representing the entity identifiers (from Opal 2.6). Default is 'id'.
with.factors	If TRUE, the categorical variables will be assigned as factors (from Opal 2.14). Default is FALSE.
updated.name	Deprecated. Add a vector with the given name representing the creation and last update timestamps (from Opal 2.6 to 2.13). Default is NULL.
async	R script is executed asynchronously within the session (default is FALSE). If TRUE, the value returned is the ID of the command to look for (from Opal 2.1).

See Also

Other assignment functions: [opal.assign.data\(\)](#), [opal.assign.script\(\)](#), [opal.assign.table\(\)](#), [opal.assign\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
# assign a function and call it
opal.assign.table.tibble(o, 'D', 'datashield.CNSIM1')
opal.execute(o, "class(D)")
opal.logout(o)
```

opal.as_md_table *Array to Markdown*

Description

Helper function for turning an array into its Markdown representation.

Usage

```
opal.as_md_table(
  table,
  icons = TRUE,
  digits = getOption("digits"),
  col.names = colnames(table),
  align,
  caption = NULL
)
```

Arguments

table	An array, including a matrix or a data.frame.
icons	Turn logicals to icons (requires bootstrap style). Default is TRUE.
digits	The maximum number of digits for numeric columns (passed to round()); it can also be a vector of length ncol(table) to set the number of digits for individual columns.
col.names	A character vector of column names to be used in the table
align	The alignment of columns: a character vector consisting of 'l' (left), 'c' (center) and/or 'r' (right); by default, numeric columns are right-aligned, and other columns are left-aligned; if align = NULL, the default alignment is used.
caption	The table caption.

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.as_md_table(opal.variables(o, 'datashield', 'CNSIM1'))
opal.logout(o)
```

opal.attribute_values *Get a vector of values*

Description

Get a vector of values (for each locale) matching the given attribute namespace and name. Vector is null if no such attribute is found.

Usage

```
opal.attribute_values(attributes, namespace = NULL, name = "label")
```

Arguments

attributes	A list of attributes, usually variable or category attributes.
namespace	Optional attribute namespace.
name	Required attribute name.

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
var <- opal.variable(o, 'datashield', 'CNSIM1', 'GENDER')
opal.attribute_values(var$attributes)
opal.logout(o)
```

opal.command

Get an asynchronous command

Description

Get an asynchronous R commands in the remote R session.

Usage

```
opal.command(opal, id, wait = FALSE)
```

Arguments

opal	Opal object.
id	R command ID.
wait	Wait for the command to complete.

See Also

Other command functions: [opal.command_result\(\)](#), [opal.command_rm\(\)](#), [opal.commands_rm\(\)](#), [opal.commands\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.command(o, '1234')
opal.logout(o)
```

opal.commands	<i>List the asynchronous commands</i>
---------------	---------------------------------------

Description

Get the list of asynchronous R commands in the remote R session.

Usage

```
opal.commands(opal, df = TRUE)
```

Arguments

opal	Opal object.
df	Return a data.frame (default is TRUE)

See Also

Other command functions: [opal.command_result\(\)](#), [opal.command_rm\(\)](#), [opal.commands_rm\(\)](#), [opal.command\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.commands(o)
opal.logout(o)
```

opal.commands_rm	<i>Remove all asynchronous commands</i>
------------------	---

Description

Remove all asynchronous R commands in the remote R session.

Usage

```
opal.commands_rm(opal)
```

Arguments

opal	Opal object.
------	--------------

See Also

Other command functions: [opal.command_result\(\)](#), [opal.command_rm\(\)](#), [opal.commands\(\)](#), [opal.command\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.commands_rm(o)
opal.logout(o)
```

`opal.command_result` *Get result of an asynchronous command*

Description

Get the result of an asynchronous R commands in the remote R session. The command is removed from the remote R session after this call.

Usage

```
opal.command_result(opal, id, wait = FALSE)
```

Arguments

<code>opal</code>	Opal object.
<code>id</code>	R command ID.
<code>wait</code>	Wait for the command to complete.

See Also

Other command functions: [opal.command_rm\(\)](#), [opal.commands_rm\(\)](#), [opal.commands\(\)](#), [opal.command\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.command_result(o, '1234')
opal.logout(o)

## End(Not run)
```

opal.command_rm	<i>Remove an asynchronous command</i>
-----------------	---------------------------------------

Description

Remove an asynchronous R commands in the remote R session.

Usage

```
opal.command_rm(opal, id)
```

Arguments

opal	Opal object.
id	R command ID.

See Also

Other command functions: [opal.command_result\(\)](#), [opal.commands_rm\(\)](#), [opal.commands\(\)](#), [opal.command\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.command_rm(o, '1234')
opal.logout(o)
```

opal.datasource	<i>Get a datasource</i>
-----------------	-------------------------

Description

Get a datasource

Usage

```
opal.datasource(opal, datasource)
```

Arguments

opal	Opal object.
datasource	Name of the datasource.

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.datasource(o, 'datashield')
opal.logout(o)
```

opal.datasources	<i>Get datasources</i>
------------------	------------------------

Description

Get datasources

Usage

```
opal.datasources(opal, df = TRUE)
```

Arguments

opal	Opal object.
df	Return a data.frame (default is TRUE)

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.datasources(o)
opal.logout(o)
```

opal.delete	<i>Generic REST resource deletion.</i>
-------------	--

Description

Generic REST resource deletion.

Usage

```
opal.delete(opal, ..., query = list(), callback = NULL)
```

Arguments

opal	Opal object.
...	Resource path segments.
query	Named list of query parameters.
callback	A callback function to handle the response object.

See Also

Other REST functions: [opal.get\(\)](#), [opal.post\(\)](#), [opal.put\(\)](#)

Examples

```
## Not run:  
o <- opal.login('administrator','password','https://opal-demo.obiba.org')  
opal.delete(o, 'some', 'resource')  
opal.logout(o)  
  
## End(Not run)
```

opal.execute	<i>Execute a R script</i>
--------------	---------------------------

Description

Execute a R script in the remote R session.

Usage

```
opal.execute(opal, script, async = FALSE)
```

Arguments

opal	Opal object or list of opal objects.
script	R script to execute.
async	R script is executed asynchronously within the session (default is FALSE). If TRUE, the value returned is the ID of the command to look for (from Opal 2.1).

See Also

Other execution functions: [opal.load_package\(\)](#), [opal.unload_package\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.execute(o, "x <- 'foo'")
opal.execute(o, "ls()")
opal.logout(o)
```

opal.file

Get file content

Description

Get file content from the Opal file system.

Usage

```
opal.file(opal, path, key = NULL)
```

Arguments

opal	Opal object.
path	Path to the file in the Opal file system.
key	File encryption key: downloaded file will be a zip file with content encrypted (use 7zip to decrypt).

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_download\(\)](#), [opal.file_ls\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_mv\(\)](#), [opal.file_read\(\)](#), [opal.file_rm\(\)](#), [opal.file_upload\(\)](#), [opal.file_write\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.file(o, '/home/administrator/joins/join-src-3.csv')
opal.logout(o)

## End(Not run)
```

opal.file_cp	<i>Copy a file</i>
--------------	--------------------

Description

Copy a file or a folder to another location in the Opal file system.

Usage

```
opal.file_cp(opal, source, destination)
```

Arguments

opal	Opal object.
source	Path to the file in the Opal file system.
destination	New path to the file in the Opal file system.

See Also

Other file functions: [opal.file_download\(\)](#), [opal.file_ls\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_mv\(\)](#), [opal.file_read\(\)](#), [opal.file_rm\(\)](#), [opal.file_upload\(\)](#), [opal.file_write\(\)](#), [opal.file\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
# copy a file to another folder
opal.file_cp(o, '/home/administrator/export/some-data.csv', '/home/userx/deliverables')
# copy recursively a folder to another folder
opal.file_cp(o, '/home/administrator/export', '/home/userx/deliverables')
opal.logout(o)

## End(Not run)
```

opal.file_download *Download a file*

Description

Download a file or a folder from the Opal file system.

Usage

```
opal.file_download(opal, source, destination = NULL, key = NULL)
```

Arguments

opal	Opal object.
source	Path to the file in the Opal file system.
destination	Path to the file to be written. If omitted, file with same name in the working directory will be written.
key	File encryption key: downloaded file will be a zip file with content encrypted (use 7zip to decrypt).

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_ls\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_mv\(\)](#), [opal.file_read\(\)](#), [opal.file_rm\(\)](#), [opal.file_upload\(\)](#), [opal.file_write\(\)](#), [opal.file\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
# download a file
opal.file_download(o, '/home/administrator/joins/join-src-3.csv')
# download a file encrypted by a key: resulting file is a zip with an encrypted content
opal.file_download(o, '/home/administrator/export/some-data.csv',
                  destination='some-data.zip', key='AZF57893FBDE')
# download, create destination folder and rename file
opal.file_download(o, '/home/administrator/spss/DatabaseTest.sav', 'spss/test.sav')
# download a folder
opal.file_download(o, '/home/administrator/export', 'export.zip')
opal.logout(o)

## End(Not run)
```

opal.file_ls	<i>List content of a folder</i>
--------------	---------------------------------

Description

List content of a folder in the Opal file system.

Usage

```
opal.file_ls(opal, path)
```

Arguments

opal	Opal object.
path	Path to the folder in the Opal file system.

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_download\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_mv\(\)](#), [opal.file_read\(\)](#), [opal.file_rm\(\)](#), [opal.file_upload\(\)](#), [opal.file_write\(\)](#), [opal.file\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
# list content of a folder
opal.file_ls(o, '/home/administrator')
opal.logout(o)
```

opal.file_mkdir	<i>Make a folder</i>
-----------------	----------------------

Description

Make a folder in the Opal file system. Does not create ancestors, i.e. the call will fail if the parent folder does not exist.

Usage

```
opal.file_mkdir(opal, path)
```

Arguments

opal	Opal object.
path	Path to the new folder in the Opal file system.

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_download\(\)](#), [opal.file_ls\(\)](#), [opal.file_mv\(\)](#), [opal.file_read\(\)](#), [opal.file_rm\(\)](#), [opal.file_upload\(\)](#), [opal.file_write\(\)](#), [opal.file\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
# make a folder
opal.file_mkdir(o, '/home/administrator/test')
opal.logout(o)
```

opal.file_mv	<i>Move and/or rename a file</i>
--------------	----------------------------------

Description

Move and/or rename a file or a folder in the Opal file system.

Usage

```
opal.file_mv(opal, source, destination)
```

Arguments

opal	Opal object.
source	Path to the file in the Opal file system.
destination	New path to the file in the Opal file system.

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_download\(\)](#), [opal.file_ls\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_read\(\)](#), [opal.file_rm\(\)](#), [opal.file_upload\(\)](#), [opal.file_write\(\)](#), [opal.file\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
# move a file to another folder
opal.file_mv(o, '/home/administrator/export/some-data.csv', '/home/userx/deliverables')
# rename a file
opal.file_mv(o, '/home/administrator/export/some-data-20170123.csv',
             '/home/administrator/export/some-data.csv')
# move and rename a file
opal.file_mv(o, '/home/administrator/export/some-data-20170123.csv',
             '/home/userx/deliverables/some-data.csv')
opal.logout(o)

## End(Not run)
```

opal.file_read	<i>Read a file</i>
----------------	--------------------

Description

Read a file from the R session workspace into the Opal file system.

Usage

```
opal.file_read(opal, source, destination)
```

Arguments

opal	Opal object.
source	Path to the file in the R session workspace (must exist).
destination	Path to the destination file or folder. Any required sub-folders will be created.

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_download\(\)](#), [opal.file_ls\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_mv\(\)](#), [opal.file_rm\(\)](#), [opal.file_upload\(\)](#), [opal.file_write\(\)](#), [opal.file\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
# read into folder
opal.file_read(o, "DatabaseTest.sav", "/tmp")
# read and rename
opal.file_read(o, "test/DatabaseTest.sav", "/tmp/Test.sav")
# user home expansion
opal.file_read(o, "DatabaseTest.sav", "~/coucou/pwel.sav")
opal.logout(o)

## End(Not run)
```

opal.file_rm	<i>Remove a file</i>
--------------	----------------------

Description

Remove a file or a folder from the Opal file system.

Usage

```
opal.file_rm(opal, path)
```

Arguments

opal	Opal object.
path	Path to the file in the Opal file system.

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_download\(\)](#), [opal.file_ls\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_mv\(\)](#), [opal.file_read\(\)](#), [opal.file_upload\(\)](#), [opal.file_write\(\)](#), [opal.file\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
# remove a file
opal.file_rm(o, '/home/administrator/export/some-data.csv')
# remove recursively a folder
opal.file_rm(o, '/home/administrator/export')
opal.logout(o)
```

opal.file_upload	<i>Upload a file</i>
------------------	----------------------

Description

Upload a file into the Opal file system.

Usage

```
opal.file_upload(opal, source, destination)
```

Arguments

opal	Opal object.
source	Path to the file in the local file system.
destination	Path of the destination folder in the Opal file system.

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_download\(\)](#), [opal.file_ls\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_mv\(\)](#), [opal.file_read\(\)](#), [opal.file_rm\(\)](#), [opal.file_write\(\)](#), [opal.file\(\)](#)

opal.file_write	<i>Write a file</i>
-----------------	---------------------

Description

Write a file from the Opal file system into the R session workspace.

Usage

```
opal.file_write(opal, source, destination = NULL)
```

Arguments

opal	Opal object.
source	Path to the file in the Opal file system (must exist and be accessible for the user).
destination	Path to the destination file, relative to the R session workspace. Any required sub-folders will be created. If omitted, file with same name will be written.

See Also

Other file functions: [opal.file_cp\(\)](#), [opal.file_download\(\)](#), [opal.file_ls\(\)](#), [opal.file_mkdir\(\)](#), [opal.file_mv\(\)](#), [opal.file_read\(\)](#), [opal.file_rm\(\)](#), [opal.file_upload\(\)](#), [opal.file\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
# user home expansion
opal.file_write(o, "~/spss/DatabaseTest.sav")
# rename file
opal.file_write(o, "/home/administrator/spss/DatabaseTest.sav", "x.sav")
# create sub-folder
opal.file_write(o, "/home/administrator/spss/DatabaseTest.sav", "test/x.sav")
opal.logout(o)

## End(Not run)
```

opal.get	<i>Generic REST resource getter.</i>
----------	--------------------------------------

Description

Generic REST resource getter.

Usage

```
opal.get(opal, ..., query = list(), callback = NULL)
```

Arguments

opal	Opal object.
...	Resource path segments.
query	Named list of query parameters.
callback	A callback function to handle the response object.

See Also

Other REST functions: [opal.delete\(\)](#), [opal.post\(\)](#), [opal.put\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.get(o, 'project', 'datashield')
opal.logout(o)
```

opal.load_package	<i>Load package</i>
-------------------	---------------------

Description

Load package in the remote R session.

Usage

```
opal.load_package(opal, pkg)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.

See Also

Other execution functions: [opal.execute\(\)](#), [opal.unload_package\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.load_package(o, 'stats')
opal.logout(o)
```

opal.login

Opal login

Description

Log in Opal(s).

Usage

```
opal.login(
  username = getOption("opal.username"),
  password = getOption("opal.password"),
  token = getOption("opal.token"),
  url = getOption("opal.url"),
  opts = getOption("opal.opts", list()),
  restore = NULL
)
```

Arguments

username	User name in opal(s). Can be provided by "opal.username" option.
password	User password in opal(s). Can be provided by "opal.password" option.
token	Personal access token (since opal 2.15). Only effective if the username or the password is NULL or empty. Can be provided by "opal.token" option.
url	Opal url or list of opal urls. Can be provided by "opal.url" option.
opts	Curl options as described by htrr (call <code>htrr::htrr_options()</code> for details). Can be provided by "opal.opts" option.
restore	Workspace ID to be restored (see also <code>opal.logout</code>)

Value

A opal object or a list of opal objects.

See Also

Other connection functions: [opal.logout\(\)](#)

Examples

```
#### The below examples illustrate the different ways to login in opal ####

# explicite username/password login
o <- opal.login(username='administrator', password='password', url='https://opal-demo.obiba.org')
opal.logout(o)

# explicite personal access token login
o <- opal.login(token='HYG16L00VaX400UardNbiqmr2ByBpRke', url='https://opal-demo.obiba.org')
opal.logout(o)

# login using options and user credentials
options(opal.username='administrator',
  opal.password='password',
  opal.url='https://opal-demo.obiba.org')
o <- opal.login()
opal.logout(o)

# login using options and personal access token
options(opal.token='HYG16L00VaX400UardNbiqmr2ByBpRke',
  opal.url='https://opal-demo.obiba.org')
o <- opal.login()
opal.logout(o)

# login using ssl key pair
options(opal.opts=list(
  sslcert='my-publickey.pem',
  sslkey='my-privatekey.pem'))
o <- opal.login(url='https://opal-demo.obiba.org')
opal.logout(o)
```

opal.logout

Logout from Opal(s)

Description

Clear the R sessions and logout from Opal(s).

Usage

```
opal.logout(opal, save = FALSE)
```

Arguments

opal	Opal object or a list of opals.
save	Save the workspace with given identifier (default value is FALSE, current session ID if TRUE).

See Also

Other connection functions: [opal.login\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.logout(o)
```

opal.post	<i>Generic REST resource creation.</i>
-----------	--

Description

Generic REST resource creation.

Usage

```
opal.post(
  opal,
  ...,
  query = list(),
  body = "",
  contentType = "application/x-rscript",
  callback = NULL
)
```

Arguments

opal	Opal object.
...	Resource path segments.
query	Named list of query parameters.
body	The body of the request.
contentType	The type of the body content.
callback	A callback function to handle the response object.

See Also

Other REST functions: [opal.delete\(\)](#), [opal.get\(\)](#), [opal.put\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.post(o, 'some', 'resources', body='{"some":"value"}')
opal.logout(o)
```

opal.project *Get a project*

Description

Get a project

Usage

```
opal.project(opal, project)
```

Arguments

opal	Opal object.
project	Name of the project

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.project(o, 'datashield')
opal.logout(o)
```

opal.projects *Get projects*

Description

Get projects

Usage

```
opal.projects(opal, df = TRUE)
```

Arguments

opal	Opal object.
df	Return a data.frame (default is TRUE)

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.projects(o)
opal.logout(o)
```

opal.put	<i>Generic REST resource update.</i>
----------	--------------------------------------

Description

Generic REST resource update.

Usage

```
opal.put(
  opal,
  ...,
  query = list(),
  body = "",
  contentType = "application/x-rscript",
  callback = NULL
)
```

Arguments

opal	Opal object.
...	Resource path segments.
query	Named list of query parameters.
body	The body of the request.
contentType	The type of the body content.
callback	A callback function to handle the response object.

See Also

Other REST functions: [opal.delete\(\)](#), [opal.get\(\)](#), [opal.post\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.put(o, 'some', 'resource', 'toupdate', body='{"some":"value"}')
opal.logout(o)

## End(Not run)
```

opal.report

Opal report

Description

Helper function for generating reports.

Usage

```
opal.report(
  input,
  output = NULL,
  progress = FALSE,
  verbose = FALSE,
  boot_style = NULL
)
```

Arguments

input	Path to the R markdown report file
output	Directory path where to output the html report file. Default is the current working directory.
progress	Knitr progress option
verbose	Knitr verbose option
boot_style	Deprecated, directives can be integrated in the YAML header of the R markdown document.

Examples

```
## Not run:
opal.report('input.Rmd', 'report', progress=TRUE)

## End(Not run)
```

opal.rm	<i>Remove a R symbol (deprecated)</i>
---------	---------------------------------------

Description

Remove a symbol from the current R session. Deprecated: see `opal.symbol_rm` function instead.

Usage

```
opal.rm(opal, symbol)
```

Arguments

opal	Opal object.
symbol	Name of the R symbol.

See Also

Other symbol functions: [opal.symbol_import\(\)](#), [opal.symbol_rm\(\)](#), [opal.symbol_save\(\)](#), [opal.symbols\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.rm(o, 'D')
opal.logout(o)
```

opal.symbols	<i>List R symbols</i>
--------------	-----------------------

Description

Get the R symbols available in the remote R session.

Usage

```
opal.symbols(opal)
```

Arguments

opal	Opal object.
------	--------------

See Also

Other symbol functions: [opal.rm\(\)](#), [opal.symbol_import\(\)](#), [opal.symbol_rm\(\)](#), [opal.symbol_save\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.symbols(o)
opal.logout(o)
```

opal.symbol_import *Import a tibble*

Description

Import a tibble identified by the symbol as a table in Opal. This operation creates an importation task in Opal that can be followed (see tasks related functions).

Usage

```
opal.symbol_import(  
  opal,  
  symbol,  
  project,  
  identifiers = NULL,  
  policy = "required",  
  id.name = "id",  
  type = "Participant",  
  wait = TRUE  
)
```

Arguments

opal	Opal object.
symbol	Name of the R symbol representing a tibble.
project	Name of the project into which the data are to be imported.
identifiers	Name of the identifiers mapping to use when assigning entities to Opal.
policy	Identifiers policy: 'required' (each identifiers must be mapped prior importation (default)), 'ignore' (ignore unknown identifiers) and 'generate' (generate a system identifier for each unknown identifier).
id.name	The name of the column representing the entity identifiers. Default is 'id'.
type	Entity type (what the data are about). Default is 'Participant'.
wait	Wait for import task completion. Default is TRUE.

See Also

Other symbol functions: [opal.rm\(\)](#), [opal.symbol_rm\(\)](#), [opal.symbol_save\(\)](#), [opal.symbols\(\)](#)

Examples

```
## Not run:
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.symbol_import(o, 'D', 'test')
opal.logout(o)

## End(Not run)
```

opal.symbol_rm	<i>Remove a R symbol</i>
----------------	--------------------------

Description

Remove a symbol from the remote R session.

Usage

```
opal.symbol_rm(opal, symbol)
```

Arguments

opal	Opal object.
symbol	Name of the R symbol.

See Also

Other symbol functions: [opal.rm\(\)](#), [opal.symbol_import\(\)](#), [opal.symbol_save\(\)](#), [opal.symbols\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.symbol_rm(o, 'D')
opal.logout(o)
```

opal.symbol_save *Save a tibble*

Description

Save a tibble identified by symbol as a file of format SAS, SPSS, Stata, CSV or TSV in the remote R session working directory.

Usage

```
opal.symbol_save(opal, symbol, destination)
```

Arguments

opal	Opal object.
symbol	Name of the R symbol representing a tibble.
destination	The path of the file in the R session workspace. Supported file extensions are: .sav (SPSS), .zsav (compressed SPSS), .sas7bdat (SAS), .xpt (SAS Transport), .dta (Stata), .csv (comma separated values), .tsv (tab separated values).

See Also

Other symbol functions: [opal.rm\(\)](#), [opal.symbol_import\(\)](#), [opal.symbol_rm\(\)](#), [opal.symbols\(\)](#)

Examples

```
## Not run:  
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')  
opal.symbol_save(o, 'D', 'test.sav')  
opal.logout(o)  
  
## End(Not run)
```

opal.table *Get a table of a datasource*

Description

Get a table of a datasource

Usage

```
opal.table(opal, datasource, table, counts = FALSE)
```

Arguments

opal	Opal object.
datasource	Name of the datasource.
table	Name of the table in the datasource.
counts	Flag to get the number of variables and entities (default is FALSE).

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.table(o, 'datashield', 'CNSIM1')
opal.logout(o)
```

opal.tables	<i>Get tables of a datasource</i>
-------------	-----------------------------------

Description

Get tables of a datasource

Usage

```
opal.tables(opal, datasource, counts = FALSE, df = TRUE)
```

Arguments

opal	Opal object.
datasource	Name of the datasource.
counts	Flag to get the number of variables and entities (default is FALSE).
df	Return a data.frame (default is TRUE)

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.tables(o, 'datashield')
opal.logout(o)
```

opal.task	<i>Get a task</i>
-----------	-------------------

Description

Get the details of a specific task.

Usage

```
opal.task(opal, id)
```

Arguments

opal	Opal object.
id	Task identifier.

See Also

Other task functions: [opal.task_cancel\(\)](#), [opal.task_wait\(\)](#), [opal.tasks\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.task(o, '1')
opal.logout(o)
```

opal.tasks	<i>Get the tasks</i>
------------	----------------------

Description

Get all the tasks with their status at the time of the request.

Usage

```
opal.tasks(opal, df = TRUE)
```

Arguments

opal	Opal object.
df	Return a data.frame (default is TRUE)

See Also

Other task functions: [opal.task_cancel\(\)](#), [opal.task_wait\(\)](#), [opal.task\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.tasks(o)
opal.logout(o)
```

opal.task_cancel	<i>Cancel a task</i>
------------------	----------------------

Description

Tries to cancel a task.

Usage

```
opal.task_cancel(opal, id)
```

Arguments

opal	Opal object.
id	Task identifier.

See Also

Other task functions: [opal.task_wait\(\)](#), [opal.tasks\(\)](#), [opal.task\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.task_cancel(o, '1')
opal.logout(o)
```

<code>opal.task_wait</code>	<i>Wait for a task to complete.</i>
-----------------------------	-------------------------------------

Description

The task completion is defined by its status: **SUCCEEDED**, **FAILED** or **CANCELED**.

Usage

```
opal.task_wait(opal, id, max = NULL)
```

Arguments

<code>opal</code>	Opal object.
<code>id</code>	Task identifier.
<code>max</code>	Maximum time (in seconds) to wait for the task completion. Default is NULL (no maximum).

See Also

Other task functions: [opal.task_cancel\(\)](#), [opal.tasks\(\)](#), [opal.task\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.task_wait(o, '1')
opal.logout(o)
```

<code>opal.taxonomies</code>	<i>Get taxonomies</i>
------------------------------	-----------------------

Description

Get all taxonomies. A taxonomy describes the annotations that can be applied to the variables. Taxonomies also drive the variables search interface.

Usage

```
opal.taxonomies(opal, locale = "en", df = TRUE)
```

Arguments

<code>opal</code>	Opal object.
<code>locale</code>	The language for labels (default is "en").
<code>df</code>	Return a data.frame (default is TRUE)

See Also

Other taxonomy functions: [opal.taxonomy\(\)](#), [opal.terms\(\)](#), [opal.vocabularies\(\)](#), [opal.vocabulary\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.taxonomies(o)
opal.logout(o)
```

opal.taxonomy	<i>Get a taxonomy</i>
---------------	-----------------------

Description

Get a specific taxonomy details.

Usage

```
opal.taxonomy(opal, taxonomy)
```

Arguments

opal	Opal object.
taxonomy	Name of the taxonomy

See Also

Other taxonomy functions: [opal.taxonomies\(\)](#), [opal.terms\(\)](#), [opal.vocabularies\(\)](#), [opal.vocabulary\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.taxonomy(o, 'Mlstr_area')
opal.logout(o)
```

opal.terms *Get the terms of a vocabulary*

Description

Get all the terms of a vocabulary. The term describes the value of a variable annotation.

Usage

```
opal.terms(opal, taxonomy, vocabulary, locale = "en", df = TRUE)
```

Arguments

opal	Opal object.
taxonomy	Name of the taxonomy
vocabulary	Name of the vocabulary in the taxonomy
locale	The language for labels (default is "en").
df	Return a data.frame (default is TRUE)

See Also

Other taxonomy functions: [opal.taxonomies\(\)](#), [opal.taxonomy\(\)](#), [opal.vocabularies\(\)](#), [opal.vocabulary\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.terms(o, 'Mlstr_area', 'Lifestyle_behaviours')
opal.logout(o)
```

opal.unload_package *Unload package*

Description

Unload package from the remote R session.

Usage

```
opal.unload_package(opal, pkg)
```

Arguments

opal	Opal object or list of opal objects.
pkg	Package name.

See Also

Other execution functions: [opal.execute\(\)](#), [opal.load_package\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.unload_package(o, 'stats')
opal.logout(o)
```

opal.valueset	<i>Get the values of an entity</i>
---------------	------------------------------------

Description

Get the values of an entity in a table.

Usage

```
opal.valueset(opal, datasource, table, identifier)
```

Arguments

opal	Opal object.
datasource	Name of the datasource.
table	Name of the table in the datasource.
identifier	Entity identifier.

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.variables\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.valueset(o, 'datashield', 'CNSIM1', '1008573362')
opal.logout(o)
```

opal.variable *Get a variable of a table*

Description

Get a variable of a table

Usage

```
opal.variable(opal, datasource, table, variable)
```

Arguments

opal	Opal object.
datasource	Name of the datasource.
table	Name of the table in the datasource.
variable	Name of the variable in the table.

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variables\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.variable(o, 'datashield', 'CNSIM1', 'GENDER')
opal.logout(o)
```

opal.variables *Get variables of a table*

Description

Get variables of a table

Usage

```
opal.variables(opal, datasource, table, locale = "en", df = TRUE)
```

Arguments

opal	Opal object.
datasource	Name of the datasource.
table	Name of the table in the datasource.
locale	The language for labels (default is "en").
df	Return a data.frame (default is TRUE)

See Also

Other datasource functions: [opal.annotate\(\)](#), [opal.annotations\(\)](#), [opal.attribute_values\(\)](#), [opal.datasources\(\)](#), [opal.datasource\(\)](#), [opal.projects\(\)](#), [opal.project\(\)](#), [opal.tables\(\)](#), [opal.table\(\)](#), [opal.valueset\(\)](#), [opal.variable\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.variables(o, 'datashield', 'CNSIM1')
opal.logout(o)
```

opal.version_compare *Compare*

Description

Compare Opal version with the provided one. Note that a request must have been done in order to have a non-null Opal version.

Usage

```
opal.version_compare(opal, version)
```

Arguments

opal	Opal object.
version	The semantic version string to be compared.

Value

>0 if Opal version is more recent, 0 if equals, <0 otherwise.

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.version_compare(o, "2.6.0")
opal.logout(o)
```

opal.vocabularies *Get the vocabularies of a taxonomy*

Description

Get all the vocabularies of a taxonomy. A vocabulary describes the possible values of variable annotations.

Usage

```
opal.vocabularies(opal, taxonomy, locale = "en", df = TRUE)
```

Arguments

opal	Opal object.
taxonomy	Name of the taxonomy
locale	The language for labels (default is "en").
df	Return a data.frame (default is TRUE)

See Also

Other taxonomy functions: [opal.taxonomies\(\)](#), [opal.taxonomy\(\)](#), [opal.terms\(\)](#), [opal.vocabulary\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.vocabularies(o, 'Mlstr_area')
opal.logout(o)
```

opal.vocabulary *Get a taxonomy vocabulary*

Description

Get a specific vocabulary details.

Usage

```
opal.vocabulary(opal, taxonomy, vocabulary)
```

Arguments

opal	Opal object.
taxonomy	Name of the taxonomy
vocabulary	Name of the vocabulary in the taxonomy

See Also

Other taxonomy functions: [opal.taxonomies\(\)](#), [opal.taxonomy\(\)](#), [opal.terms\(\)](#), [opal.vocables\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.vocabulary(o, 'Mlstr_area', 'Lifestyle_behaviours')
opal.logout(o)
```

opal.workspaces	<i>Get the R workspaces from a opal.</i>
-----------------	--

Description

Get the R workspaces from a opal.

Usage

```
opal.workspaces(opal)
```

Arguments

opal	Opal object.
------	--------------

See Also

Other workspace functions: [opal.workspace_rm\(\)](#), [opal.workspace_save\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.workspaces(o)
opal.logout(o)
```

opal.workspace_rm *Remove a R workspace from a opal.*

Description

Remove a R workspace from a opal.

Usage

```
opal.workspace_rm(opal, ws, user = NULL)
```

Arguments

opal	Opal object.
ws	The workspace name
user	The user name associated to the workspace. If not provided, the current user is applied.

See Also

Other workspace functions: [opal.workspace_save\(\)](#), [opal.workspaces\(\)](#)

Examples

```
o <- opal.login('administrator','password','https://opal-demo.obiba.org')
opal.workspace_rm(o, 'test')
opal.logout(o)
```

opal.workspace_save *Save the current session in a opal R workspace.*

Description

Save the current session in a opal R workspace.

Usage

```
opal.workspace_save(opal, save = TRUE)
```

Arguments

opal	Opal object.
save	Save the workspace with given identifier (default is TRUE, current session ID if TRUE).

See Also

Other workspace functions: [opal.workspace_rm\(\)](#), [opal.workspaces\(\)](#)

Examples

```
o <- opal.login('administrator', 'password', 'https://opal-demo.obiba.org')
opal.workspace_save(o, 'test')
opal.logout(o)
```

Index

- dsadmin.get_method, [4](#), [5–15](#)
- dsadmin.get_methods, [4](#), [4](#), [5–15](#)
- dsadmin.get_options, [4](#), [5](#), [5](#), [6–15](#)
- dsadmin.install_package, [4–6](#), [6](#), [8–15](#)
- dsadmin.installed_package, [4](#), [5](#), [6](#), [7–15](#)
- dsadmin.package_description, [4–7](#), [7](#), [9–15](#)
- dsadmin.package_descriptions, [4–8](#), [8](#), [9–15](#)
- dsadmin.remove_package, [4–9](#), [9](#), [10–15](#)
- dsadmin.rm_method, [4–9](#), [10](#), [11–15](#)
- dsadmin.rm_methods, [4–10](#), [10](#), [11–15](#)
- dsadmin.rm_option, [4–11](#), [11](#), [12–15](#)
- dsadmin.rm_package_methods, [4–11](#), [12](#), [13–15](#)
- dsadmin.set_method, [4–12](#), [13](#), [14](#), [15](#)
- dsadmin.set_option, [4–13](#), [13](#), [15](#)
- dsadmin.set_package_methods, [4–14](#), [14](#)

- harmo.annotate, [15](#)
- harmo.annotate.status, [16](#)
- harmo.annotations, [17](#)
- harmo.dictionary_apply, [17](#)
- harmo.dictionary_update, [18](#)
- harmo.table_get, [19](#)
- harmo.table_save, [20](#)

- oadmin.install_devtools, [21–23](#), [23](#), [24–27](#)
- oadmin.install_github, [21–23](#), [24](#), [25–27](#)
- oadmin.install_package, [21–24](#), [25](#), [26](#), [27](#)
- oadmin.installed_devtools, [21](#), [22–27](#)
- oadmin.installed_package, [21](#), [22](#), [23–27](#)
- oadmin.installed_packages, [21](#), [22](#), [22](#), [23–27](#)
- oadmin.package_description, [21–25](#), [26](#), [27](#)
- oadmin.remove_package, [21–26](#), [26](#)
- opal.annotate, [27](#), [28](#), [35](#), [40](#), [54](#), [55](#), [61](#), [67–69](#)
- opal.annotations, [27](#), [28](#), [35](#), [40](#), [54](#), [55](#), [61](#), [67–69](#)
- opal.as_md_table, [34](#)
- opal.assign, [29](#), [30](#), [31](#), [33](#), [34](#)
- opal.assign.data, [29](#), [30](#), [31](#), [33](#), [34](#)
- opal.assign.script, [29](#), [30](#), [31](#), [33](#), [34](#)
- opal.assign.table, [29–31](#), [32](#), [34](#)
- opal.assign.table.tibble, [29–31](#), [33](#), [33](#)
- opal.attribute_values, [27](#), [28](#), [35](#), [40](#), [54](#), [55](#), [61](#), [67–69](#)
- opal.command, [36](#), [37–39](#)
- opal.command_result, [36–38](#), [38](#), [39](#)
- opal.command_rm, [36–38](#), [39](#)
- opal.commands, [36](#), [37](#), [38](#), [39](#)
- opal.commands_rm, [36](#), [37](#), [37](#), [38](#), [39](#)
- opal.datasources, [27](#), [28](#), [35](#), [39](#), [40](#), [54](#), [55](#), [61](#), [67–69](#)
- opal.datasources, [27](#), [28](#), [35](#), [40](#), [40](#), [54](#), [55](#), [61](#), [67–69](#)
- opal.delete, [41](#), [50](#), [53](#), [55](#)
- opal.execute, [41](#), [51](#), [67](#)
- opal.file, [42](#), [43–49](#)
- opal.file_cp, [42](#), [43](#), [44–49](#)
- opal.file_download, [42](#), [43](#), [44](#), [45–49](#)
- opal.file_ls, [42–44](#), [45](#), [46–49](#)
- opal.file_mkdir, [42–45](#), [45](#), [46–49](#)
- opal.file_mv, [42–46](#), [46](#), [47–49](#)
- opal.file_read, [42–46](#), [47](#), [48](#), [49](#)
- opal.file_rm, [42–47](#), [47](#), [48](#), [49](#)
- opal.file_upload, [42–48](#), [48](#), [49](#)
- opal.file_write, [42–48](#), [49](#)
- opal.get, [41](#), [50](#), [53](#), [55](#)
- opal.load_package, [42](#), [50](#), [67](#)
- opal.login, [51](#), [53](#)
- opal.logout, [51](#), [52](#)
- opal.post, [41](#), [50](#), [53](#), [55](#)
- opal.project, [27](#), [28](#), [35](#), [40](#), [54](#), [55](#), [61](#), [67–69](#)
- opal.projects, [27](#), [28](#), [35](#), [40](#), [54](#), [54](#), [61](#),

67–69
opal.put, 41, 50, 53, 55
opal.report, 56
opal.rm, 57, 57, 58–60
opal.symbol_import, 57, 58, 59, 60
opal.symbol_rm, 57, 58, 59, 60
opal.symbol_save, 57–59, 60
opal.symbols, 57, 57, 58–60
opal.table, 27, 28, 35, 40, 54, 55, 60, 61,
67–69
opal.tables, 27, 28, 35, 40, 54, 55, 61, 61,
67–69
opal.task, 62, 63, 64
opal.task_cancel, 62, 63, 63, 64
opal.task_wait, 62, 63, 64
opal.tasks, 62, 62, 63, 64
opal.taxonomies, 64, 65, 66, 70, 71
opal.taxonomy, 65, 65, 66, 70, 71
opal.terms, 65, 66, 70, 71
opal.unload_package, 42, 51, 66
opal.valueset, 27, 28, 35, 40, 54, 55, 61, 67,
68, 69
opal.variable, 27, 28, 35, 40, 54, 55, 61, 67,
68, 69
opal.variables, 27, 28, 35, 40, 54, 55, 61,
67, 68, 68
opal.version_compare, 69
opal.vocabularies, 65, 66, 70, 71
opal.vocabulary, 65, 66, 70, 70
opal.workspace_rm, 71, 72, 73
opal.workspace_save, 71, 72, 72
opal.workspaces, 71, 72, 73