

# Package ‘Replication’

August 1, 2019

**Type** Package

**Title** Test Replications by Means of the Prior Predictive p-Value

**Version** 0.1.1

**Description** Allows for the computation of a prior predictive p-value to test replication of relevant features of original studies. Relevant features are captured in informative hypotheses. The package also allows for the computation of power. The statistical underpinnings are described in Zondervan-Zwijnenburg (2019) <doi:10.31234/osf.io/uvh5s>.

**License** GPL (>= 3)

**Depends** lavaan(>= 0.6-3), blavaan, mice

**Imports** quadprog, graphics, MASS, runjags(>= 2.0.4-2), rjags

**Encoding** UTF-8

**LazyData** true

**NeedsCompilation** no

**Author** M.A.J. Zondervan-Zwijnenburg [aut, cre],  
Herbert Hoijtink [ths],  
Casper J van Lissa [ctb],  
Consortium Individual Development [fnd] (NWO grant number 024.001.003)

**Maintainer** M.A.J. Zondervan-Zwijnenburg <m.a.j.zwijnenburg@uu.nl>

**Repository** CRAN

**Date/Publication** 2019-08-01 14:50:02 UTC

## R topics documented:

llratio.f . . . . .	2
llratio.imp . . . . .	3
posterior.step1 . . . . .	5
ppc.plot . . . . .	7
ppc.step1 . . . . .	8
ppc.step2step3 . . . . .	11
sim.step1 . . . . .	14

<b>Index</b>	<b>16</b>
--------------	-----------

---

<code>llratio.f</code>	<i>Likelihood ratio statistic for constrained versus unconstrained model</i>
------------------------	--

---

### Description

The function first uses `solve.QP` to find the best fitting estimates under the imposed constraints. Subsequently, it calculates the likelihood ratio for the constrained versus unconstrained model.

### Usage

```
llratio.f(BKcov, Q, R, r = NULL, E = 0L)
```

### Arguments

<code>BKcov</code>	<code>BKcov</code> is the variance-covariance matrix of the model parameters.
<code>Q</code>	<code>Q</code> is a vector with the (unconstrained) model estimates.
<code>R</code>	A matrix defining the constraints under which we want to minimize the quadratic function.
<code>r</code>	vector holding the minimum sum for each row in <code>R</code> .
<code>E</code>	Numeric. The first <code>E</code> constraints are treated as equality constraints, all further as inequality constraints. Default value = 0.

### Value

`llratio` scalar, the value of the resulting likelihood ratio.

### Author(s)

M. A. J. Zondervan-Zwijenburg

### See Also

[solve.QP](#)

### Examples

```
data <- data.frame(y=ChickWeight$weight,g=ChickWeight$Diet)
aggregate(data$y,by=list(data$g),mean)
reg <- lm(data$y~data$g)
BKcov <- vcov(reg)
Q <- reg$coefficients

#b1=102, b3-b2>20, b3-b4>10, b4>30
R <- rbind(c(1,0,0,0),c(0,-1,1,0),c(0,0,1,-1),c(0,0,0,1))
r = c(102,20,10,30)
E = 1

llratio.f(BKcov=BKcov, Q=Q, R=R, r=r, E = E)
```

llratio.imp

*Log likelihood ratio and p-value for data imputed with mice***Description**

Computes the log likelihood ratio and p-value for data that is imputed with mice

**Usage**

```
llratio.imp(step2step3,imp,model,effectsize=FALSE,s.i,
            sample.cov = NULL, sample.mean = NULL, sample.nobs = NULL,
            group = NULL, cluster = NULL, constraints = "", WLS.V = NULL, NACOV = NULL,
            bayes=FALSE,dp=NULL,nchains=2)
```

**Arguments**

step2step3	The likelihood ratio values for simulated data as obtained with the ppc.step2step3 function.
imp	A mids object created with the R-package mice
model	The lavaan model that is to be applied to the data
effectsize	Logic; if TRUE, the constraints concern effectsizes.
s.i	A vector of length p holding with indices for the (pooled) standard deviation parameters with which the effect sizes should be computed
sample.cov	Numeric matrix. A sample variance-covariance matrix. The rownames and/or colnames must contain the observed variable names. For a multiple group analysis, a list with a variance-covariance matrix for each group. Note that if maximum likelihood estimation is used and likelihood="normal", the user provided covariance matrix is internally rescaled by multiplying it with a factor (N-1)/N, to ensure that the covariance matrix has been divided by N. This can be turned off by setting the sample.cov.rescale argument to FALSE.
sample.mean	A sample mean vector. For a multiple group analysis, a list with a mean vector for each group.
sample.nobs	Number of observations if the full data frame is missing and only sample moments are given. For a multiple group analysis, a list or a vector with the number of observations for each group.
group	A variable name in the data frame defining the groups in a multiple group analysis.
cluster	The cluster variable for multilevel data (beta!).
constraints	Additional (in)equality constraints not yet included in the model syntax. See model.syntax for more information. Note that the replication hypothesis should not be specified here!

WLS.V	A user provided weight matrix to be used by estimator "WLS"; if the estimator is "DWLS", only the diagonal of this matrix will be used. For a multiple group analysis, a list with a weight matrix for each group. The elements of the weight matrix should be in the following order (if all data is continuous): first the means (if a meanstructure is involved), then the lower triangular elements of the covariance matrix including the diagonal, ordered column by column. In the categorical case: first the thresholds (including the means for continuous variables), then the slopes (if any), the variances of continuous variables (if any), and finally the lower triangular elements of the correlation/covariance matrix excluding the diagonal, ordered column by column.
NACOV	A user provided matrix containing the elements of (N times) the asymptotic variance-covariance matrix of the sample statistics. For a multiple group analysis, a list with an asymptotic variance-covariance matrix for each group. See the WLS.V argument for information about the order of the elements.
bayes	Logic; if TRUE, a Bayesian estimator is used.
dp	blavaan default prior distributions on different types of parameters, typically the result of a call to dpriors(). See the dpriors() help file for more information.
nchains	A scalar indicating the number of chains to be used in the Bayesian analysis. Default value = 2.

**Value**

pT	The average parameter table
llratio.i	The likelihood ratio values for each of the imputed datasets
pvals	The prior-predictive p-values for each of the imputed datasets

**Author(s)**

M. A. J. Zondervan-Zwijenburg

**See Also**

[llratio.f](#)

**Examples**

```
#the following example can be used, but takes >10 seconds

#create data
rnorm2 <- function(n,mean,sd) { mean+sd*scale(rnorm(n)) }

set.seed(9)
#step 1 input
#create/load data
n.o=30 #sample size original data
y.o <- data.frame(y=rnorm2(n.o,0,1),x=rnorm2(n.o,3,1))
n.r=80 #sample size new data
y.r <- data.frame(y=rnorm2(n.r,0.5,1),x=rnorm2(n.r,3,1))
```

```

y.r$y[runif(5,1,n.r)] <- NA #random missing data

#blavaan model
model <- '
y ~ x      #regression
y ~1      #intercept not default in lavaan (but is in blavaan)
'

step1.reg <- ppc.step1(y.o=y.o,model=model,n.r=n.r)

#H0: #reg > est, int = est
pT <- step1.reg$pT #parameter table
int.id <- which(pT$lhs=="y"&pT$op=="~1"&pT$rhs=="") #identify B0
reg.id <- which(pT$lhs=="y"&pT$op=="~"&pT$rhs=="x") #identify B1
hyp <- cbind(pT[c(int.id,reg.id),"plabel"],c("<",">"),c(pT[c(int.id,reg.id),"est"]))
print(hyp)
H0 <- paste(hyp[,1],hyp[,2],hyp[,3],collapse="&")

step23.reg <- ppc.step2step3(step1=step1.reg,y.r=NULL,model=model,H0)

y.r$y[runif(5,1,n.r)] <- NA #random missing data
imp <- mice(y.r,maxit=10,m=10)
llratio.imp(step2step3=step23.reg,imp=imp,model=model)

```

---

posterior.step1

*Posterior Distribution*


---

## Description

Samples from the posterior distribution of the data by means of blavaan. These samples form the basis for the predictive distribution in the prior predictive check.

## Usage

```

posterior.step1(y.o, model,
  sample.cov = NULL, sample.mean = NULL, sample.nobs = NULL,
  group = NULL, constraints = "", WLS.V = NULL, NACOV = NULL,
  nchains=2, nadapt, nburnin, nsample, dp = NULL, convergence = "manual", target,
  imp=imp)

```

## Arguments

y.o	A data frame containing the original data for the replication test.
model	The (b)lavaan model that is to be fitted to the data.
sample.cov	Numeric matrix. A sample variance-covariance matrix. The rownames and/or colnames must contain the observed variable names. For a multiple group analysis, a list with a variance-covariance matrix for each group. Note that if maximum likelihood estimation is used and likelihood="normal", the user provided

	covariance matrix is internally rescaled by multiplying it with a factor $(N-1)/N$ , to ensure that the covariance matrix has been divided by $N$ . This can be turned off by setting the <code>sample.cov.rescale</code> argument to <code>FALSE</code> .
<code>sample.mean</code>	A sample mean vector. For a multiple group analysis, a list with a mean vector for each group.
<code>sample.nobs</code>	Number of observations if the full data frame is missing and only sample moments are given. For a multiple group analysis, a list or a vector with the number of observations for each group.
<code>group</code>	A variable name in the data frame defining the groups in a multiple group analysis.
<code>constraints</code>	Additional (in)equality constraints not yet included in the model syntax. See <code>model.syntax</code> for more information. Note that the replication hypothesis should not be specified here!
<code>WLS.V</code>	A user provided weight matrix to be used by estimator "WLS"; if the estimator is "DWLS", only the diagonal of this matrix will be used. For a multiple group analysis, a list with a weight matrix for each group. The elements of the weight matrix should be in the following order (if all data is continuous): first the means (if a meanstructure is involved), then the lower triangular elements of the covariance matrix including the diagonal, ordered column by column. In the categorical case: first the thresholds (including the means for continuous variables), then the slopes (if any), the variances of continuous variables (if any), and finally the lower triangular elements of the correlation/covariance matrix excluding the diagonal, ordered column by column.
<code>NACOV</code>	A user provided matrix containing the elements of $(N$ times) the asymptotic variance-covariance matrix of the sample statistics. For a multiple group analysis, a list with an asymptotic variance-covariance matrix for each group. See the <code>WLS.V</code> argument for information about the order of the elements.
<code>nchains</code>	A scalar indicating the number of chains to be used in the Bayesian analysis. Default value = 2.
<code>nadapt</code>	The number of blavaan adaptive iterations to use at the start of the simulation. Default value = 1,000
<code>nburnin</code>	A scalar indicating the number of burnin iterations to be used in the Bayesian analysis.
<code>nsample</code>	A scalar indicating the number of samples to be taken from the posterior after burnin.
<code>convergence</code>	Default = "manual". If "auto", parameters will be sampled until convergence is achieved (via <code>autorun.jags</code> ). In this case, the arguments <code>burnin</code> and <code>sample</code> are passed to <code>autorun.jags</code> as <code>startburnin</code> and <code>startsample</code> , respectively. Otherwise, parameters are sampled as specified by the user (or by the <code>run.jags</code> defaults).
<code>target</code>	Desired MCMC package ("jags" is default, but "stan" also available).
<code>dp</code>	blavaan default prior distributions on different types of parameters, typically the result of a call to <code>dpriors()</code> . See the <code>dpriors()</code> help file for more information.
<code>imp</code>	A multiply imputed dataset stored in an object of class <code>mids</code> as generated by <code>mice</code> . If there is no imputed data, specify <code>imp = NULL</code> .

**Value**

post	A matrix with samples from the posterior.
pT	A data.frame containing the parameter table for the fitted model as given by parTable lavaan
free.i	A vector with indices for the freely estimated parameters as given in pT.

**See Also**

[blavaan](#), [lavaan](#)

---

ppc.plot	<i>Plot ppc.step2step3 output</i>
----------	-----------------------------------

---

**Description**

Creates a plot using the output of ppc.step2step3.

**Usage**

```
ppc.plot(llratio.s, llratio.r)
```

**Arguments**

llratio.s	A vector with llratio values for the predicted data.
llratio.r	The llratio value for the new data

**Value**

Returns a plot histogram of llratio values for the predicted data, and indicates the value of llratio for the new data with a red line. If llratio is equal to 0 for at least 10% of the llratio for the predicted data, the function will create a separate thick black line for this group of values.

**Author(s)**

Zondervan-Zwijenburg, M.A.J.

**Examples**

```
#the following example can be used, but may take >10 seconds
```

```
#create data
rnorm2 <- function(n,mean,sd) { mean+sd*scale(rnorm(n)) }
```

```
# simple regression -----
```

```

set.seed(9)
#step 1 input
#create/load data
n.o=30 #sample size original data
y.o <- data.frame(y=rnorm2(n.o,0,1),x=rnorm2(n.o,3,1))
#y.o <- correlate(as.matrix(y.o), corm=.70); y.o <- data.frame(y=y.o[,1],x=y.o[,2])
n.r=50 #sample size new data
y.r <- data.frame(y=rnorm2(n.r,0.5,1),x=rnorm2(n.r,3,1))

#blavaan model
model <- '
y ~ x      #regression
y ~1      #intercept not default in lavaan (but is in blavaan)
'

#Warning: This is a minimal example;
step1.reg <- ppc.step1(y.o=y.o,model=model,nchains=2,n.r=50)

print(step1.reg$pT)
#H0: #reg > est, int = est      =      B1>0.302 & B0= -0.878
pT <- step1.reg$pT #parameter table
int.id <- which(pT$lhs=="y"&pT$op=="~1"&pT$rhs=="") #identify B0
reg.id <- which(pT$lhs=="y"&pT$op=="~"&pT$rhs=="x") #identify B1
hyp <- cbind(pT[c(int.id,reg.id),"plabel"],c("=", ">"),c(pT[c(int.id,reg.id),"est"]))
print(hyp)
H0 <- paste(hyp[,1],hyp[,2],hyp[,3],collapse="&")

step23.reg <- ppc.step2step3(step1=step1.reg,y.r=y.r,model=model,H0)

ppc.plot(step23.reg$llratio.s,step23.reg$llratio.r)

```

---

ppc.step1

---

*Prior predictive check step 1*


---

## Description

Samples from the posterior distribution of the data by means of blavaan and simulates data  $y.s$  using `lavaan.simulateData`. The data  $y.s$  are based on samples from the posterior and represent samples from the predictive distribution.

## Usage

```

ppc.step1(y.o, model,
  sample.cov = NULL, sample.mean = NULL, sample.nobs = NULL,
  group = NULL, n.groups, constraints = "", WLS.V = NULL, NACOV = NULL,
  nchains = 2, nadapt = 1000, nburnin=5000, nsample=5000,
  dp = NULL, convergence= "manual",target="jags",
  imp = NULL, n.r, nsim=5000, post, pT, free.i)

```



**Arguments**

<code>y.o</code>	A data frame containing the original data for the replication test.
<code>model</code>	The (b)lavaan model that is to be fitted to the data.
<code>sample.cov</code>	Numeric matrix. A sample variance-covariance matrix. The rownames and/or colnames must contain the observed variable names. For a multiple group analysis, a list with a variance-covariance matrix for each group. Note that if maximum likelihood estimation is used and <code>likelihood="normal"</code> , the user provided covariance matrix is internally rescaled by multiplying it with a factor $(N-1)/N$ , to ensure that the covariance matrix has been divided by $N$ . This can be turned off by setting the <code>sample.cov.rescale</code> argument to <code>FALSE</code> .
<code>sample.mean</code>	A sample mean vector. For a multiple group analysis, a list with a mean vector for each group.
<code>sample.nobs</code>	Number of observations if the full data frame is missing and only sample moments are given. For a multiple group analysis, a list or a vector with the number of observations for each group.
<code>group</code>	A variable name in the data frame defining the groups in a multiple group analysis.
<code>n.groups</code>	If applicable, the number of groups.
<code>constraints</code>	Additional (in)equality constraints not yet included in the model syntax. See <code>model.syntax</code> for more information. Note that the replication hypothesis should not be specified here!
<code>WLS.V</code>	A user provided weight matrix to be used by estimator "WLS"; if the estimator is "DWLS", only the diagonal of this matrix will be used. For a multiple group analysis, a list with a weight matrix for each group. The elements of the weight matrix should be in the following order (if all data is continuous): first the means (if a meanstructure is involved), then the lower triangular elements of the covariance matrix including the diagonal, ordered column by column. In the categorical case: first the thresholds (including the means for continuous variables), then the slopes (if any), the variances of continuous variables (if any), and finally the lower triangular elements of the correlation/covariance matrix excluding the diagonal, ordered column by column.
<code>NACOV</code>	A user provided matrix containing the elements of $(N$ times) the asymptotic variance-covariance matrix of the sample statistics. For a multiple group analysis, a list with an asymptotic variance-covariance matrix for each group. See the <code>WLS.V</code> argument for information about the order of the elements.
<code>nchains</code>	A scalar indicating the number of chains to be used in the Bayesian analysis. Default value = 2.
<code>nadapt</code>	The number of lavaan adaptive iterations to use at the start of the simulation. Default value = 1,000
<code>nburnin</code>	A scalar indicating the number of burnin iterations to be used in the Bayesian analysis. Default value = 5,000
<code>nsample</code>	A scalar indicating the number of samples to be taken from the posterior after burnin. Default value = 5,000

dp	blavaan default prior distributions on different types of parameters, typically the result of a call to dpriors(). See the dpriors() help file for more information.
convergence	Default = "manual". If "auto", parameters will be sampled until convergence is achieved (via autorun.jags). In this case, the arguments burnin and sample are passed to autorun.jags as startburnin and startsample, respectively. Otherwise, parameters are sampled as specified by the user (or by the run.jags defaults).
target	Desired MCMC package ("jags" is default, but "stan" also available).
imp	Default = NULL. If imputed data is present, the imputed object of class mids as generated by mice can be included here.
n.r	Sample size for the new data (y.r).
nsim	Number of datasets y.s to be created. Default value = 5,000.
post	Do not use this argument. Matrix with samples from the posterior distribution for the original data y.o
pT	Do not use this argument. The blavaan parameter table.
free.i	Do not use this argument. A vector with indices for the freely estimated parameters as given in pT.

**Value**

pT	A data.frame containing the parameter table for the fitted model as given by parTable lavaan
y.s	A list containing all simulated data y.s.

**Author(s)**

M. A. J. Zondervan-Zwijenburg

**See Also**

[bsem](#)

**Examples**

```
#the following example can be used, but takes >10 seconds

#step 1 input
data <- data.frame(y=ChickWeight$weight,x=ChickWeight$Time)

model <- '
y ~ x      #regression
y ~1      #intercept not default in lavaan (but is in blavaan)
'

reg.step1 <- ppc.step1(y.o=data, model=model,n.r=50)
```

---

ppc.step2step3                      *Prior predictive check step 2 and 3*

---

### Description

Calculates an approximate likelihood ratio (D) for new data (y.r) and predicted data (y.s) according to the proposed constraints, and generates a prior predictive p-value.

### Usage

```
ppc.step2step3(step1, y.r, model = model, H0, H0check=TRUE, s.i,
               ordered = NULL, sample.cov = NULL, sample.mean = NULL, sample.nobs = NULL,
               group = NULL, cluster = NULL, constraints = "", WLS.V = NULL, NACOV = NULL,
               bayes = FALSE, dp = NULL, convergence = "manual", nchains = 2)
```

### Arguments

step1	An object containing the output of ppc.step1.
y.r	A data.frame with the new data. If y.r = NA, the approximate likelihood ratio will only be computed for the predicted data y.s.
model	The (b)lavaan model that is to be fitted to the data.
H0	The replication hypothesis within quotes "" with the lavaan plabels as parameter names and parts separated with &. For more information on hypothesis specification, see the details section below.
H0check	Logic. If TRUE, the function will check whether H0 is in line with the original data (which it should be) before performing the ppc. The ppc will return an error if H0 does not pass the check.
s.i	A vector of length p with indices for the (pooled) standard deviation parameters with which the effect sizes should be computed. Default = NULL.
ordered	Character vector. Only used if the data is in a data.frame. Treat these variables as ordered (ordinal) variables, if they are endogenous in the model. Importantly, all other variables will be treated as numeric (unless they are declared as ordered in the original data.frame)
sample.cov	Numeric matrix. A sample variance-covariance matrix. The rownames and/or colnames must contain the observed variable names. For a multiple group analysis, a list with a variance-covariance matrix for each group. Note that if maximum likelihood estimation is used and likelihood="normal", the user provided covariance matrix is internally rescaled by multiplying it with a factor (N-1)/N, to ensure that the covariance matrix has been divided by N. This can be turned off by setting the sample.cov.rescale argument to FALSE.
sample.mean	A sample mean vector. For a multiple group analysis, a list with a mean vector for each group.
sample.nobs	Number of observations if the full data frame is missing and only sample moments are given. For a multiple group analysis, a list or a vector with the number of observations for each group.

group	A variable name in the data frame defining the groups in a multiple group analysis.
cluster	The cluster variable for multilevel data (beta!).
constraints	Additional (in)equality constraints not yet included in the model syntax. See model.syntax for more information. Note that the replication hypothesis should not be specified here!
WLS.V	A user provided weight matrix to be used by estimator "WLS"; if the estimator is "DWLS", only the diagonal of this matrix will be used. For a multiple group analysis, a list with a weight matrix for each group. The elements of the weight matrix should be in the following order (if all data is continuous): first the means (if a meanstructure is involved), then the lower triangular elements of the covariance matrix including the diagonal, ordered column by column. In the categorical case: first the thresholds (including the means for continuous variables), then the slopes (if any), the variances of continuous variables (if any), and finally the lower triangular elements of the correlation/covariance matrix excluding the diagonal, ordered column by column.
NACOV	A user provided matrix containing the elements of (N times) the asymptotic variance-covariance matrix of the sample statistics. For a multiple group analysis, a list with an asymptotic variance-covariance matrix for each group. See the WLS.V argument for information about the order of the elements.
bayes	Logic; if TRUE, a Bayesian estimator is used.
dp	If bayes = TRUE, blavaan default prior distributions on different types of parameters, typically the result of a call to dpriors(). See the dpriors() help file for more information.
convergence	If bayes = TRUE, default convergence setting = "manual". If "auto", parameters will be sampled until convergence is achieved (via autorun.jags). In this case, the arguments burnin and sample are passed to autorun.jags as startburnin and startsample, respectively. Otherwise, parameters are sampled as specified by the user (or by the run.jags defaults).
nchains	If bayes = TRUE, A scalar indicating the number of chains to be used in the Bayesian analysis. Default value = 2.

## Details

The specification of 'H0' in 'ppc.step2step3':

'H0' is a character string that specifies which informative hypothesis has to be evaluated. A simple example is  $H_0 <- ".p1. > .p2. > .p3. \& .p1. = 2"$  which specifies a hypothesis using three estimates with names ".p1.", ".p2.", and ".p3.", respectively.

The hypothesis specified has to adhere to the following rules:

- When using ppc.step2step3, the 'labels' of the blavaan output resulting from ppc.step1 have to be used to indicate which parameters are involved in the informative hypothesis H0. For example '.p1.' and '.p2.' can be the labels of the parameters of interest.
- Linear combinations of parameters must be specified adhering to the following rules: a) Each parameter name is used at most once. b) Each parameter name may or may not be pre-multiplied with a number. c) A constant may be added or subtracted from each parameter name. Examples are: " $3 * .p1. + 5$ "; " $.p1. + 2 * .p2. + 3 * .p3. - 2$ " and " $.p1. - .p2.$ ".

- (Linear combinations of) parameters can be constrained using  $<$ ,  $>$ , and  $=$ . For example, `".p1.>0"` or `".p1.>.p2.=0"` or `"2*.p1.<.p2.+ .p3.>5"`.
- The ampersand  $&$  can be used to combine different parts of a hypothesis. For example, `".p1.>.p2.&.p2.>.p3."` which is equivalent to `".p1.>.p2.>.p3."` or `".p1.>0 &.p2.>0 &.p3.>0"`.
- Sets of (linear combinations of) parameters subjected to the same constraints can be specified using  $()$ . For example, `".p1.>(.p2.,.p3.)"` which is equivalent to `".p1.>.p2.&.p1.>.p3."`.
- Hypotheses have to be possible. A hypothesis is impossible if estimates in agreement with the hypothesis do not exist. For example: values for `.p1.` in agreement with `".p1.=0 &.p1.>2"` do not exist. It is the responsibility of the user to ensure that the hypotheses specified are possible. If not, `ppc.step2step3` will return an error message: `Error in solve.QP(Dmat,dvec = dvec,t(R),r,meq = E, factorized = FALSE) : constraints are inconsistent,no solution!`.

### Value

Generates a histogram of `llratio.s` in which `llratio.r` is indicated with a vertical line. The proportion of `llratio.s` at the right of this line constitutes the prior predictive p-value.

<code>llratio.r</code>	The likelihood ratio for the new dataset.
<code>p-value</code>	The prior predictive p-value.
<code>llratio.s</code>	The likelihood ratio's for each of the datasets <code>y.s</code> .
<code>H0 matrices</code>	Matrices <code>R</code> , <code>r</code> , and <code>E</code> that constitute the matrix form of $H_0: R*\theta>r$ or $R*\theta=r$ for equality constraints. The value in <code>E</code> specifies the number of equality constraints in the hypothesis.
<code>pT.s</code>	Parameter table columns for <code>y.s</code> indicating which parameter received which id and which label in the lavaan analysis of the predicted data. If the id's and labels differ from those of the lavaan analysis used in <code>step1</code> , the function will generate a warning for the user to check whether this difference affects parameters in $H_0$ .

### Author(s)

M. A. J. Zondervan-Zwijnenburg

### Examples

```
#the following example can be used, but may take >10 seconds

#create data
rnorm2 <- function(n,mean,sd) { mean+sd*scale(rnorm(n)) }

# simple regression -----

set.seed(9)
#step 1 input
```

```

#create/load data
n.o=30 #sample size original data
y.o <- data.frame(y=rnorm2(n.o,0,1),x=rnorm2(n.o,3,1))
#y.o <- correlate(as.matrix(y.o), corm=.70); y.o <- data.frame(y=y.o[,1],x=y.o[,2])
n.r=50 #sample size new data
y.r <- data.frame(y=rnorm2(n.r,0.5,1),x=rnorm2(n.r,3,1))

#blavaan model
model <- '
y ~ x      #regression
y ~1
'

#Warning: This is a minimal example;
step1.reg <- ppc.step1(y.o=y.o,model=model,nchains=2,n.r=50)

print(step1.reg$pT)
#H0: #reg > est, int = est      =      B1>0.236 & B0= -0.698
pT <- step1.reg$pT #parameter table
int.id <- which(pT$lhs=="y"&pT$op=="~1"&pT$rhs=="") #identify B0
reg.id <- which(pT$lhs=="y"&pT$op=="~"&pT$rhs=="x") #identify B1
hyp <- cbind(pT[c(int.id,reg.id),"plabel"],c("<",">"),c(pT[c(int.id,reg.id),"est"]))
print(hyp)
H0 <- paste(hyp[,1],hyp[,2],hyp[,3],collapse="&")

step23.reg <- ppc.step2step3(step1=step1.reg,y.r=y.r,model=model,H0)

```

---

sim.step1

*Simulate Data for the Predictive Distribution*


---

## Description

Simulates data  $y.s$  using lavaan simulateData. The data  $y.s$  are based on samples from the posterior and represent samples from the predictive distribution.

## Usage

```
sim.step1(n.r, nsim, post, pT, free.i, group=NULL, n.groups)
```

## Arguments

n.r	Sample size for the new data (y.r)
nsim	Number of datasets $y.s$ to be created.
post	Matrix with samples from the posterior distribution for the original data $y.o$
pT	The blavaan parameter table.
free.i	A vector with indices for the freely estimated parameters as given in pT.
group	If applicable, the name of the grouping variable.
n.groups	If applicable, the number of groups.

**Value**

`y.s`                    A list containing all `y.s`.

**Author(s)**

M. A. J. Zondervan-Zwijenburg

**See Also**

[simulateData](#)

# Index

## \*Topic **htest**

- llratio.f, [2](#)
- llratio.imp, [3](#)
- posterior.step1, [5](#)
- ppc.step1, [8](#)
- ppc.step2step3, [11](#)

## \*Topic **models**

- posterior.step1, [5](#)
- ppc.step1, [8](#)
- ppc.step2step3, [11](#)
- sim.step1, [14](#)

blavaan, [7](#)

bsem, [10](#)

lavaan, [7](#)

llratio.f, [2](#), [4](#)

llratio.imp, [3](#)

posterior.step1, [5](#)

ppc.plot, [7](#)

ppc.step1, [8](#)

ppc.step2step3, [11](#)

sim.step1, [14](#)

simulateData, [15](#)

solve.QP, [2](#)