

Package ‘chronosphere’

December 16, 2019

Type Package

Title Earth System History Variables

Version 0.2.0

Author Adam T. Kocsis, Nussaibah B. Raja

Maintainer Adam T. Kocsis <adam.t.kocsis@gmail.com>

Description The purpose of the 'chronosphere' project is to facilitate spatially explicit analyses of (paleo)environmental/ecological research. The package serves as a gateway to plate tectonic reconstructions, deep time global climate model results as well as fossil occurrence datasets such as the Paleobiology Database <<https://www.paleobiodb.org/>> and the Paleo-Reefs Database <<https://www.paleo-reefs.pal.uni-erlangen.de/>>. Environmental data stored on a remote server can be downloaded and imported directly to the R environment. Query functions to the GPlates <<https://www.gplates.org/>> desktop application or the GPlates Web Service <<https://gws.gplates.org/>> allow users to reconstruct coordinates, static plates, and Spatial objects. A wrapper class 'RasterArray' is implemented around the 'RasterLayer' class, allowing the organization of spatially explicit raster data in n-dimensional arrays. The project is developed under the umbrella of the DFG (Deutsche Forschungsgemeinschaft) Research Unit TER-SANE2 (For 2332, TEMperature Related Stressors in ANcient Extinctions).

License CC BY 4.0

Date 2019-12-11

BugReports <https://github.com/adamkocsis/chronosphere/issues>

Encoding UTF-8

LazyData false

Depends R (>= 3.5.0), raster, sp

Imports graphics, methods, grDevices, utils

NeedsCompilation no

RoxygenNote 6.1.1

VignetteBuilder knitr

Suggests jpeg, knitr, ncd4, rgdal, rmarkdown

Repository CRAN

Date/Publication 2019-12-16 20:20:02 UTC

R topics documented:

aggregate,RasterArray-method	3
apply	3
as	4
as.data.frame,RasterArray	5
as.list,RasterArray-method	5
as.RasterArray	6
calc,RasterArray,function-method	7
cbind,RasterArray	8
cellStats,RasterArray-method	8
clim	9
colnames,RasterArray-method	10
combine	11
crop,RasterArray-method	11
dataindex	12
dems	13
dim,RasterArray-method	13
dimlayer	14
dimnames,RasterArray-method	14
disaggregate,RasterArray-method	15
extract,RasterArray,data.frame-method	16
fetch	17
is.na.RasterArray	18
layers	19
length,RasterArray-method	19
mapplot	20
mask,RasterArray,RasterLayer-method	22
matchtime	23
minValue,RasterArray-method	24
names,RasterArray-method	25
ncell,RasterArray-method	26
ncol,RasterArray-method	27
newbounds	27
nvalues	28
platemodel-class	29
plot,RasterArray,missing-method	29
projectRaster	30
proxy	31
ramps	32
RasterArray-class	33
reconstruct	34
resample,RasterArray,ANY-method	37
rownames,RasterArray-method	37
shaper	38
subset,RasterArray-method	39
t,RasterArray-method	40
xres,RasterArray-method	41

<i>aggregate,RasterArray-method</i>	3
[,RasterArray,ANY,ANY-method	41
[<-,RasterArray,ANY,ANY,logical-method	42
[[,RasterArray,ANY,ANY-method	43
[[<-,RasterArray,ANY,ANY-method	44
Index	45

aggregate,RasterArray-method
Aggregate raster cells in a RasterArray object

Description

The method is inherited from the RasterStack class.

Usage

```
## S4 method for signature 'RasterArray'
aggregate(x, ...)
```

Arguments

`x` a RasterArray class object.
`...` arguments passed to the [aggregate](#) function.

Value

An aggregated RasterArray class object.

Examples

```
data(dems)
agg <- aggregate(dems, 5)
```

`apply` *Apply-type iterator for RasterArrays*

Description

The function implements the [apply](#)-type iterators for the RasterArray class. Output values are constrained to RasterArrays, whenever possible. Not yet implemented for multidimensional MARGINS.

Usage

```
apply(X, MARGIN, FUN, ...)

## S4 method for signature 'RasterArray'
apply(X, MARGIN, FUN, ...)
```

Arguments

X an array, including matrices and RasterArrays.

MARGIN a vector giving the subscripts which the function will be applied over. E.g., for a matrix 1 indicates rows, 2 indicates columns, c(1,2) indicates rows and columns. Where X has named dimnames, it can be a character vector selecting dimension names. For RasterArrays only single dimension margins are implemented.

FUN the function to be applied: see ‘Details’ of [apply](#).

... optional arguments passed to FUN.

Value

Depending on the on the output of FUN, a list, a vector or RasterArray object.

Examples

```
# double of itself
data(dems)
a<- cbind(dems, dems)
same <- apply(a, 1, sum)
```

as	<i>Coerce RasterLayer, RasterStack and RasterBrick object to a RasterArray</i>
----	--

Description

The function coerces RasterLayer, RasterStack and RasterBrick object to a RasterArray.

Arguments

from Object to be coerced.

Value

A RasterArray class object.

```
as.data.frame.RasterArray
```

S3-type method for RasterArray allowing View(), head() and tail() to work. Convert RasterArray class objects to data.frames

Description

Formal conversion method transforming the proxy object to a data.frame.

Usage

```
## S3 method for class 'RasterArray'  
as.data.frame(x, row.names = NULL,  
  optional = FALSE, ...)
```

Arguments

x	a RasterArray class object.
row.names	Argument to define the rownames of the resulting data.frame.
optional	logical Flag to reset the rownames and colnaems attributes.
...	additional arguments passed to and from methods.

Value

A data.frame class object.

Examples

```
data(dems)  
df <- as.data.frame(dems)
```

```
as.list,RasterArray-method
```

Coerce a RasterArray class object to a list

Description

The function will return the items of the RasterArray as a list (conserving the names of the elements in the stack).

Usage

```
## S4 method for signature 'RasterArray'  
as.list(x, ...)
```

Arguments

x A RasterArray class object.
 ... arguments passed to or from methods.

Value

A list of RasterLayers.

as.RasterArray	<i>Convert Raster* objects to RasterArrays</i>
----------------	--

Description

The function converts RasterLayer, RasterStack and RasterBrick objects to RasterArray class objects.

Usage

```
as.RasterArray(from)

## S4 method for signature 'RasterLayer'
as.RasterArray(from)

## S4 method for signature 'RasterStack'
as.RasterArray(from)

## S4 method for signature 'RasterBrick'
as.RasterArray(from)
```

Arguments

from Object to be converted.

Value

A RasterArray class object.

Examples

```
data(dems)
recent <- dems[1]
# convert RasterLayer to RasterArray
ra <- as.RasterArray(recent)
```

`calc,RasterArray,function-method`*Calculate method for the RasterArray object*

Description

Calculate values for a new RasterLayer/RasterArray object from another RasterArray object, using a formula.

Usage

```
## S4 method for signature 'RasterArray`,`function`'  
calc(x, fun, margin = NULL,  
     na.rm = NULL, forcefun = FALSE, forceapply = FALSE)
```

Arguments

<code>x</code>	A RasterArray class object.
<code>fun</code>	function to be applied.
<code>margin</code>	The MARGIN parameter of the apply function. If set to NULL then the fun will be applied to the entire stack, producing a single layer.
<code>na.rm</code>	Remove NA values, if supported by 'fun' (only relevant when summarizing a multilayer Raster object into a RasterLayer)
<code>forcefun</code>	logical. Force calc to not use fun with apply; for use with ambiguous functions and for debugging (see Details)
<code>forceapply</code>	logical. Force calc to use fun with apply; for use with ambiguous functions and for debugging (see Details)

Details

The method is an extension of the `calc` function. The structure expressed as the RasterArray's dimensions allows the calculations to be iterated for different margins of the array, similarly to the apply function, controlled by the `margin` argument.

Value

A RasterLayer or RasterArray class object.

Examples

```
data(dems)  
  
d2 <- cbind(dems, dems)  
double <- calc(d2, margin=1, fun=sum)
```

cbind.RasterArray *Combine RasterLayers or RasterArrays by rows or columns*

Description

The function takes a sequence of RasterLayer or RasterArray class objects and combines them to two dimensional RasterArrays... Named objects will be forced together based on names, colnames or rownames attributes, via insertion of NAs.

Usage

```
## S3 method for class 'RasterArray'  
cbind(...)  
  
## S3 method for class 'RasterArray'  
rbind(...)
```

Arguments

... RasterLayer or RasterArray class objects to be combined.

Value

A RasterArray class object.

Examples

```
data(dems)  
# create matrices out of vectors  
colb <- cbind(dems, dems)  
rowb <- rbind(dems, dems)  
# automatic name matching  
dems2 <- dems[c(1:4, 6:10)]  
matched <- suppressWarnings(cbind(dems, dems2))
```

cellStats,RasterArray-method
Statistics across cells in a RasterArray object

Description

The method is inherited from the RasterStack class. Positions of layers are conserved in the output. (including missing layers)

Usage

```
## S4 method for signature 'RasterArray'  
cellStats(x, stat, ...)
```

Arguments

x a RasterArray class object.
stat A function to be applied.
... arguments passed to the `cellStats` function.

Value

A set of the values matching the output of `stat`, organized the same way as the RasterArray.

Examples

```
data(clim)  
cellStats(clim, stat=mean, na.rm=TRUE)
```

clim

Annual mean temperature and precipitation (2001-2010)

Description

This data set provides annual temperature (bio01, unit: °C) and precipitation (bio12, unit: mm/year) obtained from the CHELSA model (Climatologies at high resolution for the Earth land surface areas, v1.2) resampled to 2x2 degrees resolution. CHELSA (<http://chelsa-climate.org/>) is a high resolution (30 arc sec, ~1 km) climate data set for the earth land surface areas. CHELSA_v1 is based on a quasi-mechanistical statistical downscaling of the ERA interim global circulation model. The provided data is in a All products of CHELSA are in a geographic coordinate system referenced to the WGS 84 horizontal datum.

More details on the technical specification of CHELSA can be found at http://chelsa-climate.org/wp-admin/download-page/CHELSA_tech_specification.pdf.

Usage

```
data(clim)
```

Format

A RasterArray with 20 layers, 10 rows and two columns.

Source

Karger, D.N., Conrad, O., Böhner, J., Kawohl, T., Kreft, H., Soria-Auza, R.W., Zimmermann, N.E., Linder, H.P. & Kessler, M. (2017) Climatologies at high resolution for the earth's land surface areas. Scientific Data 4, 170122.

Karger, D.N., Conrad, O., Böhner, J., Kawohl, T., Kreft, H., Soria-Auza, R.W., Zimmermann, N.E., Linder, H.P., Kessler, M. (2017) Data from: Climatologies at high resolution for the earth's land surface areas. Dryad Digital Repository. <https://doi.org/10.5061/dryad.kd1d4>

colnames,RasterArray-method

Column names of two-dimensional RasterArray or SpArray

Description

Get or set the column names of two-dimensional RasterArray or SpArray objects

Usage

```
## S4 method for signature 'RasterArray'  
colnames(x)  
  
## S4 replacement method for signature 'RasterArray'  
colnames(x) <- value
```

Arguments

x	RasterArray or SpArray object.
value	character vector.

Value

A character vector of column names or NULL.

Examples

```
data(clim)  
colnames(clim)  
colnames(clim) <- c("a", "b")
```

`combine`*Combine RasterLayers and one-dimensional RasterArrays*

Description

Methods sequences that start with an NA do not yet work.

Usage

```
combine(x, ...)
```

```
## S4 method for signature 'RasterLayer'
```

```
combine(x, ...)
```

```
## S4 method for signature 'RasterArray'
```

```
combine(x, ...)
```

Arguments

`x` RasterLayer or RasterArray object to combine.

`...` additional objects to combine.

Value

A RasterArray class object.

Examples

```
data(dems)
a <- combine(dems[1], dems[2])
```

`crop,RasterArray-method`*Crop a RasterArray object*

Description

The method is inherited from the RasterStack class.

Usage

```
## S4 method for signature 'RasterArray'
```

```
crop(x, y, ...)
```

Arguments

x	a RasterArray class object.
y	an extent object, or any object from which an Extent object can be extracted (see Details)
...	arguments passed to the <code>crop</code> function.

Value

A cropped RasterArray class object.

Examples

```
data(dems)
# crop to Australia
ext <- extent(c(
  xmin = 106.58,
  xmax = 157.82,
  ymin = -45.23,
  ymax = 1.14
))
# cropping all DEMS (Australia drifted in)
au<- crop(dems, ext)
```

dataindex

Download a database extract from chronosphere remote server

Description

The function will download a list of available data from the data repository

Usage

```
dataindex(datadir = NULL, verbose = FALSE)
```

Arguments

datadir	Directory where the downloaded file 'reg.csv' file is kept. Individual layers will be looked up from the directory if this is given, and will be downloaded if they are not found. The default NULL option will download data to a temporary directory that exists only until the R session ends.
verbose	Should console feedback during download be displayed?

Details

The function will download a single .csv file and attached it as a data.frame.

Value

A data.frame class object.

Examples

```
ind <- dataindex()
View(ind)
```

dems

PaleoDEM rasters from the reconstructions Chris Scotese.

Description

A dataset containing the paleoDEM reconstructions of Chris Scotese for the time interval 0 - 45 Ma.

Usage

```
data(dems)
```

Format

A RasterArray with 10 layers.

Source

Scotese, C. R. Wright, N. (2018). PALEOMAP Paleodigital Elevation Models (PaleoDEMS) for the Phanerozoic. URL: <https://www.earthbyte.org/paleodem-resource-scotese-and-wright-2018/>

dim,RasterArray-method

Dimensions of RasterArray objects

Description

The function returns the dimensions of the array in which RasterLayers are organized.

Usage

```
## S4 method for signature 'RasterArray'
dim(x)
```

Arguments

x A RasterArray class object.

Value

A numeric vector.

Examples

```
data(dems)
dim(dems)
data(clim)
dim(clim)
```

dimlayer

Dimensions of RasterLayers in a RasterArray object

Description

The function will return the dimensions RasterLayers

Usage

```
dimlayer(x, ...)
```

```
## S4 method for signature 'RasterArray'
dimlayer(x)
```

Arguments

x A RasterArray class object.

... additional arguments passed to class-specific methods.

Value

A numeric vector with the number of rows and columns in the RasterLayers.

dimnames,RasterArray-method

Names of multidimensional RasterArray or SpArray objects.

Description

Get or set the dimnames of multidimensional RasterArray or SpArray objects

Usage

```
## S4 method for signature 'RasterArray'
dimnames(x)

## S4 replacement method for signature 'RasterArray'
dimnames(x) <- value
```

Arguments

x RasterArray or SpArray object.
value character vector.

Value

A list of character vectors or NULL.

Examples

```
data(dems)
dimnames(dems)
data(clim)
dimnames(clim)
dimnames(clim)[[2]] <- c("first", "second")
```

disaggregate,RasterArray-method

Disaggregate raster cells in a RasterArray object

Description

The method is inherited from the RasterStack class.

Usage

```
## S4 method for signature 'RasterArray'
disaggregate(x, ...)
```

Arguments

x a RasterArray class object.
... arguments passed to the [disaggregate](#) function.

Value

A disaggregated RasterArray class object.

Examples

```
data(dems)
disagg <- disaggregate(dems, 3)
```

```
extract,RasterArray,data.frame-method
```

Extraction of values from multiple RasterLayers in a RasterArray object

Description

The function takes a set of time-dependent coordinates and extracts the value they point to from associated RasterLayers in a RasterArray.

Usage

```
## S4 method for signature 'RasterArray,data.frame'
extract(x, y, by, lng = "plng",
       lat = "plat", force = NULL)
```

Arguments

x	(RasterArray). A set of RasterLayers that are associated with entries (one dimension) or the rows of x.
y	(matrix or data.frame). The data table containing the coordinates and (optionally) the indices or names of the associated RasterLayers in x.
by	(character or vector) The link between x and y. If by is a character string then it is expected to be column of x and should contain the names or the indices of the associated RasterLayers in x. If it is a vector its length should match the number of rows in x and it will be used as if it were a column of x.
lng	(character) A column of x that includes the paleolongitudes.
lat	(character) A column of x that includes the paleolatitudes.
force	(character) If set to "numeric" the by argument or the column it points to will be converted to numeric values, and x will be subsetted with numeric subscripts of the x RasterArray. If set to character, the by column (or vector) will be forced to character values and will be used as character subscripts.

Value

A numeric vector, matrix or array of values.

Examples

```

# one pair of random coordinates from Africa
mat <- matrix(c(
  -1.34, 42.96
), ncol=2, byrow=TRUE)

# repeat four times
mat<- mat[rep(1,4), ]

# assign default names and age
df<- data.frame(plng=mat[, 1],plat=mat[, 2], age=c(1,3,5, 1))
rownames(df) <- paste("point", 1:nrow(df))

# first coordinate pair will be extracted from RasterLayer 1 ["0"]
# second coordinate pair will be extracted from RasterLayer 3 ["10"]
# thrid coordinate pair will be extracted from RasterLayer 5 ["20"]
# fourth coordinate pair will be extracted from RasterLayer 1 ["0"]
data(dems)
extract(dems, df, by="age")

# by=NULL will be implemented in the next update
# (all coordinates extracted from all layers)

```

 fetch

Data fetching

Description

Function to download and attach variables in the chronosphere package

Usage

```

fetch(dat, var = NULL, ver = NULL, res = 1, datadir = NULL,
      verbose = TRUE)

```

Arguments

dat	The dataset to get variables from.
var	Vector of variable names to get.
ver	The version of the variable. Defaults to NULL, which will download the latest available version. We have to create a data table, which should be part of the package. This has to be searched for valid argument combinations. Right this is just a folder with a date.
res	The resolution of raster layers. This has to be the same for all RasterLayers that make up the variable.

datadir	Directory where downloaded files are kept. Individual layers will be looked up from the directory if this is given, and will be downloaded if they are not found. The default NULL option will download data to a temporary directory that exists only until the R session ends.
verbose	Should console feedback during download be displayed?

Details

Use the function [dataindex](#) to find available variables.

Value

An object that matches the 'type' field of the variables in the output of the [dataindex](#) function.

Examples

```
a <- fetch(dat="paleomap", var="dem")
```

is.na.RasterArray *Positions of missing values in a RasterArray object*

Description

The function behaves similar to the regular `is.na()` function applied to the proxy object of a RasterArray.

Usage

```
## S3 method for class 'RasterArray'
is.na(x)
```

Arguments

x A RasterArray class object.

Value

A logical vector, matrix or array matching the structure of the RasterArray.

Examples

```
data(dems)
dems[2] <- NA
is.na(dems)
```

layers	<i>Names of RasterArray's Layers in the stack</i>
--------	---

Description

Names of RasterArray's Layers in the stack

Usage

```
layers(x, ...)
```

```
## S4 method for signature 'RasterArray'
layers(x)
```

Arguments

x A RasterArray class object.
... additional arguments passed to class-specific methods.

Value

A character vector of names.

Examples

```
# names of layers in the stack
data(dems)
layers(dems)
```

length, RasterArray-method	<i>Number of elements or layers in a RasterArray class object</i>
----------------------------	---

Description

Function to return the length of the array in which RasterLayers are organized.

Usage

```
## S4 method for signature 'RasterArray'
length(x)
```

```
## S4 method for signature 'RasterArray'
nlayers(x)
```

Arguments

x a RasterArray class object.

Details

The `length()` function returns the number elements that should be present based on the array structure itself, and not the total number of values stored in the object (such as the `length` method of `RasterStacks`). As the object can contain missing values, the number of actual layers can be queried with [nlayers](#).

Value

A numeric value.

Examples

```
data(dems)
# omit third element
dems[3] <- NA
# number of elements in the RasterArray
length(dems)
# remaining number values in the stack
length(dems@stack)
# the number of remaining layers in the RasterArray
nlayers(dems)
```

mapplot

Wrapper function to plot maps of different classes

Description

This function plots Raster and sp-type objects.

Usage

```
mapplot(x, ...)
```

```
## S4 method for signature 'RasterLayer'
mapplot(x, col = "gradinv", axes = FALSE,
        box = FALSE, legend = FALSE, legend.title = NULL, ...)
```

```
## S4 method for signature 'RasterStack'
mapplot(x, col = gradinv(255), ...)
```

```
## S4 method for signature 'RasterArray'
mapplot(x, col = "gradinv", rgb = FALSE,
        legend = FALSE, axes = FALSE, box = FALSE, ncol = 3,
```

```

    legend.title = NULL, plot.title = NULL, rowlabels = rownames(x),
    multi = FALSE, ask = FALSE, ...)

## S4 method for signature 'SpatialPolygonsDataFrame'
mapplot(x, col = "lightgrey", ...)

## S4 method for signature 'SpatialPolygons'
mapplot(x, col = "lightgrey", ...)

```

Arguments

x	Object to be plotted
...	arguments passed to class-specific methods.
col	character Color or color scheme of the plot. See ?ramps for available palettes.
axes	logical Should axes be displayed?
box	logical Should bounding boxes be displayed?
legend	(logical) Triggers whether the legend of a RasterLayer would be plotted.
legend.title	title for the legend, if legend = TRUE.
rgb	set to TRUE to make a red-green-blue plot based on three layers or bands.
ncol	set number of columns in a multi-plot for a single variable. For a RasterArray with multiple variables, this number is automatically set to the number of variables.
plot.title	The title for each individual plot. Only available for a single variable at the moment.
rowlabels	label for each row of the overall plot. Uses the rownames of the RasterArray by default. Only available for multivariate RasterArrays.
multi	Should the plots be printed on multiple pages?
ask	NULL or a logical values. If multi.page = TRUE and ask = TRUE, then the user will be prompted before a new page of output is started

Value

None.

Examples

```

#single variable
data(dems)
mapplot(dems, ncol=4)

#multiple variables
data(clim)
mapplot(clim, multi=TRUE, legend=TRUE)

```

 mask,RasterArray,RasterLayer-method

Methods to mask RasterArray objects, or to mask with them

Description

Additional functions to `mask` generic function involving the `RasterArray` class. The following methods are implemented:

Usage

```
## S4 method for signature 'RasterArray,RasterLayer'
mask(x, mask, inverse = FALSE,
      maskvalue = NA, updatevalue = NA, updateNA = FALSE, ...)
```

```
## S4 method for signature 'RasterArray,RasterArray'
mask(x, mask, inverse = FALSE,
      maskvalue = NA, updatevalue = NA, updateNA = FALSE, ...)
```

```
## S4 method for signature 'RasterArray,Spatial'
mask(x, mask, inverse = FALSE,
      updatevalue = NA, updateNA = FALSE, ...)
```

```
## S4 method for signature 'RasterArray,RasterStackBrick'
mask(x, mask, inverse = FALSE,
      maskvalue = NA, updatevalue = NA, updateNA = FALSE, ...)
```

```
## S4 method for signature 'RasterLayer,RasterArray'
mask(x, mask, filename = "",
      inverse = FALSE, maskvalue = NA, updatevalue = NA,
      updateNA = FALSE, ...)
```

```
## S4 method for signature 'RasterStackBrick,RasterArray'
mask(x, mask, filename = "",
      inverse = FALSE, maskvalue = NA, updatevalue = NA,
      updateNA = FALSE, ...)
```

Arguments

<code>x</code>	Raster* object
<code>mask</code>	Raster* object or a Spatial* object
<code>inverse</code>	logical. If TRUE, areas on mask that are <code>_not_</code> the maskvalue are masked
<code>maskvalue</code>	numeric. The value in mask that indicates the cells of x that should become updatevalue (default = NA)
<code>updatevalue</code>	numeric. The value that cells of x should become if they are not covered by mask (and not NA)

updateNA	logical. If TRUE, NA values outside the masked area are also updated to the updatevalue (only relevant if the updatevalue is not NA).
...	additional arguments as in writeRaster .
filename	character. Optional output filename (only if x is a RasterLayer and RasterStack-Brick)

Details

RasterArray masked with RasterLayer: every RasterLayer in the stack masked.

RasterArray masked with another RasterArray: one-to-one match between RasterLayers.

RasterArray masked with RasterStack: one-to-one match between RasterLayers.

RasterArray masked with Spatial: all layers masked with an Sp object

RasterArray masked with Spatial: all layers masked with an Sp object

RasterLayer masked with RasterArray: layer is masked out iteratively with every member of Raster-Array.

Value

A RasterArray or RasterLayer class object (see details above).

Examples

```
data(dems)

# land
lands <- dems
for(i in 1:length(lands)){
  values(lands[i])[values(lands[i])<0] <- NA
  values(lands[i)][!is.na(values(lands[i]))] <- 1
}

# land topographies
landTopo<- mask(dems, lands)
```

matchtime

Match the dates of a time-dependent variable with a predefined vector

Description

The function takes a variable x (e.g. a vector or a RasterArray object), and reorders it to best match the dates provided in a vector y.

Usage

```

matchtime(x, y, ...)

## S4 method for signature 'numeric'
matchtime(x, y, index = FALSE, ...)

## S4 method for signature 'character'
matchtime(x, y, index = FALSE, ...)

## S4 method for signature 'RasterArray'
matchtime(x, y, index = FALSE, time = 1, ...)

```

Arguments

x	Object to be reordered to match y.
y	(numeric) The vector of dates (numeric values) to order to.
...	additional arguments passed to class-specific methods.
index	(logical) If this argument is TRUE, only the indices will be returned that refer to the new order, rather than the reordered x variable.
time	numeric. Single value referring to that dimension of x where the time-coding names are (time=1 is the default for RasterArrays in chronosphere).

Value

An object of the class as x or a numeric vector.

Examples

```

# original vector
orig <- 1:10
# target values
targ <- c(5.1,4.2, 3.4, 2.7, 2.3)
# how do the two series match the best?
matchtime(orig, targ)

```

minValue,RasterArray-method

Minimum and maximum values in a RasterArray object

Description

The method is inherited from the RasterStack class. Positions of layers are conserved in the output. (including missing layers)

Usage

```
## S4 method for signature 'RasterArray'  
minValue(x, vec = FALSE)  
  
## S4 method for signature 'RasterArray'  
maxValue(x, vec = FALSE)
```

Arguments

x	a RasterArray class object.
vec	Should the dimensions of the RasterArray be omitted?
...	arguments passed to the cellStats function.

Value

A numeric vector.

Examples

```
data(dems)  
rangeVals <- cbind(  
  minValue(dems),  
  maxValue(dems)  
)
```

names,RasterArray-method

Names of one-dimensional RasterArray or SpArray objects.

Description

Get or set the names of one-dimensional RasterArray or SpArray objects

Usage

```
## S4 method for signature 'RasterArray'  
names(x)  
  
## S4 replacement method for signature 'RasterArray'  
names(x) <- value
```

Arguments

x	RasterArray or SpArray object.
value	character vector.

Value

A character vector of names or NULL.

Examples

```
data(dems)
names(dems)
names(dems)[4] <- "weirdo"
# NULL
data(clim)
names(clim)
```

ncell,RasterArray-method

Number of cells in a RasterArray object

Description

The method is inherited from the RasterStack class.

Usage

```
## S4 method for signature 'RasterArray'
ncell(x)
```

Arguments

x a RasterArray class object.

Value

A numeric value.

Examples

```
data(dems)
ncell(dems)
```

`ncol,RasterArray-method`*Number of columns and rows of a RasterArray*

Description

Unlike the `ncol` and `nrow` functions of the raster package ([ncell](#)), this function returns the number of columns and rows of the `RasterArray` container, rather than the dimensions of the contained `RasterLayers`.

Usage

```
## S4 method for signature 'RasterArray'  
ncol(x)
```

```
## S4 method for signature 'RasterArray'  
nrow(x)
```

Arguments

`x` A `RasterLayer` class object.

Value

A numeric value of the number of columns and rows.

Examples

```
data(clim)  
ncol(clim)  
nrow(clim)
```

`newbounds`*Redefine bounds of a named matrix*

Description

The function restructures a matrix and extends its current limits to a range defined by a names attribute

Usage

```
newbounds(x, cols = NULL, rows = NULL)
```

Arguments

x	The matrix to be restructured.
cols	Column names guiding the restructuring.
rows	Row names guiding the restructuring.

Details

This is essentially a subsetting function that allows you to subset even when the rownames or colnames vector extends beyond the bounds of a matrix and traditional subsetting methods result in the notorious 'out of bounds' error.

Value

A matrix with extended bounds.

Examples

```
a<-matrix(1:9, ncol=3)
rownames(a) <- c("a", "c", "d")
newbounds(a, rows=letters[1:5])
```

nvalues

The total number of values in a RasterArray object

Description

The total number of values in a RasterArray object

Usage

```
nvalues(x, ...)
```

```
## S4 method for signature 'RasterArray'
nvalues(x)
```

Arguments

x	A RasterArray class object.
...	additional arguments passed to class-specific methods.

Value

A numeric value.

Examples

```
data(dems)
nvalues(dems)
```

platemodel-class *Class of objects representing plate tectonic models*

Description

Meta-object containing paths to a unique plate tectonic model

Usage

```
## S4 method for signature 'platemodel'
initialize(.Object, path = NULL,
          rotation = NULL, polygons = NULL)
```

Arguments

.Object	Virtual argument used for method dispatch.
path	Path to a .mod unique plate model object.
rotation	If path is NULL, the path to the rotation file-part of the model.
polygons	If path is NULL, the path to the plate polygon file-part of the model.

Value

A platemodel class object.

Examples

```
# link to a single .mod file

mo <- fetch("paleomap", "model", datadir=~")
# manually attach model paths
model <- platemodel(file.path(tempdir(),
                              "paleomap_model_v3-GPlates/paleomap_model_v3-GPlates.mod"))
```

plot,RasterArray,missing-method
Shorthand for the plotting RasterArray objects

Description

The plot(), method executes the [mapplot](#) function on the RasterArray object.

Usage

```
## S4 method for signature 'RasterArray,missing'
plot(x, y, ...)
```

Arguments

x	A RasterArray class object.
y	Not implemented yet.
...	Arguments passed to the <code>mapplot</code> function.

Value

None.

Examples

```
data(dems)
plot(dems)
```

projectRaster	<i>Project a RasterArray object</i>
---------------	-------------------------------------

Description

The method implements the `projectRaster` function for RasterArray class objects.

Usage

```
projectRaster(from, to, res, crs, method = "bilinear",
  alignOnly = FALSE, over = FALSE, filename = "", ...)

## S4 method for signature 'RasterArray'
projectRaster(from, to, res, crs,
  method = "bilinear", alignOnly = FALSE, over = FALSE)
```

Arguments

from	A Raster* RasterArray object to project.
to	Raster* object with the parameters to which 'from' should be projected
res	single or (vector of) two numerics. To, optionally, set the output resolution if 'to' is missing
crs	character or object of class 'CRS'. PROJ.4 description of the coordinate reference system. In projectRaster this is used to set the output CRS if 'to' is missing, or if 'to' has no valid CRS
method	method used to compute values for the new RasterLayer. Either 'ngb' (nearest neighbor), which is useful for categorical variables, or 'bilinear' (bilinear interpolation; the default value), which is appropriate for continuous variables.
alignOnly	logical. Use to or other parameters only to align the output (i.e. same origin and resolution), but use the projected extent from from

over	logical. If TRUE wrapping around the date-line is turned off. This can be desirable for global data (to avoid mapping the same areas twice) but it is not desirable in other cases
filename	character output filename. Not applicable for RasterArray class objects.
...	additional arguments as for <code>writeRaster</code> .

Value

A projected RasterArray class object.

Examples

```
# project first three to mollweide
data(dems)
suppressWarnings(
  mollDem <- projectRaster(dems[1:3], crs=CRS("+proj=moll"))
)
```

proxy

The proxy of a RasterArray object

Description

This function returns an object that symbolizes the structure of layers in the RasterArray.

Usage

```
proxy(x, ...)
```

```
## S4 method for signature 'RasterArray'
proxy(x)
```

Arguments

x	(RasterArray focal object.
...	additional arguments passed to class-specific methods.

Details

The proxy method wraps the names of layers in the stack using the index slot of the RasterArray.

Value

A vector, matrix or array of characters representing the RasterArray structure.

Examples

```
data(dems)
proxy(dems)
```

```
data(clim)
proxy(clim)
```

ramps

Colour gradient ramps for default plotting

Description

The object contains functions produced by the `colorRampPalette` function.

Usage

```
gradinv(n)
```

```
ocean(n)
```

```
terra(n)
```

```
coldhot(n)
```

```
drywet(n)
```

```
wet(n)
```

```
showPal(pal = "all", n = 11)
```

Arguments

n	Number of different colors to generate from the palette
pal	A palette name from the lists below

Details

`show.pal` is used to display the available palettes. You can use `pal = "all"` or `pal=""` if you want to look at all the available palettes. You can also view single palettes individually. The following colour palettes are implemented:

- `gradinv()`: inverse heatmap.
- `ocean()`: ocean bathymetrical colours.
- `terra()`: terrestrial topographical colours.
- `coldhot()`: gradient from blue to red.
- `drywet()`: gradient from brown to green.
- `wet()`: gradient from white to green to blue.

Value

A function producing a colour gradient ramp.

RasterArray-class	<i>Virtual Array of RasterLayers</i>
-------------------	--------------------------------------

Description

Array template for RasterLayers

Arguments

stack	A RasterStack class object.
index	A vector, matrix or array type object. Includes either the indices of layers in the stack, or their names.
dim	A numeric vector. Same as for array, creates proxy procedurally.

Details

The class implements structures to organize RasterLayers that have the same dimensions. Subsetting rules were defined using the proxy object in the index slot. See examples for implementations.

The class has two slots: stack: RasterStack, the actual data. index: A proxy object that represents the organization of the layers.

Value

A RasterArray class object.

Examples

```
# data import
data(dems)
st <-dems@stack
ind <- 1:nlayers(st)
names(ind) <- letters[1:length(ind)]
ra<- RasterArray(stack=st, index=ind)
```

reconstruct	<i>Reconstruct geographic features</i>
-------------	--

Description

Reconstruct the geographic locations from present day coordinates and spatial objects back to their paleo-positions. Each location will be assigned a plate id and moved back in time using the chosen reconstruction model.

Usage

```
reconstruct(x, ...)
```

```
## S4 method for signature 'matrix'
```

```
reconstruct(x, age, model = "PALEOMAP",
```

```
  listout = TRUE, verbose = FALSE, enumerate = TRUE, chunk = 200,
```

```
  reverse = FALSE, path.gplates = NULL, cleanup = TRUE, dir = NULL)
```

```
## S4 method for signature 'data.frame'
```

```
reconstruct(x, ...)
```

```
## S4 method for signature 'numeric'
```

```
reconstruct(x, ...)
```

```
## S4 method for signature 'character'
```

```
reconstruct(x, age, model = "PALEOMAP",
```

```
  listout = TRUE, verbose = FALSE, path.gplates = NULL,
```

```
  cleanup = TRUE, dir = NULL)
```

```
## S4 method for signature 'SpatialPolygonsDataFrame'
```

```
reconstruct(x, age,
```

```
  model = "PALEOMAP", listout = TRUE, verbose = FALSE,
```

```
  path.gplates = NULL, cleanup = TRUE, dir = NULL)
```

Arguments

x	are the features to be reconstructed. Can be a vector with longitude and latitude representing a single point or a matrix/dataframe with the first column as longitude and second column as latitude, or a <code>SpatialPolygonsDataFrame</code> class object. The character strings "plates" and "coastlines" return static plates and rotated present-day coastlines, respectively.
...	arguments passed to class-specific methods.
age	(numeric) is the age in Ma at which the points will be reconstructed
model	(character or <code>platemodel</code>) The reconstruction model. The class of this argument selects the submodule used for reconstruction, a character value will invoke the remote reconstruction submodule and will submit x to the GPlates

	Web Service. A <code>platemodel</code> class object will call the local-reconstruction submodule. The default is "PALEOMAP". See details for available models.
<code>listout</code>	(logical) If multiple ages are given, the output can be returned as a list if <code>listout = TRUE</code> .
<code>verbose</code>	(logical) Should call URLs (remote submodule) or console feedback (local-submodule) be printed?
<code>enumerate</code>	(logical) Should be all coordinate/age combinations be enumerated and reconstructed (set to TRUE by default)? FALSE is applicable only if the number of rows in <code>x</code> is equal to the number elements in <code>age</code> . Then a point will be reconstructed to the age that has the same index in <code>age</code> as the row of the coordinates in <code>x</code> . List output is not available in this case.
<code>chunk</code>	(numeric) Argument of the remote reconstruction submodule. Single integer, the number of coordinates that will be queried from the GPLates in a single go.
<code>reverse</code>	(logical) Argument of the remote reconstruction submodule. The flag to control the direction of reconstruction. If <code>reverse = TRUE</code> , the function will calculate the present-day coordinates of the given paleo-coordinates.
<code>path.gplates</code>	(character) Argument of the local reconstruction submodule. In case the GPLates executable file is not found at the coded default location, the full path to the executable (<code>gplates-<ver>.exe</code> on Windows) can be entered here.
<code>cleanup</code>	(logical) Argument of the local reconstruction submodule. Should the temporary files be deleted immediately after reconstructions?
<code>dir</code>	(character) Argument of the local reconstruction submodule. Directory where the temporary files of the reconstruction are stored (defaults to a temporary directory created by R). Remember to toggle <code>cleanup</code> if you want to see the files.

Details

The function implements two reconstruction submodules, which are selected with the `model` argument:

If `model` is a character entry, then the `reconstruct()` function uses the GPLates Web Service (<https://gws.gplates.org/>, remote reconstruction submodule). The available reconstruction models for this submodule are:

- "SETON2012" (Seton et al., 2012) for coastlines and plate polygons.
- "MULLER2016" (Muller et al., 2016) for coastlines and plate polygons.
- "GOLONKA" (Wright et al. 2013) for coastlines only.
- "PALEOMAP" (Scotese and Wright, 2018) for coastlines and plate polygons.
- "MATTHEWS2016" (Matthews et al., 2016) for coastlines and plate polygons.

If `model` is a `platemodel` class object, then the function will try to use the GPLates desktop application (<https://www.gplates.org/>) to reconstruct the coordinates (local reconstruction submodule). Plate models are available in chronosphere with the `fetch` function. See `dataindex` for the available models. The function will try to find the main GPLates executable in its default installation directory. If this does not succeed, use `path.gplates` to enter the full path to the GPLates executable as a character string.

Value

A numeric matrix if `x` is a numeric, matrix or data.frame, or `Spatial*` class objects, depending on input.

References

- Matthews, K. J., Maloney, K. T., Zahirovic, S., Williams, S. E., Seton, M., & Müller, R. D. (2016). Global plate boundary evolution and kinematics since the late Paleozoic. *Global and Planetary Change*, 146, 226–250. <https://doi.org/10.1016/j.gloplacha.2016.10.002>
- Müller, R. D., Seton, M., Zahirovic, S., Williams, S. E., Matthews, K. J., Wright, N. M., ... Cannon, J. (2016). Ocean Basin Evolution and Global-Scale Plate Reorganization Events Since Pangea Breakup. *Annual Review of Earth and Planetary Sciences*, 44(1), 107–138. <https://doi.org/10.1146/annurev-earth-060115-012211>
- Scotese, C., & Wright, N. M. (2018). PALEOMAP Paleodigital Elevation Models (PaleoDEMS) for the Phanerozoic PALEOMAP Project. Retrieved from <https://www.earthbyte.org/paleodem-resource-scotese-and-wright-2018/>
- Seton, M., Müller, R. D., Zahirovic, S., Gaina, C., Torsvik, T., Shephard, G., ... Chandler, M. (2012). Global continental and ocean basin reconstructions since 200Ma. *Earth-Science Reviews*, 113(3–4), 212–270. <https://doi.org/10.1016/j.earscirev.2012.03.002>
- Wright, N., Zahirovic, S., Müller, R. D., & Seton, M. (2013). Towards community-driven paleogeographic reconstructions: integrating open-access paleogeographic and paleobiology data with plate tectonics. *Biogeosciences*, 10(3), 1529–1541. <https://doi.org/10.5194/bg-10-1529-2013>

Examples

```
# With the web service
# simple matrices
reconstruct(matrix(c(95, 54), nrow=1), 140)

# points reconstruction
xy <- cbind(long=c(95,142), lat=c(54, -33))
reconstruct(xy, 140)

# coastlines/plates
coast <- reconstruct("coastlines", 140)
plate <- reconstruct("plates", 139)

# With GPlates
pm <- fetch("paleomap", "model")
reconstruct(matrix(c(95, 54), nrow=1), 140, model=pm)
```

resample,RasterArray,ANY-method

Resample a RasterArray object

Description

The method is inherited from the RasterStack class.

Usage

```
## S4 method for signature 'RasterArray,ANY'  
resample(x, y, ...)
```

Arguments

x	a RasterArray class object.
y	The y argument of the resample function.
...	arguments passed to the resample function.

Value

A resampled RasterArray class object.

Examples

```
data(dems)  
template <- raster(res=5)  
resampled <- resample(dems, template)
```

rownames,RasterArray-method

Row names of two-dimensional RasterArray or SpArray objects

Description

Get or set the row names of two-dimensional RasterArray or SpArray objects

Usage

```
## S4 method for signature 'RasterArray'  
rownames(x)  
  
## S4 replacement method for signature 'RasterArray'  
rownames(x) <- value
```

Arguments

x	RasterArray or SpArray object.
value	character vector.

Value

A character vector of row names or NULL.

Examples

```
data(clim)
rownames(clim)
rownames(clim) <- paste("year", rownames(clim))
```

shaper

Code snippets defining ranges based on points located on a plot

Description

The function returns snippets of code that you can paste in your script after you select points on a plot. Useful for defining areas on a map. The default methods assume that you will first click in the bottom left and then in the bottom right corner.

Usage

```
shaper(f = "p", n = 2, round = 2, ...)
```

Arguments

f	(character) A single letter value specifying for which function's argument format you want to get parameters. "p" is for plot , "r" is for rect , "s" is for segments . "e" returns a call to create an extent class object from the package raster. "m" will return code to define a 2 column matrix.
n	(integer) The number of points to request.
round	(integer) Number of digits to round to, can be two values, first is for x second for y.
...	arguments passed to the locator function

Value

For certain methods ("m" and "e") the function returns a matrix or extent class object if the function output is assigned to a name.

Examples

```
# plot something
data(dems)
mapplot(dems[1], col="earth")
# click 5 times to get the long-lat coords of 5 points
# shaper("m",5)
# example output:
mat <- matrix(c(
  -2.89, 31.55,
  3.32, 26.99,
  21.17, 17.87,
  33.6, 11.03,
  5.65, 19.39
), ncol=2, byrow=TRUE)
#plot them
points(mat)
```

subset,RasterArray-method

Subset a RasterArray object

Description

Extract subsets of RasterArray class object similarly to a regular array.

Usage

```
## S4 method for signature 'RasterArray'
subset(x, i, j, ..., oneDim = FALSE,
       drop = TRUE)
```

Arguments

x	RasterArray object.
i	subscript of the first dimension(rows) or vector-like subsetting.
j	subscript of the second dimension (columns).
...	subscript of additional dimensions.
oneDim	logical In case of multidimensional RasterArrays, setting oneDim to TRUE allows the application of one dimensional subscripts.
drop	logical in case the result of subsetting is a single element, should the RasterArray wrapper be dropped and the element be reduced to a single RasterLayer?

Value

A RasterLayer or RasterArray class object.

Examples

```
data(dems)
# first 4
subset(dems, i=1:4)
# missing at the end
subset(dems, i=1:12)
# character subscript
subset(dems, i=c("5", "25"))
# logical subscript
subs <- rep(TRUE, length(dems))
subs[1] <- FALSE # remove first
subset(dems, i= subs)
# no drop
subset(dems, i=1, drop=FALSE)
```

t,RasterArray-method *Transpose a RasterArray object*

Description

Transpose a RasterArray object

Usage

```
## S4 method for signature 'RasterArray'
t(x)
```

Arguments

x A RasterArray class object.

Value

A RasterArray class object.

Examples

```
data(dems)
t(dems)
data(clim)
t(clim)
```

 xres,RasterArray-method

Resolution of a RasterArray object

Description

The methods are inherited from the RasterStack class, see [resolution](#). Replacement is not allowed.

Usage

```
## S4 method for signature 'RasterArray'
xres(x)
```

```
## S4 method for signature 'RasterArray'
yres(x)
```

```
## S4 method for signature 'RasterArray'
res(x)
```

Arguments

x a RasterArray class object.

Value

A numeric vector.

Examples

```
data(dems)
res(dems)
yres(dems)
xres(dems)
```

 [,RasterArray,ANY,ANY-method

Indexing to extract subsets of a RasterArray object

Description

Single bracket '[' refers to indices and names within the RasterArray. Use double brackets to extract layers based on their names (in the stack).

Usage

```
## S4 method for signature 'RasterArray,ANY,ANY'
x[i, j, ..., drop = TRUE]
```

Arguments

x	RasterArray object.
i	subscript of the first dimension(rows) or vector-like subsetting.
j	subscript of the second dimension (columns).
...	subscript of additional dimensions.
drop	logical in case the result of subsetting is a single element, should the RasterArray wrapper be dropped and the element be reduced to a single RasterLayer?

Value

A RasterLayer or RasterArray class object.

Examples

```
data(dems)
# numeric subsetting
firstThree <- dems[1:3]
# character subsetting
second <- dems["10"]
# logical subsetting
subscript <- rep(FALSE, length(dems))
subscript[2] <- TRUE
second2 <- dems[subscript]
```

```
[<-,RasterArray,ANY,ANY,logical-method
  Replace layers of a RasterArray object
```

Description

Single bracket '[' refers to indices and names within the RasterArray. Use double brackets to replace layers based on their names (in the stack).

Usage

```
## S4 replacement method for signature 'RasterArray,ANY,ANY,logical'
x[i, j, ...] <- value

## S4 replacement method for signature 'RasterArray,ANY,ANY,RasterLayer'
x[i, j, ...] <- value
```

Arguments

x	RasterArray object.
i	subscript of the first dimension(rows) or vector-like subsetting.
j	subscript of the second dimension (columns).
...	subscript of additional dimensions.
value	A RasterLayer or RasterArray object.

Value

None.

Examples

```
data(dems)
# replace third element with missing value
dems[3] <- NA
# duplicate first element and make it the second too
dems[2] <-dems[1]
```

[[,RasterArray,ANY,ANY-method

Indexing to extract RasterLayers of a RasterArray object

Description

Double bracket '[' refers to layers' name in the RasterStack of the RasterArray. Use single brackets to extract elements based on their position in the RasterArray.

Usage

```
## S4 method for signature 'RasterArray,ANY,ANY'
x[[i, drop = TRUE]]
```

Arguments

x	RasterArray object.
i	subscript of the first dimension(rows) or vector-like subsetting.
drop	logical should the RasterStack be dropped and the element be reduced to a single RasterLayer?

Value

A RasterLayer or RasterArray class object.

Examples

```

data(dems)
# finds a layer
dems[["dem_30"]]
# returns a stack
dems[[c("dem_0", "dem_15")]]
# replaces a layervalues, but not the attributes of the layer
dem2 <- dems
dem2[["dem_0"]] <- dem2[["dem_5"]]
# compare every value in the 0 and 5 ma maps, they are all the same
mean(values(dem2[["dem_0"]]==dem2[["dem_5"]]))

```

```
[[<-,RasterArray,ANY,ANY-method
```

Replace RasterLayers in a RasterArray object

Description

Double bracket '[' refers to layers' name in the RasterStack of the RasterArray. Use single brackets to replace elements based on their position in the RasterArray.

Usage

```
## S4 replacement method for signature 'RasterArray,ANY,ANY'
x[[i]] <- value
```

Arguments

x	RasterArray object.
i	subscript of layers to replace.
value	character vector.

Value

None.

Examples

```
# an example
```

Index

*Topic **datasets**
 clim, 9
 dems, 13
[,RasterArray,ANY,ANY-method, 41
[<-,RasterArray,ANY,ANY,logical-method,
 42
[<-,RasterArray,ANY,ANY,RasterLayer-method
 ([<-,RasterArray,ANY,ANY,logical-method),
 42
[[,RasterArray,ANY,ANY-method, 43
[[<-,RasterArray,ANY,ANY-method, 44

aggregate, 3
aggregate,RasterArray-method, 3
apply, 3, 3, 4
apply,RasterArray-method (apply), 3
as, 4
as.data.frame.RasterArray, 5
as.list,RasterArray-method, 5
as.RasterArray, 6
as.RasterArray,RasterBrick-method
 (as.RasterArray), 6
as.RasterArray,RasterLayer-method
 (as.RasterArray), 6
as.RasterArray,RasterStack-method
 (as.RasterArray), 6

calc, 7
calc,RasterArray,function-method, 7
cbind.RasterArray, 8
cellStats, 9, 25
cellStats,RasterArray-method, 8
clim, 9
coldhot (ramps), 32
colnames,RasterArray-method, 10
colnames<-,RasterArray-method
 (colnames,RasterArray-method),
 10
combine, 11
combine,RasterArray-method (combine), 11

combine,RasterLayer-method (combine), 11
crop, 12
crop,RasterArray-method, 11

dataindex, 12, 18, 35
dems, 13
dim,RasterArray-method, 13
dimlayer, 14
dimlayer,RasterArray-method (dimlayer),
 14
dimnames,RasterArray-method, 14
dimnames<-,RasterArray-method
 (dimnames,RasterArray-method),
 14
disaggregate, 15
disaggregate,RasterArray-method, 15
drywet (ramps), 32

extent, 38
extract,RasterArray,data.frame-method,
 16

fetch, 17, 35

gradinv (ramps), 32

initialize,platemodel-method
 (platemodel-class), 29
is.na.RasterArray, 18

layers, 19
layers,RasterArray-method (layers), 19
length,RasterArray-method, 19
locator, 38

mapplot, 20, 29, 30
mapplot,RasterArray-method (mapplot), 20
mapplot,RasterLayer-method (mapplot), 20
mapplot,RasterStack-method (mapplot), 20
mapplot,SpatialPolygons-method
 (mapplot), 20

- mapplot, SpatialPolygonsDataFrame-method
(mapplot), 20
- mask, 22
- mask, RasterArray, RasterArray-method
(mask, RasterArray, RasterLayer-method), 22
- mask, RasterArray, RasterLayer-method, 22
- mask, RasterArray, RasterStackBrick-method
(mask, RasterArray, RasterLayer-method), 22
- mask, RasterArray, Spatial-method
(mask, RasterArray, RasterLayer-method), 22
- mask, RasterLayer, RasterArray-method
(mask, RasterArray, RasterLayer-method), 22
- mask, RasterStackBrick, RasterArray-method
(mask, RasterArray, RasterLayer-method), 22
- matchtime, 23
- matchtime, character-method (matchtime), 23
- matchtime, numeric-method (matchtime), 23
- matchtime, RasterArray-method
(matchtime), 23
- maxValue, RasterArray-method
(minValue, RasterArray-method), 24
- minValue, RasterArray-method, 24
- names, RasterArray-method, 25
- names<-, RasterArray-method
(names, RasterArray-method), 25
- ncell, 27
- ncell, RasterArray-method, 26
- ncol, RasterArray-method, 27
- newbounds, 27
- nlayers, 20
- nlayers, RasterArray-method
(length, RasterArray-method), 19
- nrow, RasterArray-method
(ncol, RasterArray-method), 27
- nvalues, 28
- nvalues, RasterArray-method (nvalues), 28
- ocean (ramps), 32
- platemodel, 34, 35
- platemodel (platemodel-class), 29
- platemodel-class, 29
- plot, 38
- plot, RasterArray, missing-method, 29
- projectRaster, 30, 30
- projectRaster, RasterArray-method
(projectRaster), 30
- proxy, 31
- proxy, RasterArray-method (proxy), 31
- ramps, 32
- RasterArray, 22
- RasterArray (RasterArray-class), 33
- RasterArray-class, 33
- rbind.RasterArray (cbind.RasterArray), 8
- reconstruct, 34
- reconstruct, character-method
(reconstruct), 34
- reconstruct, data.frame-method
(reconstruct), 34
- reconstruct, matrix-method
(reconstruct), 34
- reconstruct, numeric-method
(reconstruct), 34
- reconstruct, SpatialPolygonsDataFrame-method
(reconstruct), 34
- rect, 38
- res, RasterArray-method
(xres, RasterArray-method), 41
- resample, 37
- resample, RasterArray, ANY-method, 37
- resolution, 41
- rownames, RasterArray-method, 37
- rownames<-, RasterArray-method
(rownames, RasterArray-method), 37
- segments, 38
- shaper, 38
- showPal (ramps), 32
- subset, RasterArray-method, 39
- t, RasterArray-method, 40
- terra (ramps), 32
- wet (ramps), 32
- writeRaster, 23, 31
- xres, RasterArray-method, 41

yres, RasterArray-method
(xres, RasterArray-method), [41](#)