

# Package ‘tidyrules’

January 30, 2020

**Type** Package

**Title** Obtain Rules from Rule Based Models as Tidy Dataframe

**Version** 0.1.3

**Maintainer** Srikanth Komala Sheshachala <sri.teach@gmail.com>

**Depends** R (>= 3.6.0),

**Imports** tibble (>= 2.0.1), stringr (>= 1.3.1), magrittr (>= 1.5),  
purrr (>= 0.3.2), assertthat (>= 0.2.0), partykit (>= 1.2.2),

**Suggests** AmesHousing (>= 0.0.3), dplyr (>= 0.8), C50 (>= 0.1.2),  
Cubist (>= 0.2.2), rpart (>= 1.2.2), rpart.plot (>= 3.0.7),  
rsample (>= 0.0.2), testthat (>= 2.0.1), MASS (>= 7.3.50),  
mlbench (>= 2.1.1), knitr (>= 1.23), rmarkdown (>= 1.13),  
pander (>= 0.6.3),

**Description** Utility to convert text based summary of rule based models to a tidy dataframe (where each row represents a rule) with related metrics such as support, confidence and lift. Rule based models from these packages are supported: 'C5.0', 'rpart' and 'Cubist'.

**URL** <https://github.com/talegari/tidyrules>

**BugReports** <https://github.com/talegari/tidyrules/issues>

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.1.1

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Srikanth Komala Sheshachala [aut, cre],  
Amith Kumar Ullur Raghavendra [aut]

**Repository** CRAN

**Date/Publication** 2020-01-30 09:40:03 UTC

**R topics documented:**

addBackquotes . . . . .	2
package_tidyrules . . . . .	3
positionSpaceOutsideSinglequotes . . . . .	3
removeEmptyLines . . . . .	4
strHead . . . . .	4
strReplaceReduce . . . . .	5
strSplitSingle . . . . .	6
strTail . . . . .	6
tidyRules . . . . .	7
tidyRules.C5.0 . . . . .	8
tidyRules.cubist . . . . .	9
tidyRules.rpart . . . . .	10
varSpec . . . . .	11

<b>Index</b>	<b>12</b>
--------------	-----------

---

addBackquotes	<i>Add backquotes</i>
---------------	-----------------------

---

**Description**

(vectorized) Add backquotes when a string has a space in it

**Usage**

```
addBackquotes(string)
```

**Arguments**

string            character vector

**Value**

character vector

**Examples**

```
tidyrules:::addBackquotes(c("ab", "a b"))
```

---

package\_tidyrules      *About 'tidyrules' package*

---

**Description**

Obtain rules as tidy dataframes

**Author(s)**

**Maintainer:** Srikanth Komala Sheshachala <sri.teach@gmail.com>

Authors:

- Amith Kumar Ullur Raghavendra <amith54@gmail.com>

**See Also**

Useful links:

- <https://github.com/talegari/tidyrules>
- Report bugs at <https://github.com/talegari/tidyrules/issues>

---

positionSpaceOutsideSinglequotes

*Position of space outside single quotes*

---

**Description**

(vectorised) Detect the position of space in a string not within a pair of single quotes

**Usage**

```
positionSpaceOutsideSinglequotes(string)
```

**Arguments**

string      A character vector

**Value**

A integer vector of positions

**Examples**

```
tidyrules:::positionSpaceOutsideSinglequotes(c("hello", "hel' 'o "))
```

removeEmptyLines      *Remove empty lines*

---

**Description**

Remove empty strings from a character vector

**Usage**

```
removeEmptyLines(strings)
```

**Arguments**

strings      A character vector

**Value**

A character vector

**Examples**

```
tidyrules::removeEmptyLines(c("abc", "", "d"))
```

---

strHead      *Vectorized semantic equivalent of 'head' for a string*

---

**Description**

Picks the substring starting from the first character

**Usage**

```
strHead(string, n)
```

**Arguments**

string      string  
n      (integer) Number of characters

**Details**

'n' can be in the interval [-len + 1, len] (both ends inclusive)

**Value**

A string

**Examples**

```
tidyrules::strHead(c("string", "string2"), 2)
tidyrules::strHead(c("string", "string2"), -1)
```

---

strReplaceReduce	<i>Sequential string replace</i>
------------------	----------------------------------

---

**Description**

Sequential string replace via reduce

**Usage**

```
strReplaceReduce(string, pattern, replacement)
```

**Arguments**

string	string
pattern	pattern
replacement	replacement

**Value**

character vector

**Examples**

```
tidyrules::strReplaceReduce("abcd", c("ab", "dc"), c("cd", "ab"))
```

strSplitSingle      *String split a string*

---

**Description**

and return a character vector (not a list)

**Usage**

```
strSplitSingle(string, pattern)
```

**Arguments**

string	A string
pattern	Passed as-is to 'stringr::str_split'

**Value**

A character vector

**Examples**

```
tidyrules:::strSplitSingle("abc,d", ",")
```

---

strTail      *Vectorized semantic equivalent of tail for a string*

---

**Description**

Picks the substring starting from the first character

**Usage**

```
strTail(string, n)
```

**Arguments**

string	string
n	(integer) Number of characters

**Details**

'n' can be in the interval [-len + 1, len] (both ends inclusive)

**Value**

A string

**Examples**

```
tidyrules:::strTail(c("string", "string2"), 2)
tidyrules:::strTail(c("string", "string2"), -1)
```

---

tidyRules	<i>Obtain rules as a tidy tibble</i>
-----------	--------------------------------------

---

**Description**

Each row corresponds to a rule. A rule can be copied into ‘dplyr::filter‘ to filter the observations corresponding to a rule

**Usage**

```
tidyRules(object, col_classes = NULL, ...)
```

**Arguments**

object	Fitted model object with rules
col_classes	Named list or a named character vector of column classes. Column names of the data used for modeling form the names and the respective classes for the value. One way of obtaining this is by running ‘lapply(data, class)’.
...	Other arguments (currently unused)

**Details**

tidyRule supports these rule based models: C5, Cubist and rpart.

**Value**

A tibble where each row corresponds to a rule

**Author(s)**

Srikanth KS, <sri.teach@gmail.com>

---

tidyRules.C5.0      *Obtain rules as a tidy tibble from a C5.0 model*

---

## Description

Each row corresponds to a rule. A rule can be copied into 'dplyr::filter' to filter the observations corresponding to a rule

## Usage

```
## S3 method for class 'C5.0'  
tidyRules(object, ...)
```

## Arguments

object	Fitted model object with rules
...	Other arguments (See details)

## Details

Optional named argument `laplace(flag, default: TRUE)` is supported. This computes confidence with laplace correction as documented under 'Rulesets' here: [C5 doc](<https://www.rulequest.com/see5-unix.html>)

## Value

A tibble where each row corresponds to a rule. The columns are: support, confidence, lift, lhs, rhs, n\_conditions

## Author(s)

Srikanth KS, <[sri.teach@gmail.com](mailto:sri.teach@gmail.com)>

## Examples

```
data("attrition", package = "rsample")  
attrition <- tibble::as_tibble(attrition)  
c5_model <- C50::C5.0(Attrition ~., data = attrition, rules = TRUE)  
summary(c5_model)  
tidyRules(c5_model)
```



---

tidyRules.cubist	<i>Obtain rules as a tidy tibble from a cubist model</i>
------------------	--

---

### Description

Each row corresponds to a rule. A rule can be copied into `'dplyr::filter'` to filter the observations corresponding to a rule

### Usage

```
## S3 method for class 'cubist'  
tidyRules(object, ...)
```

### Arguments

object	Fitted model object with rules
...	Other arguments (currently unused)

### Details

When `col_classes` argument is missing, an educated guess is made about class by parsing the RHS of sub-rule. This might sometimes not lead to a parsable rule.

### Value

A tibble where each row corresponds to a rule. The columns are: support, mean, min, max, error, lhs, rhs and committee

### Author(s)

Srikanth KS, <sri.teach@gmail.com>

### Examples

```
data("attrition", package = "rsample")  
attrition <- tibble::as_tibble(attrition)  
cols_att <- setdiff(colnames(attrition), c("MonthlyIncome", "Attrition"))  
  
cb_att <-  
  Cubist::cubist(x = attrition[, cols_att], y = attrition[["MonthlyIncome"]])  
tr_att <- tidyRules(cb_att)  
tr_att
```

---

tidyRules.rpart	<i>Obtain rules as a tidy tibble from a rpart model</i>
-----------------	---

---

## Description

Each row corresponds to a rule. A rule can be copied into `'dplyr::filter'` to filter the observations corresponding to a rule

## Usage

```
## S3 method for class 'rpart'  
tidyRules(object, ...)
```

## Arguments

object	Fitted model object with rules
...	Other arguments (currently unused)

## Details

NOTE: For rpart rules, one should build the model without **ordered factor** variable. We recommend you to convert **ordered factor** to **factor** or **integer** class.

## Value

A tibble where each row corresponds to a rule. The columns are: support, confidence, lift, LHS, RHS

## Author(s)

Amith Kumar U R, <amith54@gmail.com>

## Examples

```
iris_rpart <- rpart::rpart(Species ~ ., data = iris)  
tidyRules(iris_rpart)
```

---

varSpec	<i>Get variable specification for a Cubist/C5 object</i>
---------	--

---

**Description**

Obtain variable names, type (numeric, ordered, factor) and levels as a tibble

**Usage**

```
varSpec(object)
```

**Arguments**

object           Cubist/C5 object

**Value**

A tibble with three columns: variable(character), type(character) and levels(a list-column). For numeric variables, levels are set to NA.

**Author(s)**

Srikanth KS, <sri.teach@gmail.com>

**Examples**

```
data("attrition", package = "rsample")
attrition <- tibble::as_tibble(attrition)
cols_att <- setdiff(colnames(attrition), c("MonthlyIncome", "Attrition"))

cb_att <-
  Cubist::cubist(x = attrition[, cols_att], y = attrition[["MonthlyIncome"]])
varSpec(cb_att)
```

# Index

`addBackquotes`, 2

`package_tidyrules`, 3

`package_tidyrules-package`  
(`package_tidyrules`), 3

`positionSpaceOutsideSinglequotes`, 3

`removeEmptyLines`, 4

`strHead`, 4

`strReplaceReduce`, 5

`strSplitSingle`, 6

`strTail`, 6

`tidyRules`, 7

`tidyrules` (`package_tidyrules`), 3

`tidyrules-package` (`package_tidyrules`), 3

`tidyRules.C5.0`, 8

`tidyRules.cubist`, 9

`tidyRules.rpart`, 10

`varSpec`, 11