

Package ‘buildmer’

March 1, 2020

Title Stepwise Elimination and Term Reordering for Mixed-Effects Regression

Version 1.5

Description Finds the largest possible regression model that will still converge for various types of regression analyses (including mixed models and generalized additive models) and then optionally performs stepwise elimination similar to the forward and backward effect-selection methods in SAS, based on the change in log-likelihood or its significance, Akaike's Information Criterion, the Bayesian Information Criterion, or the explained deviance.

Depends R (>= 3.2)

Imports graphics, lme4, methods, mgcv, nlme, plyr, stats, utils

Suggests GLMMadaptive, JuliaCall, MASS, gamm4, glmertree, glmmTMB, knitr, lmerTest, nnet, parallel, partykit, pbkrtest, rmarkdown

License FreeBSD

Encoding UTF-8

LazyData true

RoxygenNote 7.0.2

BugReports <https://github.com/cvoeten/buildmer/issues>

VignetteBuilder knitr

NeedsCompilation no

Author Cesko C. Voeten [aut, cre] (<<https://orcid.org/0000-0003-4687-9973>>)

Maintainer Cesko C. Voeten <cvoeten@gmail.com>

Repository CRAN

Date/Publication 2020-03-01 15:00:02 UTC

R topics documented:

buildmer-package	2
add.terms	4
build.formula	4

buildbam	5
buildcustom	6
buildgam	8
buildgamm	10
buildgamm4	11
buildGLMMadaptive	12
buildglmmTMB	14
buildgls	15
buildjulia	16
buildlme	17
buildmer	18
buildmer-class	20
buildmertree	20
buildmultinom	22
conv	23
diag.formula-method	24
migrant	24
re2mgcv	25
remove.terms	25
tabulate.formula	26
vowels	27
Index	28

buildmer-package	<i>Construct and fit as complete a model as possible and perform step-wise elimination</i>
------------------	--

Description

The `buildmer` package consists of a number of functions, each designed to fit specific types of models (e.g. `buildmer` for mixed-effects regression, `buildgam` for generalized additive models, `buildmertree` for mixed-effects-regression trees, and so forth). The common parameters shared by all (or most of) these functions are documented here. If you are looking for a more general description of what the various `build...` functions do, see under ‘Details’. For function-specific details, see the documentation for each individual function.

Arguments

formula	The model formula for the maximal model you would like to fit. Alternatively, a <code>buildmer</code> term list as obtained from <code>tabulate.formula</code> . In the latter formulation, you also need to specify a <code>dep='...'</code> argument specifying the dependent variable to go along with the term list. See <code>tabulate.formula</code> for an example of where this is useful
data	The data to fit the model(s) to
family	The error distribution to use

<code>cl</code>	An optional cluster object as returned by function <code>makeCluster</code> from package <code>parallel</code> to use for parallelizing the evaluation of terms. Note that, if and only if using the <code>cl</code> functionality, the data and other arguments will be searched for in the global environment only, so you should manually set up the cluster's environments using <code>clusterExport()</code> if necessary. In addition, some buildmer-internal objects will be exported to the cluster nodes. These will be cleaned up afterwards, but any already-present objects with the same name (e.g. 'p' will be overwritten)
<code>direction</code>	Character string or vector indicating the direction for stepwise elimination; possible options are 'order' (order terms by their contribution to the model), 'backward' (backward elimination), 'forward' (forward elimination, implies order). The default is the combination <code>c('order', 'backward')</code> , to first make sure that the model converges and to then perform backward elimination; other such combinations are perfectly allowed
<code>crit</code>	Character string or vector determining the criterion used to test terms for elimination. Possible options are 'LRT' (likelihood-ratio test based on chi-square mixtures per Stram & Lee 1994 for random effects; this is the default), 'LL' (use the raw -2 log likelihood), 'AIC' (Akaike Information Criterion), 'BIC' (Bayesian Information Criterion), and 'deviance' (explained deviance – note that this is not a formal test)
<code>include</code>	A one-sided formula or character vector of terms that will be kept in the model at all times. These do not need to be specified separately in the <code>formula</code> argument. Useful for e.g. passing correlation structures in <code>glmmTMB</code> models
<code>calc.anova</code>	Logical indicating whether to also calculate the ANOVA table for the final model after term elimination
<code>calc.summary</code>	Logical indicating whether to also calculate the summary table for the final model after term elimination

Details

With the default options, all `buildmer` functions will do two things:

1. Determine the order of the effects in your model, based on their importance as measured by the likelihood-ratio test statistic. This identifies the 'maximal model', which is the model containing either all effects specified by the user, or subset of those effects that still allow the model to converge, ordered such that the most information-rich effects have made it in.
2. Perform backward stepwise elimination based on the significance of the change in log-likelihood.

The final model is returned in the `model` slot of the returned `buildmer` object. All functions in the `buildmer` package are aware of the distinction between (f)REML and ML, and know to divide chi-square p -values by 2 when comparing models differing only in random effects (see Pinheiro & Bates 2000). The steps executed above can be changed using the `direction` argument, allowing for arbitrary chains of, for instance, forward-backward-forward stepwise elimination (although using more than one elimination method on the same data is not recommended). The criterion for determining the importance of terms in the ordering stage and the elimination of terms in the elimination stage can also be changed, using the `crit` argument.

add.terms	<i>Add terms to a formula</i>
-----------	-------------------------------

Description

Add terms to a formula

Usage

```
add.terms(formula, add)
```

Arguments

formula	The formula to add terms to.
add	A vector of terms to add. To add terms nested in random-effect groups, use ‘(term group)’ syntax if you want to add an independent random effect (e.g. ‘(olderterm group) + (term group)’), or use ‘term group’ syntax if you want to add a dependent random effect to a pre-existing term group (if no such group exists, it will be created at the end of the formula).

Value

The updated formula.

Examples

```
library(buildmer)
form <- Reaction ~ Days + (1|Subject)
add.terms(form, 'Days|Subject')
add.terms(form, '(0+Days|Subject)')
add.terms(form, c('many', 'more|terms', 'to|terms', '(be|added)', 'to|test'))
```

build.formula	<i>Convert a buildmer term list into a proper model formula</i>
---------------	---

Description

Convert a buildmer term list into a proper model formula

Usage

```
build.formula(dep, terms, env = parent.frame())
```

Arguments

dep The dependent variable.
terms The term list.
env The environment of the formula to return.

Value

A formula.

Examples

```
library(buildmer)
form1 <- Reaction ~ Days + (Days|Subject)
terms <- tabulate.formula(form1)
form2 <- build.formula(dep='Reaction', terms)

# check that the two formulas give the same results
library(lme4)
check <- function (f) resid(lmer(f,sleepstudy))
all.equal(check(form1),check(form2))
```

buildbam	<i>Use buildmer to fit big generalized additive models using bam from package mgcv</i>
----------	--

Description

Use buildmer to fit big generalized additive models using bam from package mgcv

Usage

```
buildbam(  
  formula,  
  data = NULL,  
  family = gaussian(),  
  cl = NULL,  
  direction = c("order", "backward"),  
  crit = "LRT",  
  include = NULL,  
  calc.anova = FALSE,  
  calc.summary = TRUE,  
  ...  
)
```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
family	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.anova	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
...	Additional options to be passed to bam

Details

To work around an issue in bam(), you must make sure that your data do not contain a variable named 'intercept'.

lme4 random effects are supported: they will be automatically converted using [re2mgcv](#).

As bam uses PQL, only crit='deviance' is supported for non-Gaussian errors.

See Also

[buildmer-package](#)

Examples

```
library(buildmer)
model <- buildbam(f1 ~ s(timepoint,by=following) + s(participant,by=following,bs='re') +
  s(participant,timepoint,by=following,bs='fs'),data=vowels)
```

buildcustom	<i>Use buildmer to perform stepwise elimination using a custom fitting function</i>
-------------	---

Description

Use buildmer to perform stepwise elimination using a custom fitting function

Usage

```

buildcustom(
  formula,
  data = NULL,
  cl = NULL,
  direction = c("order", "backward"),
  crit = function(p, ref, alt) stop("'crit' not specified"),
  include = NULL,
  fit = function(p, formula) stop("'fit' not specified"),
  elim = function(x) stop("'elim' not specified"),
  REML = FALSE,
  ...
)

```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
fit	A function taking two arguments, of which the first is the <code>buildmer</code> parameter list <code>p</code> and the second one is a formula. The function must return a single object, which is treated as a model object fitted via the provided formula. The function must return an error (<code>'stop()'</code>) if the model does not converge
elim	A function taking one argument and returning a single value. The first argument is the return value of the function passed in <code>crit</code> , and the returned value must be a logical indicating if the small model must be selected (return <code>TRUE</code>) or the large model (return <code>FALSE</code>)
REML	A logical indicating if the fitting function distinguishes between fits differing in fixed effects (for which <code>p\$reml</code> will be set to <code>FALSE</code>) and fits differing only in the random part (for which <code>p\$reml</code> will be <code>TRUE</code>).
...	Additional options to be passed to the fitting function, such as perhaps a data argument

See Also

[buildmer-package](#)

Examples

```

## Use \code{buildmer} to do stepwise linear discriminant analysis
library(buildmer)
migrant[, -1] <- scale(migrant[, -1])
flipfit <- function (p, formula) {

```

```

# The predictors must be entered as dependent variables in a MANOVA
# (i.e. the predictors must be flipped with the dependent variable)
Y <- model.matrix(formula,migrant)
m <- lm(Y ~ 0+migrant$changed)
# the model may error out when asking for the MANOVA
test <- try(anova(m))
if (inherits(test,'try-error')) test else m
}
crit.F <- function (p,a,b) { # use whole-model F
  pvals <- anova(b)$'Pr(>F)' # not valid for backward!
  pvals[length(pvals)-1]
}
crit.Wilks <- function (p,a,b) {
  if (is.null(a)) return(crit.F(p,a,b)) #not completely correct, but close as F approximates X2
  Lambda <- anova(b,test='Wilks')$Wilks[1]
  p <- length(coef(b))
  n <- 1
  m <- nrow(migrant)
  Bartlett <- ((p-n+1)/2-m)*log(Lambda)
  pchisq(Bartlett,n*p,lower.tail=FALSE)
}

# First, order the terms based on Wilks' Lambda
model <- buildcustom(changed ~ friends.nl+friends.be+multilingual+standard+hearing+reading+
  attention+sleep+gender+handedness+diglossic+age+years,direction='order',fit=flipfit,
  crit=crit.Wilks)
# Now, use the six most important terms (arbitrary choice) in the LDA
if (require('MASS')) model <- lda(changed ~ diglossic + age + reading + friends.be + years +
  multilingual,data=migrant)

```

buildgam

Use buildmer to fit generalized additive models using gam from package mgcv

Description

Use buildmer to fit generalized additive models using gam from package mgcv

Usage

```

buildgam(
  formula,
  data = NULL,
  family = gaussian(),
  quickstart = 0,
  cl = NULL,
  direction = c("order", "backward"),
  crit = "LRT",
  include = NULL,

```



```

    calc.anova = FALSE,
    calc.summary = TRUE,
    ...
  )

```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
family	See the general documentation under buildmer-package
quickstart	A numeric with values 0 to 5. If set to 1, will use bam to obtain starting values for gam's outer iteration, potentially resulting in a much faster fit for each model. If set to 2, will disregard ML/REML and always use bam's fREML. 3 also sets discrete=TRUE. Values between 3 and 4 fit the quickstart model to a subset of that value (e.g., quickstart=3.1 fits the quickstart model to 10% of the data, which is also the default if quickstart=3. Values between 4 and 5 do the same, but also set a very sloppy convergence tolerance of 0.2.
c1	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.anova	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
...	Additional options to be passed to gam

Details

To work around an issue in `gam()`, you must make sure that your data do not contain a variable named 'intercept'.

lme4 random effects are supported: they will be automatically converted using [re2mgcv](#).

If `gam`'s optimizer argument is not set to use outer iteration, `gam` fits using PQL. In this scenario, only `crit='deviance'` is supported.

General families implemented in `mgcv` are supported, provided that they use normal formulas. Currently, this is only true of the `cox.ph` family. Because this family can only be fitted using REML, `buildgam` automatically sets `gam`'s `select` argument to TRUE and prevents removal of parametric terms.

The `quickstart` function is experimental. If you desire more control (e.g. `discrete=FALSE` but use `chol=TRUE`), additional options can be provided as extra arguments and will be passed on to `bam` as they are applicable. Note that `quickstart` needs to be larger than 0 to trigger the `quickstart` path at all.

If scaled-t errors are used (`family=scat`), the `quickstart` path will also provide initial values for the two theta parameters (corresponding to the degrees of freedom and the scale parameter), but only if your installation of package `mgcv` is at least at version 1.8-32.

See Also

[buildmer-package](#)

Examples

```
library(buildmer)
model <- buildgam(f1 ~ s(timepoint,by=following) + s(participant,by=following,bs='re') +
  s(participant,timepoint,by=following,bs='fs'),data=vowels)
```

buildgamm	<i>Use buildmer to fit big generalized additive models using gamm from package mgcv</i>
-----------	---

Description

Use buildmer to fit big generalized additive models using gamm from package mgcv

Usage

```
buildgamm(
  formula,
  data = NULL,
  family = gaussian(),
  cl = NULL,
  direction = c("order", "backward"),
  crit = "LRT",
  include = NULL,
  calc.anova = FALSE,
  calc.summary = TRUE,
  ...
)
```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
family	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.anova	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
...	Additional options to be passed to gamm

Details

The fixed and random effects are to be passed as a single formula in lme4 format. This is internally split up into the appropriate fixed and random parts. Only a single grouping factor is allowed. The random-effect covariance matrix is always unstructured. If you want to use pdMat covariance structures, you must (a) *not* specify any lme4 random-effects term in the formula, and (b) specify your own custom random argument as part of the `...` argument. Note that buildgamm will merely pass this through; no term reordering or stepwise elimination is done on a user-provided random argument.

See Also

[buildmer-package](#)

Examples

```
library(buildmer)
model <- buildgamm(f1 ~ s(timepoint,by=following) + (following|participant) +
  s(participant,timepoint,by=following,bs='fs'),data=vowels)
```

buildgamm4

Use buildmer to fit generalized additive models using package gamm4

Description

Use buildmer to fit generalized additive models using package gamm4

Usage

```
buildgamm4(
  formula,
  data = NULL,
  family = gaussian(),
  cl = NULL,
  direction = c("order", "backward"),
  crit = "LRT",
  include = NULL,
  calc.anova = FALSE,
  calc.summary = TRUE,
  ddf = "Wald",
  ...
)
```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
family	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.anova	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
ddf	The method used for calculating p -values if all smooth terms were eliminated and <code>calc.anova=TRUE</code> or <code>calc.summary=TRUE</code> . Options are 'Wald' (default), 'Satterthwaite' (if package <code>lmerTest</code> is available), 'Kenward-Roger' (if packages <code>lmerTest</code> and <code>pbkrtest</code> are available), and 'lme4' (no p -values)
...	Additional options to be passed to <code>gam4</code>

Details

The fixed and random effects are to be passed as a single formula in `lme4 format`. This is internally split up into the appropriate fixed and random parts.

See Also

[buildmer-package](#)

Examples

```
library(buildmer)
if (requireNamespace('gam4')) model <- buildgam4(f1 ~ s(timepoint,by=following) +
  s(participant,timepoint,by=following,bs='fs'),data=vowels)
```

buildGLMMadaptive	<i>Use buildmer to fit generalized linear mixed models using mixed_model from package GLMMadaptive</i>
-------------------	--

Description

Use `buildmer` to fit generalized linear mixed models using `mixed_model` from package `GLMMadaptive`

Usage

```
buildGLMMadaptive(
  formula,
  data = NULL,
  family,
  cl = NULL,
  direction = c("order", "backward"),
  crit = "LRT",
  include = NULL,
  calc.summary = TRUE,
  ...
)
```

Arguments

formula	A formula specifying both fixed and random effects using lme4 syntax. (Unlike mixed_model, buildGLMMadaptive does not use a separate random argument!)
data	See the general documentation under buildmer-package
family	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
...	Additional options to be passed to mixed_model

Details

The fixed and random effects are to be passed as a single formula in lme4 *format*. This is internally split up into the appropriate fixed and random parts.

See Also

[buildmer-package](#)

Examples

```
# nonsensical model given these data
if (requireNamespace('GLMMadaptive')) model <- buildGLMMadaptive(stress ~ vowel + (vowel|word),
  family=binomial, data=vowels, nAGQ=1)
```

`buildglmmTMB`*Use buildmer to perform stepwise elimination on glmmTMB models*

Description

Use buildmer to perform stepwise elimination on glmmTMB models

Usage

```
buildglmmTMB(  
  formula,  
  data = NULL,  
  family = gaussian(),  
  cl = NULL,  
  direction = c("order", "backward"),  
  crit = "LRT",  
  include = NULL,  
  calc.summary = TRUE,  
  ...  
)
```

Arguments

<code>formula</code>	See the general documentation under buildmer-package
<code>data</code>	See the general documentation under buildmer-package
<code>family</code>	See the general documentation under buildmer-package
<code>cl</code>	See the general documentation under buildmer-package
<code>direction</code>	See the general documentation under buildmer-package
<code>crit</code>	See the general documentation under buildmer-package
<code>include</code>	See the general documentation under buildmer-package
<code>calc.summary</code>	See the general documentation under buildmer-package
<code>...</code>	Additional options to be passed to <code>glmmTMB</code>

See Also

[buildmer-package](#)

Examples

```
library(buildmer)  
model <- if (requireNamespace('glmmTMB')) buildglmmTMB(Reaction ~ Days + (Days|Subject)  
  ,data=lme4::sleepstudy)
```

buildgls	<i>Use buildmer to fit generalized-least-squares models using gls from nlme</i>
----------	---

Description

Use buildmer to fit generalized-least-squares models using gls from nlme

Usage

```
buildgls(  
  formula,  
  data = NULL,  
  cl = NULL,  
  direction = c("order", "backward"),  
  crit = "LRT",  
  include = NULL,  
  calc.anova = FALSE,  
  calc.summary = TRUE,  
  ...  
)
```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.anova	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
...	Additional options to be passed to gls

Details

A workaround is included to prevent an error when the model matrix is of less than full rank. The summary output of such a model will look a bit strange!

See Also

[buildmer-package](#)

Examples

```
library(buildmer)
library(nlme)
vowels$event <- with(vowels,interaction(participant,word))
model <- buildgls(f1 ~ timepoint*following,correlation=corAR1(form=~1|event),data=vowels)
```

buildjulia	<i>Use buildmer to perform stepwise elimination on models fit with Julia package MixedModels via JuliaCall</i>
------------	--

Description

Use buildmer to perform stepwise elimination on models fit with Julia package MixedModels via JuliaCall

Usage

```
buildjulia(
  formula,
  data = NULL,
  family = gaussian(),
  include = NULL,
  julia_family = gaussian(),
  julia_link = NULL,
  julia_fun = NULL,
  direction = c("order", "backward"),
  crit = "LRT",
  ...
)
```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
family	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
julia_family	For generalized linear mixed models, the name of the Julia function to evaluate to obtain the error distribution. Only used if family is non-Gaussian This should probably be the same as family but with an initial capital, with the notable exception of logistic regression: if the R family is binomial, the Julia family should be 'Bernoulli'
julia_link	For generalized linear mixed models, the name of the Julia function to evaluate to obtain the link function. Only used if family is non-Gaussian If not provided, Julia's default link for your error distribution is used

julia_fun	If you need to change some parameters in the Julia model object before Julia fit! is called, you can provide an R function to manipulate the unfitted Julia object here. This function should accept two arguments: the first is the julia structure, which is a list containing a call element you can use as a function to call Julia; the second argument is the R JuliaObject corresponding to the unfitted Julia model. This can be used to e.g. change optimizer parameters before the model is fitted
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
...	Additional options to be passed to LinearMixedModel() or GeneralizedLinearMixedModel()

See Also

[buildmer-package](#)

Examples

```
if (requireNamespace('JuliaCall')) model <- buildjulia(f1 ~ vowel*timepoint*following +
  (1|participant) + (1|word),data=vowels)
```

buildlme	<i>Use buildmer to perform stepwise elimination of mixed-effects models fit via lme from nlme</i>
----------	---

Description

Use buildmer to perform stepwise elimination of mixed-effects models fit via lme from nlme

Usage

```
buildlme(
  formula,
  data = NULL,
  cl = NULL,
  direction = c("order", "backward"),
  crit = "LRT",
  include = NULL,
  calc.anova = FALSE,
  calc.summary = TRUE,
  ...
)
```

Arguments

formula	A formula specifying both fixed and random effects using lme4 syntax. (Unlike lme, buildlme does not use a separate random argument!)
data	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.anova	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
...	Additional options to be passed to lme

Details

The fixed and random effects are to be passed as a single formula in lme4 format. This is internally split up into the appropriate fixed and random parts. Only a single grouping factor is allowed. The random-effect covariance matrix is always unstructured. If you want to use pdMat covariance structures, you must (a) *not* specify any lme4 random-effects term in the formula, and (b) specify your own custom random argument as part of the ... argument. Note that buildlme will merely pass this through; no term reordering or stepwise elimination is done on a user-provided random argument.

See Also

[buildmer-package](#)

Examples

```
library(buildmer)
model <- buildlme(Reaction ~ Days + (Days|Subject),data=lme4::sleepstudy)
```

buildmer

Use buildmer to fit mixed-effects models using lmer/glmer from lme4

Description

Use buildmer to fit mixed-effects models using lmer/glmer from lme4

Usage

```
buildmer(
  formula,
  data = NULL,
  family = gaussian(),
  cl = NULL,
  direction = c("order", "backward"),
  crit = "LRT",
  include = NULL,
  calc.anova = FALSE,
  calc.summary = TRUE,
  ddf = "Wald",
  ...
)
```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
family	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.anova	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
ddf	The method used for calculating p -values if <code>calc.anova=TRUE</code> or <code>calc.summary=TRUE</code> . Options are 'Wald' (default), 'Satterthwaite' (if package <code>lmerTest</code> is available), 'Kenward-Roger' (if packages <code>lmerTest</code> and <code>pbkrtest</code> are available), and 'lme4' (no p -values)
...	Additional options to be passed to <code>lmer</code> , <code>glmer</code> , or <code>gamm4</code> . (They will also be passed to <code>(g)lm</code> in so far as they're applicable, so you can use arguments like <code>subset=...</code> and expect things to work. The single exception is the <code>control</code> argument, which is assumed to be meant only for <code>lme4</code> and not for <code>(g)lm</code> , and will <i>not</i> be passed on to <code>(g)lm</code>)

Examples

```
library(buildmer)
model <- buildmer(Reaction ~ Days + (Days|Subject), lme4::sleepstudy)

#tests from github issue #2:
bm.test <- buildmer(cbind(incidence, size - incidence) ~ period + (1 | herd),
  family=binomial, data=lme4::cbpp)
bm.test <- buildmer(cbind(incidence, size - incidence) ~ period + (1 | herd),
  family=binomial, data=lme4::cbpp, direction='forward')
```

```

bm.test <- buildmer(cbind(incidence,size - incidence) ~ period + (1 | herd),
  family=binomial,data=lme4::cbpp,crit='AIC')
bm.test <- buildmer(cbind(incidence,size - incidence) ~ period + (1 | herd),
  family=binomial,data=lme4::cbpp,direction='forward',crit='AIC')

```

buildmer-class
The buildmer class

Description

This is a simple convenience class that allows ‘anova()’ and ‘summary()’ calls to fall through to the underlying model object, while retaining buildmer’s iteration history. If you need to use the final model for other things, such as prediction, access it through the ‘model’ slot of the buildmer class object.

Slots

model The final model containing only the terms that survived elimination

p Parameters used during the fitting process

anova The model’s ANOVA, if the model was built with ‘anova=TRUE’

summary The model’s summary, if the model was built with ‘summary=TRUE’

See Also

[buildmer()]

Examples

```

# Manually create a bare-bones buildmer object:
model <- lm(Sepal.Length ~ Petal.Length,iris)
p <- list(in.buildmer=FALSE)
library(buildmer)
bm <- mkBuildmer(model=model,p=p,anova=NULL,summary=NULL)
summary(bm)

```

buildmertree
Use buildmer to perform stepwise elimination for lmertree() and glmertree() models from package glmertree

Description

Use buildmer to perform stepwise elimination for lmertree() and glmertree() models from package glmertree

Usage

```
buildmertree(
  formula,
  data = NULL,
  family = gaussian(),
  cl = NULL,
  direction = c("order", "backward"),
  crit = "AIC",
  include = NULL,
  calc.summary = TRUE,
  ...
)
```

Arguments

formula	Either a <code>glmertree</code> formula, looking like <code>dep ~ left middle right</code> where the middle part is an <code>lme4</code> -style random-effects specification, or an ordinary formula (or <code>buildmer</code> term list thereof) specifying only the dependent variable and the fixed and random effects for the regression part. In the latter case, the additional argument partitioning must be specified as a one-sided formula containing the partitioning part of the model.
data	See the general documentation under buildmer-package
family	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
...	Additional options to be passed to <code>lmertree</code> or <code>glmertree</code> . (They will also be passed to <code>(g)lmtree</code> in so far as they're applicable. The single exception is the <code>control</code> argument, which is assumed to be meant only for <code>(g)lmertree</code> and not for <code>(g)lmtree</code> , and will <i>not</i> be passed on to <code>(g)lmtree</code>)

Details

Note that the likelihood-ratio test is not available for `glmertree` models, as it cannot be assured that the models being compared are nested. The default is thus to use AIC. In the generalized case or when testing many partitioning variables, it is recommended to pass `joint=FALSE`, as this results in a dramatical speed gain and reduces the odds of the final `glmer` model failing to converge or converging singularly.

See Also

[buildmer-package](#)

Examples

```

if (requireNamespace('glmertree')) {
  model <- buildmertree(Reaction ~ 1 | (Days|Subject) | Days,crit='LL',direction='order',
    data=lme4::sleepstudy)

  model <- buildmertree(Reaction ~ 1 | (Days|Subject) | Days,crit='LL',direction='order',
    data=lme4::sleepstudy,family=Gamma(link=identity),joint=FALSE)

}

```

buildmultinom	<i>Use buildmer to perform stepwise elimination for multinom models from package nnet</i>
---------------	---

Description

Use buildmer to perform stepwise elimination for multinom models from package nnet

Usage

```

buildmultinom(
  formula,
  data = NULL,
  cl = NULL,
  direction = c("order", "backward"),
  crit = "LRT",
  include = NULL,
  calc.summary = TRUE,
  ...
)

```

Arguments

formula	See the general documentation under buildmer-package
data	See the general documentation under buildmer-package
cl	See the general documentation under buildmer-package
direction	See the general documentation under buildmer-package
crit	See the general documentation under buildmer-package
include	See the general documentation under buildmer-package
calc.summary	See the general documentation under buildmer-package
...	Additional options to be passed to multinom

See Also

[buildmer-package](#)

Examples

```

if (requireNamespace('nnet') && require('MASS')) {
  options(contrasts = c("contr.treatment", "contr.poly"))
  example(birthwt)
  bwt.mu <- buildmultinom(low ~ age*lw*race*smoke,bwt)
}

```

conv

Test a model for convergence

Description

Test a model for convergence

Usage

```
conv(model, singular.ok = FALSE)
```

Arguments

model	The model object to test.
singular.ok	A logical indicating whether singular fits are accepted as ‘converged’ or not. Relevant only for lme4 models.

Value

Logical indicating whether the model converged.

Examples

```

library(buildmer)
library(lme4)
good1 <- lm(Reaction ~ Days, sleepstudy)
good2 <- lmer(Reaction ~ Days + (Days|Subject), sleepstudy)
bad <- lmer(Reaction ~ Days + (Days|Subject), sleepstudy, control=lmerControl(
  optimizer='bobyqa', optCtrl=list(maxfun=1)))
sapply(c(good1, good2, bad), conv)

```

diag, formula-method	<i>Diagonalize the random-effect covariance structure, possibly assisting convergence</i>
----------------------	---

Description

Diagonalize the random-effect covariance structure, possibly assisting convergence

Usage

```
## S4 method for signature 'formula'
diag(x)
```

Arguments

x A model formula.

Value

The formula with all random-effect correlations forced to zero, per Pinheiro & Bates (2000)

Examples

```
# 1. Create explicit columns for factor variables
library(buildmer)
vowels <- cbind(vowels,model.matrix(~vowel,vowels))
# 2. Create formula with diagonal covariance structure
form <- diag(f1 ~ (vowel1+vowel2+vowel3+vowel4)*timepoint*following +
  ((vowel1+vowel2+vowel3+vowel4)*timepoint*following | participant) +
  (timepoint | word))
# 3. Convert formula to buildmer terms list, grouping terms starting with 'vowel'
terms <- tabulate.formula(form,group='vowel[^:]')
# 4. Directly pass the terms object to buildmer(), using the hidden 'dep' argument to specify
# the dependent variable
m <- buildmer(terms,data=vowels,dep='f1')
```

migrant	<i>A very small dataset from a pilot study on sound change.</i>
---------	---

Description

A very small dataset from a pilot study on sound change.

Usage

```
data(migrant)
```


Format

A standard data frame.

re2mgcv

Convert lme4 random-effect terms to mgcv 're' smooths

Description

Convert lme4 random-effect terms to mgcv 're' smooths

Usage

```
re2mgcv(formula, data)
```

Arguments

formula	The lme4 formula.
data	The data.

Examples

```
library(buildmer)
re <- re2mgcv(temp ~ angle + (1|replicate) + (1|recipe),lme4::cake)
model <- buildgam(re$formula,re$data,family=mgcv::scat)
# note: the below does NOT work, as the dependent variable is looked up in the data by name!

re <- re2mgcv(log(Reaction) ~ Days + (Days|Subject),lme4::sleepstudy)
```

remove.terms

Remove terms from an lme4 formula

Description

Remove terms from an lme4 formula

Usage

```
remove.terms(formula, remove)
```

Arguments

formula	The lme4 formula.
remove	A vector of terms to remove. To remove terms nested inside random-effect groups, use '(term group)' syntax. Note that marginality is respected, i.e. no effects will be removed if they participate in a higher-order interaction, and no fixed effects will be removed if a random slope is included over that fixed effect.

Examples

```
library(buildmer)
remove.terms(Reaction ~ Days + (Days|Subject),'(Days|Subject)')
# illustration of the marginality checking mechanism:
remove.terms(Reaction ~ Days + (Days|Subject),'(1|Subject)') #refuses to remove the term
remove.terms(Reaction ~ Days + (Days|Subject),c('(Days|Subject)','(1|Subject)')) #also
#refuses to remove the term, because marginality is checked before removal!
step1 <- remove.terms(Reaction ~ Days + (Days|Subject),'(Days|Subject)')
step2 <- remove.terms(step1,'(1|Subject)') #works
```

<code>tabulate.formula</code>	<i>Parse a formula into a buildmer terms list</i>
-------------------------------	---

Description

Parse a formula into a buildmer terms list

Usage

```
tabulate.formula(formula, group = NULL)
```

Arguments

<code>formula</code>	A formula.
<code>group</code>	A character vector of regular expressions. Terms matching the same regular expression are assigned the same block, and will be evaluated together in buildmer functions.

Value

A buildmer terms list, which is just a normal data frame.

See Also

`buildmer-package`

Examples

```
form <- diag(f1 ~ (vowel1+vowel2+vowel3+vowel4)*timepoint*following +
  ((vowel1+vowel2+vowel3+vowel4)*timepoint*following|participant) + (timepoint|word))
tabulate.formula(form)
tabulate.formula(form,group='vowel[1-4]')
```

`vowels`*Vowel data from a pilot study.*

Description

Vowel data from a pilot study.

Usage

```
data(vowels)
```

Format

A standard data frame.

Index

*Topic **datasets**

migrant, [24](#)

vowels, [27](#)

add.terms, [4](#)

build.formula, [4](#)

buildbam, [5](#)

buildcustom, [6](#)

buildgam, [2](#), [8](#)

buildgamm, [10](#)

buildgamm4, [11](#)

buildGLMMadaptive, [12](#)

buildglmTMB, [14](#)

buildgls, [15](#)

buildjulia, [16](#)

buildlme, [17](#)

buildmer, [2](#), [18](#)

buildmer-class, [20](#)

buildmer-package, [2](#)

buildmertree, [2](#), [20](#)

buildmultinom, [22](#)

conv, [23](#)

diag, formula-method, [24](#)

migrant, [24](#)

mkBuildmer (buildmer-class), [20](#)

re2mgcv, [6](#), [9](#), [25](#)

remove.terms, [25](#)

tabulate.formula, [2](#), [26](#)

vowels, [27](#)