

Basic examples of screening studies, extracting data and meta-analysis with the metagear package for R

Marc J. Lajeunesse (lajeunesse@usf.edu)

University of South Florida, March 20th 2020 (vignette v. 0.5 for metagear v. 0.5)

Table of Contents

Introduction	2
Acknowledgements	2
How to cite?	2
Installation and Dependencies	2
Report a bug? Have comments or suggestions?	3
Delegating reference screening effort to a team.....	3
Screening abstracts of references.....	9
Workflow example	10
Downloading PDFs	16
Scraping <i>Web of Science</i> for bibliographic data.....	19
Generating PRISMA plots.....	20
Generating different PRISMA plot layouts	21
Notes on PRISMA plotting since metagear v. 0.1 and 0.2	24
Automated extraction of data from scatterplots	25
Example 1 figure_scatterPlot() default settings	25
Example 2 tweaking defaults for image size.....	27
Example 3 more tweaking based on color, size, and empty points.....	29
Automated extraction of data from bar plots	32
Example 1 figure_barPlot() default settings	32
Example 2 tweaking defaults for horizontal columns.....	34
Meta-analysis with multiple effect sizes that share a common control.....	37
References	39



Introduction

The **metagear** package for R contains tools for facilitating [systematic reviews](#), data extraction, and [meta-analyses](#). It aims to facilitate research synthesis as a whole, by providing a single source for several of the common tasks involved in screening studies, extracting outcomes from studies, and performing statistical analyses on these outcomes using meta-analysis. Below are a few illustrative examples of applications of these functionalities.

Updates to these examples will be posted on our [research webpage at USF](#), and for previous vignette versions see [v. 0.3](#), [v. 0.2](#) and [v. 0.1](#).

For the source code of **metagear** see: <http://cran.r-project.org/web/packages/metagear/index.html>.

Acknowledgements

Funding for **metagear** is supported by *National Science Foundation* (NSF) grants DBI-1262545 and DEB-1451031.

I also thank J. Richardson, J. Zydek, N. Ogburn, B. MacNeill, J. Zloty, and my colleagues in the [OpenMEE](#) software team, J. Gurevitch and B. Wallace, for persuading me to develop tools in R.

How to cite?

Lajeunesse, M.J. (2016) Facilitating systematic reviews, data extraction and meta-analysis with the *metagear* package for R. *Methods in Ecology and Evolution* **7**: 323-330. [article link](#)

Installation and Dependencies

Metagear has several dependencies that need to be installed and loaded prior to use in R. The first is the **EBImage** R package (Pau *et al.* 2010) available only from [Bioconductor](#) repository.

To properly install **metagear**, use the following script in R:

```
# first load Bioconductor resources needed to install the EBIimage package  
# and accept/download all of its dependencies  
install.packages("BiocManager");  
BiocManager::install("EBIimage")  
  
# then load metagear  
library(metagear)
```

Finally for Mac OS users, installation is sometimes not straightforward as the `abstract_screener()` requires the Tcl/Tk GUI toolkit to be installed. You can get this toolkit by making sure the latest X11 application (xQuartz) is installed from here: xquartz.macosforge.org.

Report a bug? Have comments or suggestions?

Please email me any bugs, comments, or suggestions and I'll try to include them in future releases: lajeunesse@usf.edu. Also try to include **metagear** in the subject heading of your email. Finally, I'm open to almost anything, but expect a lag before I respond and/or new additions are added.



Delegating reference screening effort to a team

One of the first tasks of a systematic review is to screen the titles and abstracts of study references to assess their relevance for the synthesis project. For example, after a [bibliographic search](#) using Web of Science, there may be thousands of references generated; references from experimental studies, modeling studies, review papers, commentaries, etc. These need to be reviewed individually as a first pass to exclude those that do not fit the synthesis project; such as excluding simulation studies that do not report experimental outcomes useful for estimating an [effect size](#).

However, individually screening thousands of references is time consuming, and large synthesis projects may benefit from delegating this screening effort to a research team. Having multiple people screen references also provides an opportunity to assess the repeatability of these screening decisions.

In this example, we have the following goals:

1. Initialize a dataframe containing bibliographic data (title, abstract, journal) from multiple study references.
2. Distribute these references randomly to two team members.
3. Merge and summarize the screening efforts of this team.

First, let's start by loading and exploring the contents of a pre-packaged dataset from **metagear** that contains the bibliographic information of 11 journal articles (example_references_metagear). These data are a subset of references generated from a search in Web of Science for "Genome size", and contain the abstracts, titles, volume, page numbers, and authors of these references.

```
# Load package
library(metagear)

## metagear 0.5

## ** For information on installing/troubleshooting metagear, see:
## **   http://aj.eunessa.myweb.usf.edu/metagear/metagear_basi c_vignette.html
##

## ** metagear system check: current setup supports GUIs [ TRUE ]

# Load a bibliographic dataset with the authors, titles, and abstracts of
multiple study references
data(example_references_metagear)
# display the bibliographic variables in this dataset
names(example_references_metagear)

## [1] "AUTHORS" "YEAR" "TITLE" "JOURNAL" "VOLUME" "LPAGES"
"UPAGES" "DOI" "ABSTRACT"

# display the various Journals that these references were published in
example_references_metagear["JOURNAL"]

##
## 1 BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS
## 2 EVOLUTIONARY ECOLOGY RESEARCH
## 3 AMERICAN NATURALIST
## 4 GENE
## 5 VIRUS GENES
## 6 JOURNAL OF SHELLFISH RESEARCH
## 7 JOURNAL OF GENERAL MICROBIOLOGY
## 8 APPLIED GEOCHEMISTRY
## 9 JOURNAL OF DRUG DELIVERY SCIENCE AND TECHNOLOGY
## 10 BIOLOGIA PLANTARUM
## 11 GENOMICS
```

Our next step is to initialize/prime this dataset for screening tasks. Our goal is to distribute screening efforts to two screeners/reviewers: "Christina" and "Luc". Here each reviewer

will screen a separate subset of these references (a forthcoming example will review how to set up a dual screening design where each member screens the same references). The dataset first needs to be initialized as follows:

```
# prime the study-reference dataset
theRefs <- effort_initialize(example_references_metagear)
# display the new columns added by effort_initialize
names(theRefs)

## [1] "STUDY_ID" "REVIEWERS" "INCLUDE" "AUTHORS" "YEAR" "TITLE"
"JOURNAL" "VOLUME" "LPAGES" "UPAGES" "DOI" "ABSTRACT"
```

Note that the `effort_initialize()` function added three new columns: “STUDY_ID” which is a unique number for each reference (e.g., from 1 to 11), “REVIEWERS” an empty column with NAs that will be later populated with our reviewers (e.g., Christina and Luc), and finally the “INCLUDE” column, which will later contain the screening efforts by the two reviewers.

Screening efforts are essentially how individual study references get coded for inclusion in the synthesis project; currently the “INCLUDE” column has each reference coded as “not vetted”, indicating that each reference has yet to be screened.

Our next task is to delegate screening efforts to our two reviewers Christina and Luc. Our goal is to randomly distribute these references to each reviewer.

```
# randomly distribute screening effort to a team
theTeam <- c("Christina", "Luc")
theRefs_unscreened <- effort_distribute(theRefs, reviewers = theTeam)
# display screening tasks
theRefs_unscreened[c("STUDY_ID", "REVIEWERS")]

## STUDY_ID REVIEWERS
## 1 1 Luc
## 2 2 Luc
## 3 3 Christina
## 4 4 Christina
## 5 5 Christina
## 6 6 Luc
## 7 7 Christina
## 8 8 Luc
## 9 9 Christina
## 10 10 Luc
## 11 11 Christina
```

The screening efforts can also be delegated unevenly, such as below where Luc will take on 80% of the screening effort:

```
# randomly distribute screening effort to a team, but with Luc handling 80% of the work
theRefs_unscreened <- effort_distribute(theRefs, reviewers = theTeam, effort
```

```
= c(20, 80))
theRefs_unscreened[c("STUDY_ID", "REVIEWERS")]

##   STUDY_ID REVIEWERS
## 1         1      Luc
## 2         2 Christina
## 3         3      Luc
## 4         4      Luc
## 5         5      Luc
## 6         6      Luc
## 7         7      Luc
## 8         8      Luc
## 9         9      Luc
## 10        10 Christina
## 11        11      Luc
```

The effort can also be redistributed with the `effort_redistribute()` function. In the above example we assigned Luc 80% of the work. Now let's redistribute half of Luc's work to a new team member "Patsy".

```
theRefs_Patsy <- effort_redistribute(theRefs_unscreened,
                                     reviewer = "Luc",
                                     remove_effort = 50, # move 50% of Luc's
work to Patsy
                                     reviewers = c("Luc", "Patsy")) # team
members loosing and picking up work
theRefs_Patsy[c("STUDY_ID", "REVIEWERS")]

##   STUDY_ID REVIEWERS
## 2         2 Christina
## 10        10 Christina
## 1         1      Patsy
## 3         3      Luc
## 4         4      Luc
## 5         5      Luc
## 6         6      Luc
## 7         7      Luc
## 8         8      Patsy
## 9         9      Patsy
## 11        11      Patsy
```

The references have now been randomly assigned to either Christina or Luc. The whole initialization of the reference dataset with `effort_initialize()` can be abbreviated with `effort_distribute(example_references_metagear, reviewers = c("Christina", "Luc"), initialize = TRUE)`.

Now that screening tasks have been distributed, the next stage is for reviewers to start the manual screening of each assigned reference. This is perhaps best done by providing a separate file of these references to Christina and Luc. They can then work on screening

these references separately and remotely. Once the screening is complete, we can then merge these files into a complete dataset (we'll get to this later).

The `effort_distribute()` function can also save to file each reference subset; these can be given to Christina and Luc to start their work. This is done by setting the 'save_split' parameter to TRUE.

```
# randomly distribute screening effort to a team, but with Luc handling 80% of the work,  
# but also saving these screening tasks to separate files for each team member  
theRefs_unscreened <- effort_distribute(theRefs, reviewers = theTeam, effort = c(20, 80), save_split = TRUE)  
  
## 2 files saved in:  
C:/Users/Iaj eunesse/Desktop/R_projects/metagear_0.5.3/metagear/vignettes  
  
theRefs_unscreened[c("STUDY_ID", "REVIEWERS")]  
  
##   STUDY_ID REVIEWERS  
## 1         1         Luc  
## 2         2         Luc  
## 3         3 Christina  
## 4         4         Luc  
## 5         5         Luc  
## 6         6         Luc  
## 7         7         Luc  
## 8         8         Luc  
## 9         9         Luc  
## 10        10 Christina  
## 11        11         Luc  
  
list.files(pattern = "effort")  
## [1] "effort_Christina.csv" "effort_Luc.csv"
```

These two `effort_*.csv` files contain the assigned references for Christina and Luc. These can be passed on to each team member so that they can begin screening/coding each reference for inclusion in the synthesis project.

References should be coded as "YES" or "NO" for inclusion, but can also be coded as "MAYBE" if bibliographic information is missing or there is inadequate information to make a proper assessment of the study.

The `abstract_screener()` function can be used to facilitate this screening process (an example is forthcoming), but for the sake of introducing how screening efforts can be merged and summarized, I manually coded all the references in both of Christina's and Luc's `effort_*.csv` files. Essentially, I randomly coded each references as either "YES", "NO", or "MAYBE". These files now contain the completed screening efforts.

We can merge these two files with the completed screening efforts using the `effort_merge()` function, as well as summarize the outcome of screening tasks using the `effort_summary()` function.

```
# merge the effort_Luc.csv and effort_Christina.csv
# WARNING: will merge all files named "effort_*" in directory
theRefs_screened <- effort_merge()
theRefs_screened[c("STUDY_ID", "REVIEWERS", "INCLUDE")]

##   STUDY_ID REVIEWERS INCLUDE
## 1         3 Christina     NO
## 2        10 Christina     NO
## 3         1         Luc     NO
## 4         2         Luc  MAYBE
## 5         4         Luc  MAYBE
## 6         5         Luc  MAYBE
## 7         6         Luc     NO
## 8         7         Luc     YES
## 9         8         Luc  MAYBE
## 10        9         Luc     NO
## 11        11         Luc     YES

theSummary <- effort_summary(theRefs_screened)

## === SCREENING EFFORT SUMMARY ===
##
##   2 candidate studies identified
##   4 studies excluded
##   5 challenging studies needing additional screening
##   ----
##   11 TOTAL SCREENED
##
## === SCREENING DESIGN SUMMARY ===
##
##           NO  MAYBE  YES  TOTAL      %
## Christina  2    0    0    2  18.18182
## Luc        3    4    2    9  81.81818
## TOTAL     5    4    2   11 100.00000
```

The summary of screening tasks describes the outcomes of which references had studies appropriate for the synthesis project, while also outlining which need to be re-assessed. The team should discuss these challenging references and decide if they are appropriate for inclusion or track down any additional/missing information needed to make proper assessment of their inclusion.




Screening abstracts of references

Metagear offers a simple abstract screener to quickly sift through the abstracts and titles of multiple references. Here is some script to help initialize the screener GUI in R:

```
# Load package  
library(metagear)  
  
# initialize bibliographic data and screening tasks  
data(example_references_metagear)  
effort_distribute(example_references_metagear, initialize = TRUE, reviewers =  
"marc", save_split = TRUE)  
  
# initialize screener GUI  
abstract_screener("effort_marc.csv", aReviewer = "marc")
```

The GUI itself will appear as a single window with the first title/abstract listed in the .csv file. If abstracts have already been screened/coded, it will begin at the nearest reference labeled as “not vetted”. The SEARCH WEB button opens the default browser and searches Google with the title of the reference. The YES, MAYBE, NO buttons, which also have shortcuts ALT-Y and ALT-N, are used to code the inclusion/exclusion of the reference. Once clicked/coded the next reference is loaded. The SAVE button is used to save the coding progress of screening tasks. It will save coding progress directly to the loaded .csv file. **Closing the GUI and not saving will result in the loss of screening efforts relative to last save.**

Here’s what to expect with this GUI (note that depending on the platform running *R*, the layout of this GUI will differ slightly):



Metagear Abstract Screener GUI



Workflow example

Here I provide a quick example of extracting effect size data from a journal article PDF.

In this example, we have the following goals:

1. Get the DOI from a study reference.
2. Use this DOI to download a PDF of the journal article.
3. Extract all the figures from this PDF.
4. And finally, extract the effect size from one of these figures.

First, let's start by using one of the DOIs from the pre-packaged **metagear** dataset that contains the bibliographic information of 11 journal articles (example_references_metagear). These data are a subset of references generated from a search in Web of Science for "Genome size", and contain the abstracts, titles, volume, page numbers, and authors of these references.

```
# load package
library(metagear)
# load a bibliographic dataset with the DOIs
data(example_references_metagear)
# display one of the DOI's reference
theBibliography <- scrape_bibliography(example_references_metagear$DOI[4])
theBibliography$citation

## [1] "Ruas et al. (2008) Characterization, genomic organization and
chromosomal distribution of Ty1-copia retrotransposons in species of
Hypochoeris (Asteraceae). GENE 412, 39-49. "
```

Our next goal is to download a PDF of the Ruas et al.'s (2008) journal article and then extract its figures.

```
# locate and download a PDF of this journal article
PDF_download(example_references_metagear$DOI[4], theFileName = "Ruas_2008")

## Collecting PDF from DOI: 10.1016/j.gene.2008.01.009


##           Extraction 1 of 2: HTML script... successful
##           Extraction 2 of 2: PDF download... successful

## [1] "downloaded"
```

A PDF was found, successfully downloaded, and saved as "Ruas_2008.pdf". Next let's extract the figures from this PDF and select the one with potential effect size data. Here we will extract and save the figures as image files (jpegs), and then plot each one to see which is a regression figure.


```
# extract figures from the PDF
imageFiles <- PDF_extractImages("Ruas_2008.pdf")

# plot all figures with file names
par(mfrow=c(2,3), las = 1)
for(i in 1:6) {
  figure_display(imageFiles[i])
  mtext(imageFiles[i], col = "red", cex = 1.2)
}
```



It seems like the file "Ruas_2008_bin_4.jpg" is a regression plot; let's try to extract the effect size (correlation coefficient) from this regression.

```
# plot the regression figure  
figure_display("Ruas_2008_bin_4.jpg")
```




```
# extract the correlation coefficient
```

```
rawData <- figure_scatterPlot("Ruas_2008_bin_4.jpg")
```

```
## regression fit: Y = 96.72933 + 0.07556 * X, R-squared = 0.00652
```


```
## Pearson's r = 0.0807309, var(r) = 0.0493504, N = 22
```



Well... regression points were detected using the default settings of `figure_scatterPlot`, but so many more objects. Let's change the settings to detect diamond points rather than circles, and let's also increase the point size since the figure image is large.

```
# plot the regression figure
rawData <- figure_scatterPlot("Ruas_2008_bin_4.jpg",
                             point_shape = "diamond", # circle shapes to
                             diamonds
                             point_size = 5) # increase from 3 to 5 in size


## regression fit: Y = 12.27042 + 0.84821 * X, R-squared = 0.74037
## Pearson's r = 0.8604483, var(r) = 0.0084259, N = 10
```



The regression point detection was much more successful here, and although some detections were flagged as potential errors, every point in the figure was detected. Further, the estimated regression coefficients were very similar to those reported within the figure. To get better coefficients it is necessary to explicitly define the scale of each axis scale as follows (however note that the correlation coefficient will not change):

```
# plot the regression figure
rawData <- figure_scatterPlot("Ruas_2008_bin_4.jpg",
                             point_shape = "diamond", # circle shapes to
                             diamonds
                             point_size = 5, # increase from 3 to 5 in size
                             X_min = 0.12,
                             X_max = 0.52,
                             Y_min = 1.8,
                             Y_max = 7.2)

## regression fit: Y = 0.76064 + 11.45083 * X, R-squared = 0.74037
## Pearson's r = 0.8604483, var(r) = 0.0084259, N = 10
```



The estimated coefficients are not as reported; perhaps they are reversed in the figure or there are data points not present in the figure and these are found outside the visual range of each axis.



Downloading PDFs

Once references have been screened, **metagear** can be used to download and organize the full-texts of these references. However, note that the download success of these PDFs is entirely conditional on the journal subscription coverage of the host institution running **metagear**. Also note that **metagear** only supports the download of a PDF article if the [DOI \(digital object identifier\)](#) is available for that article.

In this example, we have the following goals:

1. Download a single PDF with the `PDF_download()` function.
2. Download multiple PDFs with the `PDFs_collect()` function.

Let's start by loading the pre-packaged reference dataset in **metagear** that contains the bibliographic information of 11 journal articles (example_references_metagear). This dataset includes a column "DOI" which contains the DOI of each article (if available).

```
# Load package
library(metagear)
# Load a bibliographic dataset with the DOIs
data(example_references_metagear)
# Display the year published of each study reference and their DOIs
example_references_metagear[c("JOURNAL", "DOI")]

##                                JOURNAL
DOI
## 1 BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS
10.1016/j.bbrc.2011.10.017
## 2                                EVOLUTIONARY ECOLOGY RESEARCH
<NA>
## 3                                AMERICAN NATURALIST
10.1086/319928
## 4                                GENE
10.1016/j.gene.2008.01.009
## 5                                VIRUS GENES                10.1007/s11262-
012-0864-0
## 6                                JOURNAL OF SHELLFISH RESEARCH
10.2983/035.029.0428
## 7                                JOURNAL OF GENERAL MICROBIOLOGY
<NA>
## 8                                APPLIED GEOCHEMISTRY 10.1016/S0883-
2927(02)00054-9
## 9                                JOURNAL OF DRUG DELIVERY SCIENCE AND TECHNOLOGY
<NA>
## 10                               BIOLOGIA PLANTARUM
10.1023/A:1012426306493
## 11                               GENOMICS
10.1016/j.ygeno.2013.09.002
```

Note that references collected from bibliographic databases like *Web of Science* will often be incomplete. For example, the study published in EVOLUTIONARY ECOLOGY RESEARCH does not have a DOI (described above as NA). This is because EVOLUTIONARY ECOLOGY RESEARCH is an independently published journal and does not provide DOIs for their research articles.

However, a DOI for the AMERICAN NATURALIST study is available, and let's use it to fetch the PDF.

```
# Load package
PDF_download("10.1086/319928", theFileName = "AMNAT_metagear")

## Collecting PDF from DOI: 10.1086/319928
```

```
##           Extraction 1 of 2: HTML script... successful
##           Extraction 2 of 2: PDF download... successful
## [1] "downloaded"
```

The downloader provides information on the download success, and in this case a PDF was successfully retrieved. It was saved in the working directory of the **R** process (to see this directory use `getwd()`).

Now let's try downloading all the PDFs from our reference dataset. This can be done using the `PDFs_collect()` function.

```
# (optional) initialize the reference dataset to help generate standardized
fileNames (e.g., STUDY_ID numbers)
theRefs <- effort_initialize(example_references_metagear)
# fetch the PDFs
collectionOutcomes <- PDFs_collect(theRefs, DOIcolumn = "DOI", FileNamecolumn
= "STUDY_ID", quiet = TRUE)

## --- Starting download attempts of 11 DOI ---

##
## Harvesting 1 of 11:
##
## Harvesting 2 of 11:
##
## Harvesting 3 of 11:
##
## Harvesting 4 of 11:
##
## Harvesting 5 of 11:
##
## Harvesting 6 of 11:
##
## Harvesting 7 of 11:
##
## Harvesting 8 of 11:
##
## Harvesting 9 of 11:
##
## Harvesting 10 of 11:
##
## Harvesting 11 of 11:
```

```
table(collectionOutcomes$downloadOutcomes)
```

```
##  
## downloaded      no DOI  URL error  
##           7         3      1  
  
## Warning in FUN(X[[i]], ...): cannot remove file '6.1.pdf', reason 'No such  
file or directory'  
  
## Warning in FUN(X[[i]], ...): cannot remove file '6.2.pdf', reason 'No such  
file or directory'
```

Eight of the 11 references had successful PDF downloads; the remaining 3 did not have DOIs available. These PDFs will need to be checked to determine if their contents are the desired research articles. Also note that the downloading process will take time, and in general, it will take ~ 45 seconds to detect and download a single PDF.



Scraping *Web of Science* for bibliographic data

Metagear can also [scrape](#) *Web of Science* (WOS) for bibliographic data if the [DOI \(digital object identifier\)](#) of a study is available. Currently, only the authors, title, publication year, journal, issue, page numbers, number of references, number of citations, and the journal impact factor (and year released) are fetched for a study. By default, `scrape_bibliography()` will print an MLA-like formatted citation of the article.

For example, let's quickly scrape WOS for Carmona *et al.*'s (2011) reference and its number of citations.

```
# Load package  
library(metagear)  
# display the DOI's reference and number of citations  
theBibliography <- scrape_bibliography("10.1111/j.1365-2435.2010.01794.x")  
# number of citations  
print(paste(theBibliography$N_citations, "citations as of",  
theBibliography$date_scraped))  
  
## [1] "259 citations as of 2020-03-20"
```




Generating PRISMA plots

PRISMA plots (preferred reporting items for systematic reviews and meta-analyses), or PRISMA flow diagrams, are an important and simple way to present the flow of information on how studies were found, collated, and screened for systematic reviews and meta-analysis (Liberati *et al.* 2009). Generally, they depict from top to bottom the original number of studies identified through bibliographic databases (and other sources) and how this population of studies was culled for inclusion into the synthesis project.

Metagear offers an easy way to generate PRISMA plots, this requires a list of the 'phases' of the screening process. It also requires certain phases to be labeled to properly depict the start (with the string `START_PHASE:`) and exclusion (string `EXCLUDE_PHASE:`) phases of the flow diagram. Below is a quick example.


```
# Load package
library(metagear)

phases <- c("START_PHASE: # of studies identified through database
searching",
           "START_PHASE: # of additional studies identified through other
sources",
           "# of studies after duplicates removed",
           "# of studies with title and abstract screened",
           "EXCLUDE_PHASE: # of studies excluded",
           "# of full-text articles assessed for eligibility",
           "EXCLUDE_PHASE: # of full-text articles excluded, not fitting
eligibility criteria",
           "# of studies included in qualitative synthesis",
           "EXCLUDE_PHASE: # studies excluded, incomplete data reported",
           "final # of studies included in quantitative synthesis (meta-
analysis)")
thePlot <- plot_PRISMA(phases)
```



Generating different PRISMA plot layouts

There are also several different PRISMA plot layouts available to generate simpler or more colourful schemes. Below are a few of the various designs available, and for example, here the ci nnamonMi nt scheme can be generated using: `plot_PRISMA(phases, design = "ci nnamonMi nt")`.



It is also possible to individually customize various design features of the PRISMA plot. Here are some of the features that can be modified:


parameter	options
S	color of start phases (default: white)
P	color of the main phases (default: white)
E	color of the exclusion phases (default: white)
F	color of the final phase (default: white)
fontSize	the size of the font (default: 12)
fontColor	the font color (default: black)
fontFace	either plain, bold, italic, or bold.italic (default: plain)
flatArrow	arrows curved when FALSE (default); arrows square when TRUE
flatBox	boxes curved when FALSE (default); boxes square when TRUE

Here's a quick example on how to change the color of the exclusion phases:

```
# Load package
library(metagear)

phases <- c("START_PHASE: # of studies identified through database
searching",
            "# of studies after duplicates removed",
            "# of studies with title and abstract screened",
            "EXCLUDE_PHASE: # of studies excluded",
            "# of full-text articles assessed for eligibility",
            "EXCLUDE_PHASE: # of full-text articles excluded, not fitting
eligibility criteria",
            "# of studies included in qualitative synthesis",
            "EXCLUDE_PHASE: # studies excluded, incomplete data reported",
            "final # of studies included in quantitative synthesis (meta-
analysis)")

# PRISMA plot with custom layout
thePlot <- plot_PRISMA(phases, design = c(E = "lightcoral", flatArrow =
TRUE))
```



Notes on PRISMA plotting since metagear v. 0.1 and 0.2

Previous versions of **metagear** (v. 0.2 and 0.1) offered a more flexible version of `plot_PRISMA()` that allowed for proper rescaling of PRISMA objects when the user manually changed the window size of the plot. Unfortunately, this version did not load well when bundled with the package and yielded unusual plots (I would love to hear any tips on how to properly manage viewports and grid objects within a package!). Anyway, these versions are available on my website and allow for higher-quality PRISMA plots; these old functions can be downloaded [here](#) and work best when not loaded with **metagear**.



Automated extraction of data from scatterplots

Extracting data from a figure image is a common challenge when trying to extract outcomes (effect sizes) from a study. The scrapping (reverse engineering) of data points from a scatterplot image can be automated with **metagear**.


In these examples, we have the following goals:

1. Extract data points from an image containing a scatterplot using the `figure_scatterPlot()` default parameters.
2. Tweak the parameters to extract data from scatterplots with various formats (e.g., different point shapes, or image sizes).

Example 1 | `figure_scatterPlot()` default settings

Metagear offers a pre-packaged scatterplot image, and so let's begin with extracting data from this image, before moving to more advanced applications of `figure_scatterPlot()`. First, let's load and display the image.

```
# Load metagear package and .jpg image manipulation package EBIimage  
library(metagear)  
library(EBIimage)  
# Load the scatterplot image, source: Kam et al. (2003) Functional Ecology  
17: 496-503.  
data(Kam_et_al_2003_Fig2)  
# display the image  
figure_display(Kam_et_al_2003_Fig2)
```



Now let's use `figure_scatterPlot()` to scrape data from this image; however, because `Kam_et_al_2003_Fig2` is pre-packaged with `metagear` it needs to be converted back to a .jpg before the image can be processed.


The `figure_scatterPlot()` will by default output three objects:

2. The estimated regression fit of these detected points, as well as the estimated effect size and variance of the correlation presented in the figure.
3. A raster image of the detected objects painted over the original image. Blue spheres are detected points, orange spheres are detected clusters of points that could not be separated, the X-axis in pink, and the Y-axis in green. The points and axes can also be extracted individually using the `figure_detectAllPoints()` and `figure_detectAxes()` functions.
4. The X and Y data from each detected point on the image, and information on whether that point was identified as a cluster.

Here are the results of using `figure_scatterPlot()` on Kam et al.'s (2002) figure.

```
# convert back to .jpg
figure_write(Kam_et_al_2003_Fig2, file = "Kam_et_al_2003_Fig2.jpg")
# load the scatterplot image, source: Kam et al. (2003) Functional Ecology
# 17: 496-503.
rawData <- figure_scatterPlot("Kam_et_al_2003_Fig2.jpg")

## regression fit: Y = 11.92586 + 0.9077 * X, R-squared = 0.59498
## Pearson's r = 0.7713478, var(r) = 0.0034903, N = 49
```




The estimated regression coefficients are very similar to those originally reported by Kam et al.'s (2002) study; which were $Y = 12.03 + 0.907 * X$ with an $R^2 = 0.59$ and a sample size of $N = 51$.

Example 2 | tweaking defaults for image size


Now let's try to extract data from another image. This time the figure is relatively small and `figure_scatterPlot()` will need some adjustments based on this size difference. Also, this time we will scale the data extractions to the X- and Y-axis scale; this is useful to calculate the original regression coefficients. Here, the minimum and maximum presented in the figure for the X-axis is 0 to 50, and 0 to 70 for the Y-axis. However, note that re-scaling the data does not affect the effect size calculated from the figure, only the estimated regression coefficients. Let's download the image first from my website and then process it.

```
# download the figure image from my website
figureSource <-
"http://ajeunesse.myweb.usf.edu/metagear/example_2_scatterPlot.jpg"
download.file(figureSource, "example_2_scatterPlot.jpg", quiet = TRUE, mode =
"wb")
aFig <- figure_read("example_2_scatterPlot.jpg", display = TRUE)
```



```
# because of the small size of the image the axis parameter needed adjustment
# from 5 to 3
rawData2 <- figure_scatterPlot("example_2_scatterPlot.jpg",
                               axis_thickness = 3, # adjusted from 5 to 3 to
# help detect the thin axis
                               X_min = 0, # minimum X-value reported in the
# plot
                               X_max = 50, # maximum X-value reported in the
# plot
                               Y_min = 0,
                               Y_max = 70)

## regression fit: Y = -0.40746 + 1.26962 * X, R-squared = 0.51678
## Pearson's r = 0.7188738, var(r) = 0.0179617, N = 15
```




In this example, because of the small size of the figure, the `axis_thicknes` parameter needed to be reduced from 5 to 3. This was sufficient to detect the axis lines and extract the plotted data.

Example 3 | more tweaking based on color, size, and empty points


In this figure example, we have the case where the image is large (1122px by 780px), the plotted points are large but empty, and the axis lines are thin and grey. All of these issues complicate object detection on the figure.

```
# download the figure image from my website
figureSource <-
"http://aj.eunessa.myweb.usf.edu/metagear/example_3_scatterPlot.jpg"
download.file(figureSource, "example_3_scatterPlot.jpg", quiet = TRUE, mode =
"wb")
aFig <- figure_read("example_3_scatterPlot.jpg", display = TRUE)
```



```
# tweaking the figure_scatterPlot() function to improve object detection
rawData3 <- figure_scatterPlot("example_3_scatterPlot.jpg",
                               binary_point_fill = TRUE, # set to TRUE to
                               fill empty points
                               point_size = 9, # increase from 5 to 9 since
                               points are large
                               binary_threshold = 0.8, # increase from 0.6 to
                               0.8 to include the grey objects
                               axis_thickness = 3, # decrease from 5 to 3
                               since axes are thin
                               X_min = 0,
                               X_max = 850,
                               Y_min = 0,
                               Y_max = 35)

## regression fit: Y = 8.51444 + 0.02396 * X, R-squared = 0.45274
## Pearson's r = 0.6728593, var(r) = 0.0019448, N = 156
```



It looks like `figure_scatterPlot()` confused some of the regression summary text on the plot for points. This can be avoided by erasing all superfluous information on the figure prior to processing with `figure_scatterPlot()`. However, in our case we are interested in estimating these reported regression coefficients. We can quickly exclude these false detections since they reside within a specific range on the plot that does not include data (e.g., values above 25 for Y, and below 305 for X).

```
# remove false detected points from the regression summary presented within the plot
cleaned_rawData3 <- rawData3[ which(!(rawData3$X < 350 & rawData3$Y > 25)), ]
# estimate the regression coefficients
lm(Y ~ X, data = cleaned_rawData3)

##
## Call:
## lm(formula = Y ~ X, data = cleaned_rawData3)
##
## Coefficients:
## (Intercept)          X
##    6.49148      0.02716

# and get R-squared
round(summary(lm(Y ~ X, data = cleaned_rawData3))$r.squared, 4)

## [1] 0.6353
```

The estimated regression coefficients are very similar to those presented within the plot.

Automated extraction of data from bar plots

Bar plots (or bar charts) are a common way to present information in groups or categories.


In these examples, we have the following goals:

1. Extract data points from an image containing a bar plot using the `figure_barPlot()` default parameters.
2. Tweak the parameters to extract data from bar plots with various formats (e.g., with bars with different shading indicating different groups, or bars presented horizontally rather than vertically).

Example 1 | `figure_barPlot()` default settings


Let's have a look at the bar plot image provided by **metagear** called `Kortum_and_Acymyan_2013_Fi g4`; originally extracted from Kortum & Acymyan (2013; Journal of Usability Studies 9:14-24).

```
# Load metagear package  
library(metagear)  
# load the scatterplot image, source: Kortum & Acymyan (2013) J. of Usability  
Studies 9: 14-24).  
data(Kortum_and_Acymyan_2013_Fi g4)  
# display the image  
figure_display(Kortum_and_Acymyan_2013_Fi g4)
```



Manual extraction of the bars and their errors will be time consuming here given that there are 42 separate data points to be gathered (i.e. 14 bars each with upper and lower error bars). Let's use `figure_barPlot()` with its default options to extract these 42 points.

```
# convert metagear image object back to .jpg and then extract objects from this .jpg
figure_write(Kortum_and_Acymyan_2013_Fig4, file =
"Kortum_and_Acymyan_2013_Fig4.jpg")
rawData <- figure_barPlot("Kortum_and_Acymyan_2013_Fig4.jpg")
```



In the above image, the detected points for each ballot were painted in blue. Let's have a closer look at these extracted data.

```
# display extracted points
as.vector(round(rawData, 2))

## [1] 15.09 20.52  9.67 21.93 28.30 15.80 25.94 31.37 20.28 29.48 23.11
35.85 34.67 41.04 28.30 35.85 42.92 28.77 37.74 30.42 45.52 39.15 45.52 32.78
41.75 34.20 49.29 53.77 62.03 45.75 62.50 70.75 54.48 71.70 54.48 62.97 73.35
67.22 79.01 92.45 95.75 88.92
```

Metagear is not clever enough to know what groupings these extractions belong to; however, the extractions will be sorted relative to their axis positioning. For example, there are three extractions that occupy the same X-axis range under the A ballot column. These three extractions will be grouped together in the `figure_barPlot()` output. With this in mind, a little data manipulation is needed to make better sense of these ballot data.

```

# extractions are in triplicates with an upper, mean, and lower values, so
let's
# stack by three and sort within triplicates from lowest to highest
organizedData <- t(apply(matrix(rawData, ncol = 3, byrow = TRUE), 1, sort))
# rename rows and columns of these triplicates as presented in
Kortum_and_Acymyan_2013_Fig4.jpg
theExtraction_names <- c("lower 95%CI", "mean SUS score", "upper 95%CI")
theBar_names <- toupper(letters[1:14])
dimnames(organizedData) <- list(theBar_names, theExtraction_names)
organizedData

##   lower 95%CI mean SUS score upper 95%CI
## A    9.669811    15.09434    20.51887
## B   15.801887    21.93396    28.30189
## C   20.283019    25.94340    31.36792
## D   23.113208    29.48113    35.84906
## E   28.301887    34.66981    41.03774
## F   28.773585    35.84906    42.92453
## G   30.424528    37.73585    45.51887
## H   32.783019    39.15094    45.51887
## I   34.198113    41.74528    49.29245
## J   45.754717    53.77358    62.02830
## K   54.481132    62.50000    70.75472
## L   54.481132    62.97170    71.69811
## M   67.216981    73.34906    79.00943
## N   88.915094    92.45283    95.75472

```


Example 2 | tweaking defaults for horizontal columns

Now let's try to extract data from another image where bar-plot is presented horizontally (i.e. bars stem from the Y-axis).

```


# download the figure image from my website
figureSource <-
"http://lajunesse.myweb.usf.edu/metagear/example_2_barPlot.jpg"
download.file(figureSource, "example_2_barPlot.jpg", quiet = TRUE, mode =
"wb")
aFig <- figure_read("example_2_barPlot.jpg", display = TRUE)

```



```
rawData2 <- figure_barPlot("example_2_barPlot.jpg",
                             horizontal = TRUE, # changed from FALSE since
                             bars are horizontal
                             bar_width = 11, # raised from 9 since bars are
                             wide relative to the figure
                             Y_min = 0,
                             Y_max = 10)
```

```
## Warning in makeBrush(watershed_thickness, shape = "line", angle =
theAngle): 'size' was rounded to the next odd number: 301
```



The function also detected the right-most vertical line (part of the figure box) as a datapoint. The options of `figure_barPlot()` can be tweaked to avoid this issue; however, it might be easier to just exclude this extraction given that it has the largest plant biomass value (i.e. close to 10). Let's exclude this false datapoint and organize the dataset as presented in the figure.

```
# exclude the false detection
rawData2 <- rawData2[rawData2 < max(rawData2)]
# data are in triplicates with an upper, mean, and lower values, so let's
# stack by three and sort within triplicates from lowest to highest
organizedData <- t(apply(matrix(rawData2, ncol = 3, byrow = TRUE), 1, sort))
# rename rows and columns of these triplicates as presented in the figure
theExtraction_names <- c("lower error", "bar", "upper error")
theBar_names <- c("exposure", "water", "fertilizer", "control")
dimnames(organizedData) <- list(theBar_names, theExtraction_names)
organizedData
```

	lower error	bar	upper error
## exposure	4.775438	5.466238	6.173633
## water	7.572347	7.974277	8.376206
## fertilizer	8.986066	9.276230	9.581994
## control	4.678975	4.983923	5.273312



Meta-analysis with multiple effect sizes that share a common control

Typically an effect size quantified with a response ratio uses the means (\bar{X}), standard deviations (SD), and sample sizes (N) from single control (C) and treatment (T) groups. However, some studies will compare multiple treatment groups to a single control.

Here we will replicate the meta-analysis example presented in Lajeunesse (2011; Ecology 92, 2049-2055) for modeling effect sizes that share a common control.

```
# Load metagear package
library(metagear)
# get dataset from my website
dataSource <-
"http://lajeunesse.myweb.usf.edu/metagear/Lajeunesse_2011_commonControl.csv"
theData <- read.csv(dataSource, header = TRUE)
# calculate response ratios (RR) and add these effect sizes to the dataset
theData$RR <- log(theData$X_T/theData$X_C)
# display effect sizes as reported by Lajeunesse (2011; page 2052, second paragraph)
round(theData$RR, 3)

## [1] -0.598  0.182  0.718
```

These three RR effect sizes share a common control. The next step is to model the covariances (the dependencies) among these effect sizes using the **metagear's** `covariance_commonControl()` function. There will be a list of two objects outputted from this function, the first will be the variance-covariance matrix that models the dependencies among effect sizes, and the second is the effect size dataset that is aligned with the structure of this matrix. Let's now compute and display the matrix.

```
# estimate the sample variance-covariance (VCV) matrix that models the common control relationships among RR
V <- covariance_commonControl(theData,
                             "commonControl_ID",
                             "X_T", "SD_T", "N_T",
                             "X_C", "SD_C", "N_C",
                             metric = "RR")
# display the VCV matrix with rounded variances and covariances
round(V[[1]], 3)
```

```
##      [, 1] [, 2] [, 3]
## [1, ] 0.105 0.047 0.047
## [2, ] 0.047 0.087 0.047
## [3, ] 0.047 0.047 0.060
```

Note the off-diagonals of the matrix are non-zero; this structure models the shared variance (covariance) among the three effect sizes due to the common control. The equation for the common-control covariance between two response ratio effect sizes is:

$$\text{cov}(RR_{A,C}, RR_{B,C}) = \frac{(SD_C)^2}{N_C \bar{X}_C}$$

Now let's use this matrix to model the dependent effect sizes in a meta-analysis. Here we will conduct a simple fixed-effect meta-analysis as presented by Lajeunesse (2011) using the **metafor** R package.

```
# perform a random-effects meta-analysis on these effect sizes using the
metafor R package
suppressWarnings(suppressMessages(library(metafor))) # remove all messages
when loading package
theCovarianceMatrix <- V[[1]]
theAlignedData <- V[[2]]
rma.mv(RR, # a simple model that only pools the 3 effect sizes
       V = theCovarianceMatrix, # inclusion of the sample VCV matrix
       data = theAlignedData, # the dataset with the effect sizes
       method = "FE", # "FE" = fixed effect
       digits = 4)

##
## Multivariate Meta-Analysis Model (k = 3; method: FE)
##
## Variance Components: none
##
## Test for Heterogeneity:
## Q(df = 2) = 25.8185, p-val < .0001
##
## Model Results:
##
## estimate      se      zval      pval      ci.lb      ci.ub
## 0.4054 0.2356 1.7207 0.0853 -0.0564 0.8671 .
##
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

The pooled effect size sharing a common control was 0.41 with a variance of 0.0556 (converting SE to variance with 0.2356^2).



References

- Carmona, D., Lajeunesse, M.J. and Johnson, M.T.J. (2011) Plant traits that predict resistance to herbivores. *Functional Ecology* **25**: 358-367.
- Kam, M., Cohen-Gross, S., Khokhlova, I.S., Degen, A.A. and Geffen, E. (2003) Average daily metabolic rate, reproduction and energy allocation during lactation in the Sundevall jird *Meriones crassus*. *Functional Ecology* **17**: 496-503.
- Kortum, P., and Acymyan, C.Z. 2013. How low can you go? Is the System Usability Scale range restricted? *Journal of Usability Studies* **9**: 14-24.
- Lajeunesse, M.J. (2011) On the meta-analysis of response ratios for studies with correlated and multi-group designs. *Ecology* **92**: 2049-2055.
- Lajeunesse, M.J. (2016) Facilitating systematic reviews, data extraction and meta-analysis with the *metagear* package for R. *Methods in Ecology and Evolution* **7**: 323-330.
- Liberati, A., Altman, D.G., Tetzlaff, J., Mulrow, C., Gotzsche, P.C., Ioannidis, J.P., Clarke, M., Devereaux, P.J., Kleijnen, J., and Moher, D. (2009) The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *PLoS Medicine* **6**: e1000100.
- Pau, G., Fuchs, F., Sklyar, O., Boutros, M. and Huber, W. (2010). EBImage—an R package for image processing with applications to cellular phenotypes. *Bioinformatics* **26**: 979-981.