

Package ‘detzrcr’

January 9, 2020

Type Package

Title Compare Detrital Zircon Suites

Version 0.3.0

Description Compare detrital zircon suites by uploading univariate, U-Pb age, or bivariate, U-Pb age and Lu-Hf data, in a 'shiny'-based user-interface. Outputs publication quality figures using 'ggplot2', and tables of statistics currently in use in the detrital zircon geochronology community.

License GPL-3

URL <https://github.com/magnuskristoffersen/detzrcr>

LazyData TRUE

RoxygenNote 6.1.1

Imports ggplot2, shiny, MASS, stats, graphics, utils, DT

Suggests knitr, rmarkdown

VignetteBuilder knitr

Encoding UTF-8

NeedsCompilation no

Author Magnus Kristoffersen [aut, cre]

Maintainer Magnus Kristoffersen <magnus.kristoffersen@geo.uio.no>

Repository CRAN

Date/Publication 2020-01-09 15:30:09 UTC

R topics documented:

calc_ab	3
calc_dens	3
calc_dens_hist	4
calc_dkw	4
calc_hf	5
calc_o_param	6

calc_p_apply	6
calc_quantiles	7
check_conc	7
combine_matrices	8
concX	8
concY	8
dzt_mix	9
find_maxima	9
find_plot_max	10
find_plot_min	10
find_plot_min_max	11
hfhf_chur	11
hfhf_dm	12
hf_lines	12
lambda_lu	13
lambda_u235	13
lambda_u238	14
luhf_chur	14
luhf_dm	15
luhf_zrc	15
make_tiling	16
Natal_group	16
o_param_matrix_age	17
o_param_matrix_tdm	17
plot_axis_lim	18
plot_bw_theme	18
plot_dens	19
plot_dens_hist	19
plot_ecdf	20
plot_hf	21
plot_labels	21
plot_point_scale	22
plot_quantiles	22
plot_reimink	23
plot_text_options	23
plot_tile	24
populate_matrix	24
quant_bounds	25
reimink	25
run_detzrcr	26
satkoski_1d	26
satkoski_1d_matrix	27
satkoski_2d	27
satkoski_2d_matrix	28
tile_func	28
tiling	29
u238_u235_ratio	29

calc_ab	<i>Calculate slope and intercept</i>
---------	--------------------------------------

Description

Calculate slope and intercept

Usage

```
calc_ab(t2, t1)
```

Arguments

t2	upper intercept
t1	lower intercept

calc_dens	<i>Calculate 1D density of age data</i>
-----------	-----------------------------------------

Description

Calculate the 1d density of U-Pb age data using KDE or PDD.

Usage

```
calc_dens(dat, bw = 30, type = "kde", age_range = c(0, 4560))
```

Arguments

dat	data.frame containing at least ages and percentage of discordancy
bw	Bandwidth
type	Type to calculate 'kde': proper KDE; 'pdd': detrital zircon PDD
age_range	Range over which to calculate density

Value

Density

calc_dens_hist	<i>Calculate scaled 1d density</i>
----------------	------------------------------------

Description

Calculates 1d density of age data and scales it so that it can be plotted in the same plot of a histogram of the age data

Usage

```
calc_dens_hist(dat, binwidth = 50, bw = 30, type = "kde",
  age_range = c(0, 4560))
```

Arguments

dat	data.frame
binwidth	Histogram binwidth
bw	Density bandwidth
type	'kde': KDE; 'pdd': detrital zircon PDD
age_range	Age range to calculated density over

Value

Returns density

calc_dkw	<i>Dvoretzky-Kiefer-Wolfowitz inequality</i>
----------	----------------------------------------------

Description

Calculate confidence bands for ecdfs using the Dvoretzky-Kiefer-Wolfowitz inequality.

Usage

```
calc_dkw(dat, column = "age", alpha = 0.05)
```

Arguments

dat	data.frame
column	which column to use
alpha	Desired alpha level

Value

data.frame with ecdf and confidence bands

References

Dvoretzky, A., Kiefer, J., Wolfowitz, J., 1956. Asymptotic Minimax Character of the Sample Distribution Function and of the Classical Multinomial Estimator. *Ann. Math. Stat.* 27, 642-669. doi:10.1214/aoms/1177728174

calc_hf	<i>Calculate hafnium values.</i>
---------	----------------------------------

Description

Calculates the initial $^{176}\text{Hf}/^{177}\text{Hf}$ values, the initial epsilon hafnium values, the model age using the measured $^{176}\text{Lu}/^{177}\text{Hf}$ value and the model age assuming the parental magma was produced from an average continental crust ($^{176}\text{Lu}/^{177}\text{Hf} = 0.015$) that originally was derived from the depleted mantle (Griffin, 2004).

Usage

```
calc_hf(dat, constants)
```

Arguments

dat	data.frame, list or matrix of hafnium values
constants	vector of constants which must be in the order decay constant ^{176}Lu , $^{176}/^{177}\text{Hf}$ CHUR, $^{176}\text{Lu}/^{177}\text{Hf}$ CHUR, $^{176}/^{177}\text{Hf}$ DM, $^{176}\text{Lu}/^{177}\text{Hf}$ DM and $^{176}\text{Lu}/^{177}\text{Hf}$ value used for two-stage depleted mantle model age calculations

References

Bouvier, A., Vervoort, J.D. & Patchett, P.J. 2008. The Lu-Hf and Sm-Nd isotopic composition of CHUR: Constraints from unequilibrated chondrites and implications for the bulk composition of terrestrial planets. *Earth And Planetary Science Letters* 273(1-2), 48-57.

Griffin, W., Belousova, E., Shee, S., Pearson, N. and O'Reilly, S. 2004. Archean crustal evolution in the northern Yilgam Craton: U-Pb and Hf-isotope evidence from detrital zircons. *Precambrian Research*, 231-282.

Soderlund, U., Patchett, J., Vervoort, J. & Isachsen, C. 2004. The Lu-176 decay constant determined by Lu-Hf and U-Pb isotope systematics of Precambrian mafic intrusions. *Earth And Planetary Science Letters* 219(3-4), 311-324.

calc_o_param	<i>Calculate 1-O</i>
--------------	----------------------

Description

Calculate 1-O

Usage

```
calc_o_param(dat1, dat2, column, alpha = 0.05, digits = 2)
```

Arguments

dat1	data.frame
dat2	data.frame
column	string of name of column to use ('age' or 't_dm2')
alpha	alpha level
digits	number of digits

Value

1-O

References

Andersen, T., Elburg, M., Cawthorn-Blazeby, A., 2015. U-Pb and Lu-Hf zircon data in young sediments reflect sedimentary recycling in eastern South Africa. *J. Geol. Soc. London*. 2006-2015. doi:10.1144/jgs2015-006

calc_p_apply	<i>Calculate intercepts and associated p-value</i>
--------------	----------------------------------------------------

Description

Calculate intercepts and associated p-value

Usage

```
calc_p_apply(dat, t2, t1)
```

Arguments

dat	data.frame
t2	upper intercept age
t1	lower intercept age

calc_quantiles	<i>Calculate quantiles</i>
----------------	----------------------------

Description

Split up data.frame by sample-column and calculate quantiles

Usage

```
calc_quantiles(dat, column = "t_dm2", alpha = 0.05, type = 8)
```

Arguments

dat	data.frame
column	which column in data.frame to use
alpha	alpha-level (not yet used)
type	type of quantile calculation (passed on to stats::quantile)

check_conc	<i>Check concordancy of input ages</i>
------------	----------------------------------------

Description

Check the concordancy of the U-Pb data and return the data within the desired discordancy limit.

Usage

```
check_conc(dat, disc_lim = 10)
```

Arguments

dat	data.frame containing at least ages and percentage of discordancy
disc_lim	Discordancy limit

Value

Concordant data

combine_matrices *Combine two square matrices*

Description

Combine two square matrices

Usage

```
combine_matrices(mat1, mat2)
```

Arguments

mat1	Matrix for upper triangle
mat2	Matrix for lower triangle

concX *Calculate U235 at given age*

Description

Calculate U235 at given age

Usage

```
concX(age)
```

Arguments

age	input age
-----	-----------

concY *Calculate U238 at given age*

Description

Calculate U238 at given age

Usage

```
concY(age)
```

Arguments

age	input age
-----	-----------

dzt_mix	<i>Calculate mixing model</i>
---------	-------------------------------

Description

Gaussian mixing model for detrital zircon data, using lower quantile upper quantile plot

Usage

```
dzt_mix(mu1, sig1, mu2, sig2)
```

Arguments

mu1	first mean
sig1	first standard deviation
mu2	second mean
sig2	second standard deviation

Examples

```
dzt_mix(500, 50, 1000, 100)
```

find_maxima	<i>Find maxima.</i>
-------------	---------------------

Description

Find maxima.

Usage

```
find_maxima(dist, xmin, inc)
```

Arguments

dist	distribution.
xmin	minimum value of distribution.
inc	increment.

find_plot_max	<i>Find maximum value for plotting.</i>
---------------	-----------------------------------------

Description

Find the maximum value for histogram plotting.

Usage

```
find_plot_max(x, accuracy = 100)
```

Arguments

x	vector of values
accuracy	round to nearest

find_plot_min	<i>Find minimum value for plotting</i>
---------------	----------------------------------------

Description

Find the minimum value for histogram plotting.

Usage

```
find_plot_min(x, accuracy = 100)
```

Arguments

x	vector of values
accuracy	round to nearest

find_plot_min_max	<i>Wrapper function for find_plot_min and find_plot_max</i>
-------------------	-------------------------------------------------------------

Description

Find the minimum and maximum values for histogram plotting.

Usage

```
find_plot_min_max(x, accuracy = 100)
```

Arguments

x	Age data
accuracy	Round to nearest

Value

Returns vector of minimum and maximum plotting values

hfhf_chur	<i>$^{176}\text{Hf}/^{177}\text{Hf}$ value of CHUR.</i>
-----------	--------------------------------------------------------------------

Description

$^{176}\text{Hf}/^{177}\text{Hf}$ value of CHUR.

Usage

```
hfhf_chur
```

Format

An object of class `numeric` of length 1.

References

Bouvier, A., Vervoort, J.D. and Jonathan Patchett P. 2008. The Lu-Hf and Sm-Nd isotopic composition of CHUR: Constraints from unequilibrated chondrites and implications for the bulk composition of terrestrial planets. *Earth and Planetary Science Letters* 273, 48-57.

hfhf_dm	<i>176Lu/177Hf value of DM.</i>
---------	---------------------------------

Description

176Lu/177Hf value of DM.

Usage

hfhf_dm

Format

An object of class `numeric` of length 1.

References

Griffin, W., Pearson, N., Belousova, E., Jackson, S., van Acherbergh, E., O'Reilly, S. and Shee, S. 2000. The Hf isotope composition of cratonic mantle: LAM-MC-ICPMS analysis of zircon megacrysts in kimberlites. *Geochimica et Cosmochimica Acta* 64(1), 133-147.

hf_lines	<i>Produce CHUR and DM lines</i>
----------	----------------------------------

Description

Calculate CHUR and DM lines used for epsilon-Hf vs. age and 176/177Hf vs. age plots.

Usage

```
hf_lines(range = c(0, 4560), plot_type = "ehf", constants)
```

Arguments

range	range over which to calculate lines
plot_type	'ehf' = epsilon-Hf; any thing else gives 176/177Hf
constants	vector of constants which must be in the order decay constant 176Lu, 176/177Hf CHUR, 176Lu/177Hf CHUR, 176/177Hf DM and 176Lu/177Hf DM

References

Griffin, W., Pearson, N., Belousova, E., Jackson, S., van Achterbergh, E., O'Reilly, S. and Shee, S. 2000. The Hf isotope composition of cratonic mantle: LAM-MC-ICPMS analysis of zircon megacrysts in kimberlites. *Geochimica et Cosmochimica Acta* 64(1), 133-147.

Soderlund, U., Jonathan Patchett, P., Vervoort, J.D. and Isachsen C.E. 2004. The ^{176}Lu decay constant determined by Lu-Hf and U-Pb isotope systematics of Precambrian mafic intrusions. *Earth and Planetary Science Letters* 219, 311-324.

Bouvier, A., Vervoort, J.D. and Jonathan Patchett P. 2008. The Lu-Hf and Sm-Nd isotopic composition of CHUR: Constraints from unequilibrated chondrites and implications for the bulk composition of terrestrial planets. *Earth and Planetary Science Letters* 273, 48-57.

lambda_lu	<i>Decay constant of ^{176}Lu.</i>
-----------	--------------------------------------------------------

Description

Decay constant of ^{176}Lu .

Usage

lambda_lu

Format

An object of class `numeric` of length 1.

References

Soderlund, U., Jonathan Patchett, P., Vervoort, J.D. and Isachsen C.E. 2004. The ^{176}Lu decay constant determined by Lu^{Hf} and U^{Pb} isotope systematics of Precambrian mafic intrusions. *Earth and Planetary Science Letters* 219, 311-324.

lambda_u235	<i>Decay constants of ^{235}U.</i>
-------------	--------------------------------------------------------

Description

Decay constants of ^{235}U .

Usage

lambda_u235

Format

An object of class `numeric` of length 1.

References

Steiger, R. & Jager, E. 1977. SUBCOMMISSION ON GEOCHRONOLOGY - CONVENTION ON USE OF DECAY CONSTANTS IN GEOCHRONOLOGY AND COSMOCHRONOLOGY. Earth And Planetary Science Letters 36(3), 359-362.

lambda_u238

Decay constants of 238U.

Description

Decay constants of 238U.

Usage

lambda_u238

Format

An object of class `numeric` of length 1.

References

Steiger, R. & Jager, E. 1977. SUBCOMMISSION ON GEOCHRONOLOGY - CONVENTION ON USE OF DECAY CONSTANTS IN GEOCHRONOLOGY AND COSMOCHRONOLOGY. Earth And Planetary Science Letters 36(3), 359-362.

luhf_chur

176Lu/177Hf value of CHUR.

Description

176Lu/177Hf value of CHUR.

Usage

luhf_chur

Format

An object of class `numeric` of length 1.

References

Bouvier, A., Vervoort, J.D. and Jonathan Patchett P. 2008. The Lu-Hf and Sm-Nd isotopic composition of CHUR: Constraints from unequilibrated chondrites and implications for the bulk composition of terrestrial planets. Earth and Planetary Science Letters 273, 48-57.

luhf_dm	<i>176Lu/177Hf value of DM.</i>
---------	---------------------------------

Description

$^{176}\text{Lu}/^{177}\text{Hf}$ value of DM (Griffin et al., 2000) recalculated to the decay constant of Soderlund et al. (2004) and the CHUR values of Bouvier et al. (2008).

Usage

luhf_dm

Format

An object of class `numeric` of length 1.

References

Griffin, W., Pearson, N., Belousova, E., Jackson, S., van Acherbergh, E., O'Reilly, S. and Shee, S. 2000. The Hf isotope composition of cratonic mantle: LAM-MC-ICPMS analysis of zircon megacrysts in kimberlites. *Geochimica et Cosmochimica Acta* 64(1), 133-147.

luhf_zrc	<i>176Lu/177Hf value of average continental crust.</i>
----------	--------------------------------------------------------

Description

$^{176}\text{Lu}/^{177}\text{Hf}$ value of average continental crust.

Usage

luhf_zrc

Format

An object of class `numeric` of length 1.

References

Griffin, W., Belousova, E., Shee, S., Pearson, N. and O'Reilly, S. 2004. Archean crustal evolution in the northern Yilgam Craton: U-Pb and Hf-isotope evidence from detrital zircons. *Precambrian Research*, 231-282.

make_tiling	<i>Produce data.frame of 1-O matrix suitable for geom_tile</i>
-------------	----------------------------------------------------------------

Description

Produce data.frame of 1-O matrix suitable for geom_tile

Usage

```
make_tiling(dat, type)
```

Arguments

dat	data.frame
type	What to calculate

Natal_group	<i>Dataset Natal group</i>
-------------	----------------------------

Description

Detrital zircon U-Pb age and Lu-Hf data from the Natal Group, KwaZulu-Natal, South-Africa (Kristoffersen et al. 2016).

Details

Used as example of proper format of a csv-file for input in the shiny interface.

References

Kristoffersen, M., Andersen, T., Elburg, M.A., Watkeys, M.K., 2016. Detrital zircon in a super-continental setting: locally derived and far-transported components in the Ordovician Natal Group, South Africa. *J. Geol. Soc. London*. 173, 203-215. doi:10.1144/jgs2015-012

o_param_matrix_age *Populate matrix with age 1-O*

Description

Populate matrix with age 1-O

Usage

```
o_param_matrix_age(dat, alpha = 0.05, digits = 2)
```

Arguments

dat	data.frame
alpha	alpha level
digits	number of digits

Value

matrix of 1-O for ages

References

Andersen, T., Elburg, M., Cawthorn-Blazeby, A., 2015. U-Pb and LuHf zircon data in young sediments reflect sedimentary recycling in eastern South Africa. *J. Geol. Soc. London*. 2006-2015. doi:10.1144/jgs2015-006

o_param_matrix_tdm *Populate matrix with model age 1-O*

Description

Populate matrix with model age 1-O

Usage

```
o_param_matrix_tdm(dat, alpha = 0.05, digits = 2)
```

Arguments

dat	data.frame
alpha	alpha level
digits	number of digits

Value

matrix of 1-O for model ages

References

Andersen, T., Elburg, M., Cawthorn-Blazeby, A., 2015. U-Pb and Lu-Hf zircon data in young sediments reflect sedimentary recycling in eastern South Africa. J. Geol. Soc. London. 2006-2015. doi:10.1144/jgs2015-006

plot_axis_lim	<i>Axes limits for ggplot2</i>
---------------	--------------------------------

Description

Convenience function to change axes limits for ggplot2

Usage

```
plot_axis_lim(xlim = c(0, 4560), step = 200, ylim = NULL)
```

Arguments

xlim	x-axis limit
step	specify x-axis steps
ylim	y-axis limit

Value

list of ggplot2::coord_cartesian object

plot_bw_theme	<i>Stripped down theme for ggplot2</i>
---------------	----------------------------------------

Description

Stripped down theme for ggplot2

Usage

```
plot_bw_theme()
```

Value

Returns ggplot2 theme

plot_dens	<i>Plot 1d density</i>
-----------	------------------------

Description

Creates density for U-Pb data.

Usage

```
plot_dens(dat, bw = 30, type = "kde", age_range = c(0, 4560),  
          facet = FALSE, fixed_y = FALSE, step = 200)
```

Arguments

dat	data.frame
bw	density bandwidth
type	'kde': traditional KDE 'pdd': detrital zircon PDD
age_range	range over which to calculate density
facet	logical, facet samples?
fixed_y	logical, fixed y-axis?
step	specify x-axis steps

Value

ggplot2 1d density plot with histogram

plot_dens_hist	<i>Plot 1d density with histogram</i>
----------------	---------------------------------------

Description

Creates density and histogram plot of U-Pb data.

Usage

```
plot_dens_hist(dat, bw = 30, binwidth = 50, type = "kde",  
              age_range = c(0, 4560), facet = FALSE, fixed_y = FALSE,  
              step = 200)
```

Arguments

dat	data.frame
bw	density bandwidth
binwidth	histogram binwidth
type	'kde': traditional KDE 'pdd': detrital zircon PDD
age_range	range over which to calculate density
facet	logical, facet samples?
fixed_y	logical, fixed y-axis?
step	specify x-axis steps

Value

ggplot2 1d density plot with histogram

plot_ecdf

Plot ecdf

Description

Plot ecdf for U-Pb age or Lu-Hf model age data.

Usage

```
plot_ecdf(dat, mult_ecdf = FALSE, column = "age", conf = FALSE,
  guide = TRUE, alpha = 0.05)
```

Arguments

dat	data.frame
mult_ecdf	logical, plot several ecdfs in same plot
column	which column to use
conf	logical, plot confidence bands
guide	logical, show legend
alpha	alpha-level used for confidence bands

plot_hf	<i>Plot Lu-Hf data</i>
---------	------------------------

Description

Plot Lu-Hf data as both epsilon-Hf vs. age and 176/177Hf vs. age.

Usage

```
plot_hf(dat, range = c(0, 4560), plot_type = "ehf", guide = TRUE,
        x_errors = FALSE, y_errors = FALSE, error_bars = FALSE,
        contours = FALSE, x_bandwidth = NULL, y_bandwidth = NULL,
        contour_data = NULL, combine_contours = FALSE, constants)
```

Arguments

dat	data.frame
range	range to display
plot_type	'ehf'=epsilon-Hf; 'hfhf'=176/177Hf
guide	logical, show legend?
x_errors	logical, include x errorbars
y_errors	logical, include y errorbars
error_bars	logical, include errorbars
contours	logical, plot contours?
x_bandwidth	bandwidth 2dkde x-direction
y_bandwidth	bandwidth 2dkde y-direction
contour_data	data.frame containing data to contour
combine_contours	logical combine contouring data
constants	vector of constants which must be in the order decay constant 176Lu, 176/177Hf CHUR, 176Lu/177Hf CHUR, 176/177Hf DM and 176Lu/177Hf DM

plot_labels	<i>Labels for ggplot2 plots</i>
-------------	---------------------------------

Description

Convenience function to label ggplot2

Usage

```
plot_labels(xlab = "Age (Ma)", ylab = "Density")
```

Arguments

xlab	X-axis label
ylab	Y-axis label

Value

Returns ggplot2 labels

plot_point_scale	<i>Add manual shape scale to scatter plot</i>
------------------	-----------------------------------------------

Description

Add manual shape scale to scatter plot

Usage

```
plot_point_scale()
```

plot_quantiles	<i>Plot quantiles</i>
----------------	-----------------------

Description

Plot quantiles

Usage

```
plot_quantiles(dat, column = "t_dm2", conf = FALSE, alpha = 0.05,
  type = 8, guide = TRUE, mix = FALSE, mix_data = NULL)
```

Arguments

dat	data.frame
column	which column in data.frame to use
conf	logical, plot confidence interval
alpha	alpha-level
type	type of quantile calculation (passed on to stats::quantile)
guide	logical, show legend?
mix	logical, add mixing model
mix_data	mixing model data

plot_reimink	<i>Plot likelihood of intercept ages</i>
--------------	------------------------------------------

Description

Plot likelihood of intercept ages

Usage

```
plot_reimink(dat)
```

Arguments

dat	data.frame
-----	------------

plot_text_options	<i>Modify text options of plots</i>
-------------------	-------------------------------------

Description

Modify text options of plots

Usage

```
plot_text_options(font_name = "Helvetica", title_size = 10,  
  label_size = 7, legend_size = 10, strip_text_y_size = 8)
```

Arguments

font_name	Name of font to use
title_size	Font size of x- and y-axis titles
label_size	Font size of x- and y-axis tick labels
legend_size	Font size of legend
strip_text_y_size	Font size of vertical panel text

plot_tile	<i>Tile plot of I-O matrix</i>
-----------	--------------------------------

Description

Tile plot of I-O matrix

Usage

```
plot_tile(dat, type)
```

Arguments

dat	data.frame
type	What to plot

populate_matrix	<i>Populate matrix</i>
-----------------	------------------------

Description

Populate matrix

Usage

```
populate_matrix(dat, FUN, ...)
```

Arguments

dat	data.frame
FUN	Function used to populate matrix
...	Additional parameters passed to function

Value

Populated matrix

quant_bounds	<i>Calculate confidence bands for lower and upper quartile</i>
--------------	----------------------------------------------------------------

Description

Calculate confidence bands for lower and upper quartile

Usage

```
quant_bounds(dat, column = "t_dm2", alpha = 0.05)
```

Arguments

dat	data.frame
column	column to use for calculations
alpha	alpha-level

reimink	<i>Calculate upper and lower concordia intercepts from discordant detrital zircon data</i>
---------	--------------------------------------------------------------------------------------------

Description

Calculate upper and lower concordia intercepts from discordant detrital zircon data

Usage

```
reimink(dat, step = 5)
```

Arguments

dat	data.frame
step	Chord spacing

References

Reimink, J.R., Davies, J.H.F.L., Waldron, J.W.F., Rojas, X. (2016). Dealing with discordance: a novel approach for analysing U-Pb detrital zircon datasets. *Journal of the Geological Society*. doi: 10.1144/jgs2015-114

run_detzrcr	<i>Launch shiny interface</i>
-------------	-------------------------------

Description

Launch shiny interface

Usage

```
run_detzrcr(...)
```

Arguments

... Pass arguments on to shiny::runApp

satkoski_1d	<i>Calculate 1d likeness of detrital zircon populations</i>
-------------	-------------------------------------------------------------

Description

Calculates the likeness of detrital zircon populations in 1 dimension after Satkoski et al. (2013).

Usage

```
satkoski_1d(x, y, bw = 30, digits = 3)
```

Arguments

x	vector
y	vector
bw	bandwidth
digits	number, round result to significant digits

References

Satkoski, A.M., Wilkinson, B.H., Hietpas, J., Samson, S.D., 2013. Likeness among detrital zircon populations - An approach to the comparison of age frequency data in time and space. GSA Bulletin 125, 1783-1799.

satkoski_1d_matrix *Pairwise Satkoski likeness*

Description

Populate a matrix with pairwise Satkoski 1d likeness.

Usage

```
satkoski_1d_matrix(dat, bw = 30, digits = 3)
```

Arguments

dat	data.frame
bw	density bandwidth
digits	number, round result to significant digits

References

Satkoski, A.M., Wilkinson, B.H., Hietpas, J., Samson, S.D., 2013. Likeness among detrital zircon populations - An approach to the comparison of age frequency data in time and space. GSA Bulletin 125, 1783-1799.

satkoski_2d *Calculate 2d (age and Lu-Hf) likeness of detrital zircon populations*

Description

Calculates the likeness of detrital zircon populations in 2 dimensions after Satoski et al. (2013).

Usage

```
satkoski_2d(x, y, bw = c(30, 2.5), digits = 3)
```

Arguments

x	vector
y	vector
bw	vector of density bandwidths
digits	number, round result to significant digits

References

Satkoski, A.M., Wilkinson, B.H., Hietpas, J., Samson, S.D., 2013. Likeness among detrital zircon populations - An approach to the comparison of age frequency data in time and space. GSA Bulletin 125, 1783-1799.

satkoski_2d_matrix *Pairwise 2d Satkoski likeness*

Description

Populate a matrix with pairwise Satkoski 12 likeness.

Usage

```
satkoski_2d_matrix(dat, bw = c(30, 2.5), digits = 3)
```

Arguments

dat	data.frame
bw	vector of density bandwidths
digits	number, round result to significant digits

References

Satkoski, A.M., Wilkinson, B.H., Hietpas, J., Samson, S.D., 2013. Likeness among detrital zircon populations - An approach to the comparison of age frequency data in time and space. GSA Bulletin 125, 1783-1799.

tile_func *Ready 1-O matrix for tile plot*

Description

Ready 1-O matrix for tile plot

Usage

```
tile_func(x)
```

Arguments

x	1-O parameter vector
---	----------------------

tiling	<i>Apply tile_func to vector</i>
--------	----------------------------------

Description

Apply tile_func to vector

Usage

```
tiling(z)
```

Arguments

z	1-O parameter vector
---	----------------------

u238_u235_ratio	<i>Atomic ratio of 238U and 235U.</i>
-----------------	---------------------------------------

Description

Atomic ratio of 238U and 235U.

Usage

```
u238_u235_ratio
```

Format

An object of class numeric of length 1.

References

Steiger, R. & Jager, E. 1977. SUBCOMMISSION ON GEOCHRONOLOGY - CONVENTION ON USE OF DECAY CONSTANTS IN GEOCHRONOLOGY AND COSMOCHRONOLOGY. Earth And Planetary Science Letters 36(3), 359-362.

Index

*Topic **datasets**

- hfhf_chur, 11
- hfhf_dm, 12
- lambda_lu, 13
- lambda_u235, 13
- lambda_u238, 14
- luhf_chur, 14
- luhf_dm, 15
- luhf_zrc, 15
- u238_u235_ratio, 29

- calc_ab, 3
- calc_dens, 3
- calc_dens_hist, 4
- calc_dkw, 4
- calc_hf, 5
- calc_o_param, 6
- calc_p_apply, 6
- calc_quantiles, 7
- check_conc, 7
- combine_matrices, 8
- concX, 8
- concY, 8

- dzt_mix, 9

- find_maxima, 9
- find_plot_max, 10
- find_plot_min, 10
- find_plot_min_max, 11

- hf_lines, 12
- hfhf_chur, 11
- hfhf_dm, 12

- lambda_lu, 13
- lambda_u235, 13
- lambda_u238, 14
- luhf_chur, 14
- luhf_dm, 15
- luhf_zrc, 15

- make_tiling, 16

- Natal_group, 16

- o_param_matrix_age, 17
- o_param_matrix_tdm, 17

- plot_axis_lim, 18
- plot_bw_theme, 18
- plot_dens, 19
- plot_dens_hist, 19
- plot_ecdf, 20
- plot_hf, 21
- plot_labels, 21
- plot_point_scale, 22
- plot_quantiles, 22
- plot_reimink, 23
- plot_text_options, 23
- plot_tile, 24
- populate_matrix, 24

- quant_bounds, 25

- reimink, 25
- run_detzrcr, 26

- satkoski_1d, 26
- satkoski_1d_matrix, 27
- satkoski_2d, 27
- satkoski_2d_matrix, 28

- tile_func, 28
- tiling, 29

- u238_u235_ratio, 29