

Package ‘RcppDynProg’

August 12, 2020

Type Package

Title 'Rcpp' Dynamic Programming

Version 0.1.4

Date 2020-08-11

URL <https://github.com/WinVector/RcppDynProg/>,
<https://winvector.github.io/RcppDynProg/>

BugReports <https://github.com/WinVector/RcppDynProg/issues>

Maintainer John Mount <jmount@win-vector.com>

Description

Dynamic Programming implemented in 'Rcpp'. Includes example partition and out of sample fitting applications. Also supplies additional custom coders for the 'vtreat' package.

License GPL-2 | GPL-3

Depends R (>= 3.4.0)

Imports wrapr (>= 2.0.0), Rcpp (>= 1.0.0), utils, stats

LinkingTo Rcpp, RcppArmadillo

RoxygenNote 7.1.1

Suggests RUnit, knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation yes

Author John Mount [aut, cre],
Nina Zumel [aut],
Win-Vector LLC [cph]

Repository CRAN

Date/Publication 2020-08-12 09:20:02 UTC

R topics documented:

const_costs	2
const_costs_logistic	3
lin_costs	3
lin_costs_logistic	4
piecewise_constant	5
piecewise_constant_coder	5
piecewise_linear	6
piecewise_linear_coder	7
RcppDynProg	7
run_RcppDynProg_tests	8
score_solution	9
solve_for_partition	9
solve_for_partitionc	11
solve_interval_partition	12
solve_interval_partition_k	13
solve_interval_partition_no_k	14
Index	15

const_costs	<i>const_costs</i>
-------------	--------------------

Description

Built matrix of total out of sample interval square error costs for held-out means. One indexed.

Usage

```
const_costs(y, w, min_seg, indices)
```

Arguments

y	NumericVector, values to group in order.
w	NumericVector, weights.
min_seg	positive integer, minimum segment size.
indices	IntegerVector, order list of indices to pair.

Value

xcosts NumericMatix, for $j \geq i$ $xcosts(i,j)$ is the cost of partition element $[i, \dots, j]$ (inclusive).

Examples

```
const_costs(c(1, 1, 2, 2), c(1, 1, 1, 1), 1, 1:4)
```

const_costs_logistic *const_costs_logistic*

Description

Built matrix of interval logistic costs for held-out means. One indexed.

Usage

```
const_costs_logistic(y, w, min_seg, indices)
```

Arguments

y	NumericVector, 0/1 values to group in order (should be in interval [0,1]).
w	NumericVector, weights (should be positive).
min_seg	positive integer, minimum segment size.
indices	IntegerVector, order list of indices to pair.

Value

xcosts NumericMatix, for $j \geq i$ xcosts(i,j) is the cost of partition element [i,...j] (inclusive).

Examples

```
const_costs_logistic(c(0.1, 0.1, 0.2, 0.2), c(1, 1, 1, 1), 1, 1:4)
```

lin_costs *lin_costs*

Description

Built matrix of interval costs for held-out linear models. One indexed.

Usage

```
lin_costs(x, y, w, min_seg, indices)
```

Arguments

x	NumericVector, x-coords of values to group.
y	NumericVector, values to group in order.
w	NumericVector, weights.
min_seg	positive integer, minimum segment size.
indices	IntegerVector, ordered list of indices to pair.

Value

xcosts NumericMatix, for $j \geq i$ xcosts(i,j) is the cost of partition element [i,...j] (inclusive).

Examples

```
lin_costs(c(1, 2, 3, 4), c(1, 2, 2, 1), c(1, 1, 1, 1), 1, 1:4)
```

`lin_costs_logistic` *lin_costs_logistic deviance costs.*

Description

Built matrix of interval deviance costs for held-out logistic models. Fits are evaluated in-sample. One indexed.

Usage

```
lin_costs_logistic(x, y, w, min_seg, indices)
```

Arguments

x	NumericVector, x-coords of values to group.
y	NumericVector, values to group in order (should be in interval [0,1]).
w	NumericVector, weights (should be positive).
min_seg	positive integer, minimum segment size.
indices	IntegerVector, ordered list of indices to pair.

Value

xcosts NumericMatix, for $j \geq i$ xcosts(i,j) is the cost of partition element [i,...j] (inclusive).

Examples

```
lin_costs_logistic(c(1, 2, 3, 4, 5, 6, 7), c(0, 0, 1, 0, 1, 1, 0), c(1, 1, 1, 1, 1, 1, 1), 3, 1:7)
```

piecewise_constant *Piecewise constant fit.*

Description

vtreat custom coder based on RcppDynProg::solve_for_partition().

Usage

```
piecewise_constant(varName, x, y, w = NULL)
```

Arguments

varName	character, name of variable to work on.
x	numeric, input values.
y	numeric, values to estimate.
w	numeric, weights.

Examples

```
piecewise_constant("x", 1:8, c(-1, -1, -1, -1, 1, 1, 1, 1))
```

piecewise_constant_coder
 Piecewise constant fit coder factory.

Description

Build a piecewise constant fit coder with some parameters bound in.

Usage

```
piecewise_constant_coder(  
  penalty = 1,  
  min_n_to_chunk = 1000,  
  min_seg = 10,  
  max_k = 1000  
)
```

Arguments

penalty	per-segment cost penalty.
min_n_to_chunk	minimum n to subdivied problem.
min_seg	positive integer, minimum segment size.
max_k	maximum segments to divide into.

Value

a vtreat coder

Examples

```
coder <- piecewise_constant_coder(min_seg = 1)
coder("x", 1:8, c(-1, -1, -1, -1, 1, 1, 1, 1))
```

piecewise_linear *Piecewise linear fit.*

Description

vtreat custom coder based on RcppDynProg::solve_for_partition().

Usage

```
piecewise_linear(varName, x, y, w = NULL)
```

Arguments

varName	character, name of variable to work on.
x	numeric, input values.
y	numeric, values to estimate.
w	numeric, weights.

Examples

```
piecewise_linear("x", 1:8, c(1, 2, 3, 4, 4, 3, 2, 1))
```

`piecewise_linear_coder`*Piecewise linear fit coder factory.*

Description

Build a piecewise linear fit coder with some parameters bound in.

Usage

```
piecewise_linear_coder(  
  penalty = 1,  
  min_n_to_chunk = 1000,  
  min_seg = 10,  
  max_k = 1000  
)
```

Arguments

<code>penalty</code>	per-segment cost penalty.
<code>min_n_to_chunk</code>	minimum n to subdivied problem.
<code>min_seg</code>	positive integer, minimum segment size.
<code>max_k</code>	maximum segments to divide into.

Value

a vtreat coder

Examples

```
coder <- piecewise_linear_coder(min_seg = 1)  
coder("x", 1:8, c(1, 2, 3, 4, 4, 3, 2, 1))
```

`RcppDynProg`*RcppDynProg*

Description

Rcpp dynamic programming solutions for partitioning and machine learning problems. Includes out of sample fitting applications. Also supplies additional custom coders for the vtreat package. Please see <https://github.com/WinVector/RcppDynProg> for details.

Author(s)

John Mount

run_RcppDynProg_tests *Run RcppDynProg package tests.*

Description

For all files with names of the form "`^test_+\\.R$`" in the package directory `unit_tests` run all functions with names of the form "`^test_+.$`" as RUnit tests. Attaches RUnit and `pkg`, requires RUnit. Stops on error.

Usage

```
run_RcppDynProg_tests(
  ...,
  verbose = TRUE,
  package_test_dirs = "unit_tests",
  test_dirs = character(0),
  stop_on_issue = TRUE,
  stop_if_no_tests = TRUE,
  require_RUnit_attached = FALSE,
  require_pkg_attached = TRUE,
  rngKind = "Mersenne-Twister",
  rngNormalKind = "Inversion"
)
```

Arguments

<code>...</code>	not used, force later arguments to bind by name.
<code>verbose</code>	logical, if TRUE print more.
<code>package_test_dirs</code>	directory names to look for in the installed package.
<code>test_dirs</code>	paths to look for tests in.
<code>stop_on_issue</code>	logical, if TRUE stop after errors or failures.
<code>stop_if_no_tests</code>	logical, if TRUE stop if no tests were found.
<code>require_RUnit_attached</code>	logical, if TRUE require RUnit be attached before testing.
<code>require_pkg_attached</code>	logical, if TRUE require <code>pkg</code> be attached before testing.
<code>rngKind</code>	pseudo-random number generator method name.
<code>rngNormalKind</code>	pseudo-random normal generator method name.

Details

Based on Rcpp `doRUnit.R`. This version is GPL-3, works derived from it must be distributed GPL-3.

Value

RUnit test results (invisible).

score_solution	<i>compute the price of a partition solution (and check is valid).</i>
----------------	--

Description

compute the price of a partition solution (and check is valid).

Usage

```
score_solution(x, solution)
```

Arguments

x	NumericMatrix, for $j \geq i$ $x(i,j)$ is the cost of partition element $[i, \dots, j]$ (inclusive).
solution	vector of indices

Value

price

Examples

```
x <- matrix(c(1,1,5,1,1,0,5,0,1), nrow=3)
s <- c(1, 2, 4)
score_solution(x, s)
```

solve_for_partition	<i>Solve for a piecewise linear partition.</i>
---------------------	--

Description

Solve for a good set of right-exclusive x-cuts such that the overall graph of $y \sim x$ is well-approximated by a piecewise linear function. Solution is a ready for use with `with base::findInterval()` and `stats::approx()` (demonstrated in the examples).

Usage

```
solve_for_partition(
  x,
  y,
  ...,
  w = NULL,
  penalty = 0,
  min_n_to_chunk = 1000,
  min_seg = 1,
  max_k = length(x)
)
```

Arguments

x	numeric, input variable (no NAs).
y	numeric, result variable (no NAs, same length as x).
...	not used, force later arguments by name.
w	numeric, weights (no NAs, positive, same length as x).
penalty	per-segment cost penalty.
min_n_to_chunk	minimum n to subdivied problem.
min_seg	positive integer, minimum segment size.
max_k	maximum segments to divide into.

Value

a data frame appropriate for stats::approx().

Examples

```
# example data
d <- data.frame(
  x = 1:8,
  y = c(1, 2, 3, 4, 4, 3, 2, 1))

# solve for break points
soln <- solve_for_partition(d$x, d$y)
# show solution
print(soln)

# label each point
d$group <- base::findInterval(
  d$x,
  soln$x[soln$what=='left'])
# apply piecewise approximation
d$estimate <- stats::approx(
  soln$x,
  soln$pred,
```

```

xout = d$x,
method = 'linear',
rule = 2)$y
# show result
print(d)

```

`solve_for_partitionc` *Solve for a piecewise constant partition.*

Description

Solve for a good set of right-exclusive x -cuts such that the overall graph of $y \sim x$ is well-approximated by a piecewise linear function. Solution is a ready for use with `with base::findInterval()` and `stats::approx()` (demonstrated in the examples).

Usage

```

solve_for_partitionc(
  x,
  y,
  ...,
  w = NULL,
  penalty = 0,
  min_n_to_chunk = 1000,
  min_seg = 1,
  max_k = length(x)
)

```

Arguments

<code>x</code>	numeric, input variable (no NAs).
<code>y</code>	numeric, result variable (no NAs, same length as <code>x</code>).
<code>...</code>	not used, force later arguments by name.
<code>w</code>	numeric, weights (no NAs, positive, same length as <code>x</code>).
<code>penalty</code>	per-segment cost penalty.
<code>min_n_to_chunk</code>	minimum <code>n</code> to subdivided problem.
<code>min_seg</code>	positive integer, minimum segment size.
<code>max_k</code>	maximum segments to divide into.

Value

a data frame appropriate for `stats::approx()`.

Examples

```

# example data
d <- data.frame(
  x = 1:8,
  y = c(-1, -1, -1, -1, 1, 1, 1, 1))

# solve for break points
soln <- solve_for_partitionc(d$x, d$y)
# show solution
print(soln)

# label each point
d$group <- base::findInterval(
  d$x,
  soln$x[soln$what=='left'])
# apply piecewise approximation
d$estimate <- stats::approx(
  soln$x,
  soln$pred,
  xout = d$x,
  method = 'constant',
  rule = 2)$y
# show result
print(d)

```

solve_interval_partition

solve_interval_partition interval partition problem.

Description

Solve a for a minimal cost partition of the integers $[1, \dots, \text{nrow}(x)]$ problem where for $j \geq i$ $x(i, j)$ is the cost of choosing the partition element $[i, \dots, j]$. Returned solution is an ordered vector v of length $k \leq kmax$ where: $v[1] = 1$, $v[k] = \text{nrow}(x) + 1$, and the partition is of the form $[v[i], v[i+1])$ (intervals open on the right).

Usage

```
solve_interval_partition(x, kmax)
```

Arguments

<code>x</code>	NumericMatrix, for $j \geq i$ $x(i, j)$ is the cost of partition element $[i, \dots, j]$ (inclusive).
<code>kmax</code>	int, maximum number of segments in solution.

Value

dynamic program solution.

Examples

```
costs <- matrix(c(1.5, NA ,NA ,1 ,0 , NA, 5, -1, 1), nrow = 3)
solve_interval_partition(costs, nrow(costs))
```

solve_interval_partition_k

solve_interval_partition interval partition problem with a bound on number of steps.

Description

Solve a for a minimal cost partition of the integers $[1, \dots, \text{nrow}(x)]$ problem where for $j \geq i$ $x(i,j)$ is the cost of choosing the partition element $[i, \dots, j]$. Returned solution is an ordered vector v of length $k \leq k_{\max}$ where: $v[1] = 1$, $v[k] = \text{nrow}(x) + 1$, and the partition is of the form $[v[i], v[i+1])$ (intervals open on the right).

Usage

```
solve_interval_partition_k(x, kmax)
```

Arguments

<code>x</code>	NumericMatrix, for $j \geq i$ $x(i,j)$ is the cost of partition element $[i, \dots, j]$ (inclusive).
<code>kmax</code>	int, maximum number of segments in solution.

Value

dynamic program solution.

Examples

```
costs <- matrix(c(1.5, NA ,NA ,1 ,0 , NA, 5, -1, 1), nrow = 3)
solve_interval_partition(costs, nrow(costs))
```

solve_interval_partition_no_k

solve_interval_partition interval partition problem, no bound on the number of steps.

Description

Not working yet.

Usage

```
solve_interval_partition_no_k(x)
```

Arguments

`x` NumericMatrix, for $j \geq i$ $x(i,j)$ is the cost of partition element $[i, \dots, j]$ (inclusive).

Details

Solve a for a minimal cost partition of the integers $[1, \dots, \text{nrow}(x)]$ problem where for $j \geq i$ $x(i,j)$ is the cost of choosing the partition element $[i, \dots, j]$. Returned solution is an ordered vector v of length k where: $v[1] == 1$, $v[k] == \text{nrow}(x) + 1$, and the partition is of the form $[v[i], v[i+1])$ (intervals open on the right).

Value

dynamic program solution.

Examples

```
costs <- matrix(c(1.5, NA, NA, 1, 0, NA, 5, -1, 1), nrow = 3)
solve_interval_partition(costs, nrow(costs))
```

Index

const_costs, [2](#)
const_costs_logistic, [3](#)

lin_costs, [3](#)
lin_costs_logistic, [4](#)

piecewise_constant, [5](#)
piecewise_constant_coder, [5](#)
piecewise_linear, [6](#)
piecewise_linear_coder, [7](#)

RcppDynProg, [7](#)
run_RcppDynProg_tests, [8](#)

score_solution, [9](#)
solve_for_partition, [9](#)
solve_for_partitionc, [11](#)
solve_interval_partition, [12](#)
solve_interval_partition_k, [13](#)
solve_interval_partition_no_k, [14](#)