

Package ‘predictoR’

August 7, 2020

Title Predictive Data Analysis System

Type Package

Version 1.1.3

Author Oldemar Rodriguez R. with contributions from Diego Jimenez A. and Andres Navarro D.

Maintainer Oldemar Rodriguez <oldemar.rodriguez@ucr.ac.cr>

Depends R (>= 3.5)

Imports shiny (>= 1.2.0), shinyAce (>= 0.3.3), shinydashboardPlus (>= 0.6.0), shinyWidgets (>= 0.4.4), shinyjs (>= 1.0), flexdashboard (>= 0.5.1.1), tidyverse (>= 1.2.1), neuralnet (>= 1.44.2), rpart (>= 4.1-13), rattle (>= 5.2.0), xgboost (>= 0.81.0.1), ada (>= 2.0-5), colourpicker (>= 1.0), DT (>= 0.5), randomForest (>= 4.6-14), e1071 (>= 1.7-0.1), kknn (>= 1.3.1), glmnet (>= 2.0-16), corrplot (>= 0.84), ROCR (>= 1.0-7), zip (>= 1.0.0), plyr (>= 1.8.4)

Description Perform a supervised data analysis on a database through a 'shiny' graphical interface. It includes methods such as K-Nearest Neighbors, Decision Trees, ADA Boosting, Extreme Gradient Boosting, Random Forest, Neural Networks, Deep Learning, Support Vector Machines and Bayesian Methods.

License GPL (>= 2)

Encoding UTF-8

LazyData true

URL <http://www.promidat.com>

RoxygenNote 7.1.1

NeedsCompilation no

Repository CRAN

Date/Publication 2020-08-07 09:10:02 UTC

R topics documented:

init_predictor 2

Index 3

| | |
|----------------|---|
| init_predictor | <i>This function will start predictoR</i> |
|----------------|---|

Description

An interactive 'Shiny' application for data prediction.

Usage

```
init_predictor()
```

Details

Start predictoR

This starts the predictoR application on the user's local computer.

Value

Nothing

Examples

```
if(interactive()){  
  init_predictor()  
}
```

Index

* **predictoR**

init_predictor, 2

init_predictor, 2