

Package ‘tth’

March 22, 2020

Version 4.12-0

Date 2020-03-19

Title TeX-to-HTML/MathML Translators TtH/TtM

Depends R (>= 3.0.0)

Description C source code and R wrappers for the tth/ttm TeX-to-HTML/MathML translators.

License GPL-2

NeedsCompilation yes

Author Ian H. Hutchinson [aut] (author of tth/ttm C sources),
Friedrich Leisch [aut, cre] (<<https://orcid.org/0000-0001-7278-1983>>,
author of R wrappers to tth/ttm),
Achim Zeileis [aut] (<<https://orcid.org/0000-0003-0918-3766>>, author of
R wrappers to tth/ttm)

Maintainer Friedrich Leisch <Friedrich.Leisch@R-project.org>

Repository CRAN

Date/Publication 2020-03-22 08:10:03 UTC

R topics documented:

tth-package	1
tth	2
Index	5

tth-package *R Interface to the tth/ttm TeX to HTML Converter*

Description

tth/ttm are command line utilities written by Hutchinson (2012) for converting (La)TeX to HTML or HTML+MathML, respectively.

Details

The R package **tth** ships the C sources for convenient compilation and installation on all platforms. It also provides wrappers in R to process R character vectors with the command line tools directly from the R prompt. A detailed manual for tth/ttm is available online at <http://hutchinson.belmont.ma.us/tth/>.

References

Hutchinson IH (2012). *TtH: The TeX to HTML Translator*, Version 4.03. <http://hutchinson.belmont.ma.us/tth/>

tth

R Interface to the tth/ttm TeX to HTML Converter

Description

Convert TeX or LaTeX markup to HTML or HTML+MathML. Works for snippets as well as complete documents.

Usage

```
tth(x, ..., fixup = TRUE, Sweave = TRUE, mode = NULL)
ttm(x, ..., fixup = TRUE, Sweave = TRUE, mode = NULL)
```

```
tth.control(a = FALSE, c = FALSE, d = FALSE, e = 2, f = NULL, g = FALSE,
            i = FALSE, j = NULL, L = TRUE, n = NULL, p = NULL, r = TRUE,
            t = FALSE, u = FALSE, w = NULL, y = 2, xmakeindexcmd = NULL, v = FALSE)
```

Arguments

x	character vector of (La)TeX code.
fixup	logical. Should the resulting code be fixed up by deleting blank or empty lines and by replacing certain math symbols (such as not lower/greater etc.)?
Sweave	logical. Should the Sweave code environments Sinput/Soutput be replaced by verbatim (and Schunk deleted) prior to conversion with tth/ttm?
mode	character. If this is set to "hex", "dec", or "named", the corresponding mode is enforced for all character entity references. See also the details.
...	arguments passed to tth.control.
a	logical. Attempt automatic picture environment conversion using latex2gif? Default omit.
c	logical. Prefix header "Content-type: text/HTML" (for direct web serving)?
d	logical. Disable definitions with delimited arguments? Default enable.
e	numeric specifying epsfbbox handling: 0 no conversion, just ref. 1 convert to png/gif using user-supplied ps2png/gif. 2 (default) convert and include inline.

f	numeric specifying limit for built-up fraction nesting in display equations to 0 to 9. Default is 5. For tth only.
g	logical. Remove (instead of guessing intent of) font commands. Default guess font/size.
i	logical. Use italic font for equations (like TeX)? Default roman. For tth only.
j	numeric specifying index page length. Default is 20 lines.
L	logical or character. If logical: Should LaTeX commands (e.g., frac) be enabled without a documentclass line? If character: The base file (no extension) for LaTeX auxiliary input.
n	numeric HTML title format control: 0 raw, 1 expand macros, 2 expand equations.
p	character specifying additional directories (paths) to search for input files.
r	logical. Raw HTML output (omit header and tail) for inclusion in other files?
t	logical. Display built-up items in textstyle equations? Default is inline. For tth only.
u	logical. Use unicode character encoding? Default is ISO-8859-1 (latin1).
w	numeric specifying HTML writing style. Default is no head/body tags, 0 no title, 1 single title only, head/body tags. 2 XHTML. For tth only.
y	numeric specifying equation style: 1 compress vertically, 2 inline overaccents.
xmakeindexcmd	character specifying command for making index. Default is makeindex.
v	logical or numeric. Give verbose commentary? Verbosity level can also be 0 (none, same as FALSE), 1 (same as TRUE), 2 (even higher verbosity for debugging).

Details

tth and ttm are simple R wrapper functions, calling command line tools of the same name which either need to be provided by the R package **tth** or be installed on the system (and available in the search path). The command line tools have been written by Hutchinson (2012) and a detailed manual is available online at <http://hutchinson.belmont.ma.us/tth/>.

By default, the results of tth and ttm are processed further to accommodate the Sweave environments and fixup certain math symbols. Furthermore, optionally a particular mode for character entity references (mathematical symbols, greek letters, and other special characters) can be enforced. For example, the greek small letter mu can be represented in "named" mode (&mgr; or μ), in "hex" mode (μ) or "dec" model (μ). Plain tth employs "dec" mode while plain ttm employs "named" mode. But setting mode = "hex" would convert all character entity references to hex mode etc. See <http://www.w3.org/TR/xml-entity-names/bycodes.html> for the list of character entity references employed and <http://dev.w3.org/html5/html-author/charref> for a somewhat nicer display.

Value

tth/ttm return a character vector with HTML code. tth.control returns a character vector with collapsed (non-default) control arguments.

References

Hutchinson IH (2012). *TtH: The TeX to HTML Translator*, Version 4.03. <http://hutchinson.belmont.ma.us/tth/>

Examples

```
tex <- c("This is \\textbf{bold} and this \\textit{italic}.",  
        "Points on the unit circle:  $x^2 + y^2 = 1$ ."  
tth(tex)  
ttm(tex)
```

```
h0 <- "$H_0: \\mu_0 = 0$"  
tth(h0)  
tth(h0, mode = "hex")  
tth(h0, mode = "named")  
ttm(h0)  
ttm(h0, mode = "hex")  
ttm(h0, mode = "dec")
```

Index

*Topic **utilities**

tth, [2](#)

tth-package, [1](#)

tth, [2](#)

tth-package, [1](#)

ttn (tth), [2](#)